

# Fluid fertilizers — Preliminary visual examination and preparation of samples for physical testing

The European Standard EN ISO 10249:1999 has the status of a British Standard

ICS 65.080

## National foreword

This British Standard is the official English language version of EN ISO 10249:1999. It is identical with ISO 10249:1996.

The UK participation in its preparation was entrusted to Technical Committee CII/37, Fertilizers and related chemicals, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

### Cross-references

Attention is drawn to the fact that CEN and CENELEC Standards normally include an annex which lists normative references to international publications with their corresponding European publications. The British Standards which implement these international or European publications may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

**Compliance with a British Standard does not of itself confer immunity from legal obligations.**

### Summary of pages

This document comprises a front cover, an inside front cover, the EN ISO title page, EN ISO foreword page, pages 1 to 3, and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Sector Board for Materials and Chemicals, was published under the authority of the Standards Board and comes into effect on 15 March 1997

© BSI 11-2000

### Amendments issued since publication

Amd. No.	Date	Comments
10994	November 2000	Implementation of the European Standard

English version

Fluid fertilizers — Preliminary visual examination and  
preparation of samples for physical testing  
(ISO 10249:1996)

Engrais liquides — Examen visuel préliminaire et  
préparation des échantillons pour essais physiques  
(ISO 10249:1996)

Flüssige Düngemittel — Visuelle Vorprüfung und  
Vorbereitung von Proben für physikalische  
Prüfungen (ISO 10249:1996)

This European Standard was approved by CEN on 15 April 1999.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standard bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

**CEN**

European Committee for Standardization  
Comité Européen de Normalisation  
Europäisches Komitee für Normung

**Central Secretariat: rue de Stassart 36, B-1050 Brussels**

## Foreword

The text of the International Standard from Technical Committee ISO/TC 134, Fertilizers and soil conditioners, of the International Organization for Standardization (ISO) has been taken over as an European Standard by Technical Committee CEN/TC 260, Fertilizers and liming materials, the Secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 1999, and conflicting national standards shall be withdrawn at the latest by November 1999.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

## 1 Scope

This International Standard specifies both a procedure for preliminary examination of a single sample as received for testing, and a procedure for preparing a test sample by blending and reduction of a series of samples representative of a consignment or a bulk delivery of fluid fertilizer.

NOTE This complements the corresponding standard for solid fertilizers (ISO 8358).

## 2 Requirements

### 2.1 General

It is essential that the physical examination and any physical tests of fluid fertilizers be made as soon as possible after sampling because of their sensitivity to both time and temperature.

### 2.2 Condition of container

Any defects in the laboratory sample container or any visible leakage shall be recorded. If it is possible that the contents have been affected, the sample shall be rejected.

### 2.3 Opening of container

All packing materials (e.g. sawdust) and other debris shall be removed from the outer surface of the container, particularly around the closure. The container shall be opened carefully so as not to disturb the contents. The examination shall be carried out as rapidly as possible so as to minimize possible evaporation losses.

## 3 Procedure

### 3.1 Procedures for solutions

#### 3.1.1 Visual examination

##### 3.1.1.1 Ullage

Record the approximate ullage (i.e. the air-space in the container above the contents of the container), expressed as a percentage of the total capacity of the container.

##### 3.1.1.2 Surface

Record the presence of any films or incrustations and their extent. For analytical control purposes, when incrustation or surface matter is present it may be necessary to disperse it and include it in the sample for testing.

##### 3.1.1.3 Separation of phases

Record any separation of the sample into phases, noting the volume and nature of these phases (see 3.2.1.5).

##### 3.1.1.4 Clarity

Record the clarity, colour and temperature of the sample.

##### 3.1.1.5 Consistency

Record whether the sample is free flowing or gelled.

##### 3.1.1.6 Extraneous matter

Record the presence and nature of any extraneous matter in the sample. Remove it as carefully as possible.

### 3.1.2 Mixing

Mixing may be inappropriate if the sample has been submitted for physical assessment. Otherwise shake it or stir thoroughly.

## 3.2 Procedures for suspensions

### 3.2.1 Visual examination

Steps 3.2.1.1, 3.2.1.2, 3.2.1.3, 3.2.1.4 and 3.2.1.5 shall be carried out with the minimum of disturbance to the sample.

#### 3.2.1.1 Ullage

Record the approximate ullage (i.e. the air-space inside the container above the contents of the container), expressed as a percentage of the total capacity of the container.

#### 3.2.1.2 Surface

Record the presence of any films or incrustations and their extent. For analytical control purposes, when incrustation or surface matter is present it may be necessary to disperse it and include it in the sample for testing.

#### 3.2.1.3 Separation of phases

Record any separation of the sample into phases, and record the description of these phases.

#### 3.2.1.4 Consistency

Record whether the sample is free flowing or gelled and note its temperature.

#### 3.2.1.5 Settling

Record the type of settling (e.g. soft, hard or hard-dry). If the settling is hard and appears dry and crumbly inside a lump when cut with a clean spatula, describe it as "hard-dry".

#### 3.2.1.6 Extraneous matter

Record the presence and nature of any extraneous matter in the sample. Remove it as carefully as possible.

### 3.2.2 Mixing (where appropriate)

#### 3.2.2.1 Limitations

Samples which have gelled or show hard-dry settling (see 3.2.1.4 and 3.2.1.5) cannot be effectively re-incorporated or homogenized and may not be suitable for testing purposes.

### 3.2.2.2 General

During all the operations specified in 3.2.2.3 and 3.2.2.4, care shall be taken to ensure minimum loss of the aqueous phase. For this purpose, all operations shall be carried out as rapidly as practicable, consistent with satisfactory mixing.

### 3.2.2.3 Samples without hard settling

Mix the sample thoroughly, even if there is no perceptible settling. If the sample is small enough, a spatula is suitable, but for a larger sample a stouter stirrer is needed. Then firmly replace the lid of the container and thoroughly shake the contents, inverting the container as this is being done. Repeat the alternate stirring and shaking until the contents are completely homogeneous. As an added precaution, it is recommended that the mixing be completed by pouring the contents into a clean, dry and transparent container and back again several times. At all times during the sample preparation avoid, as far as possible, entrainment of air. The sample shall be free from air-bubbles before use.

### 3.2.2.4 Samples with hard settling

If it is required to complete the examination of a sample in which hard settling has occurred (but not hard-dry settling; see 3.2.2.1), proceed as follows.

Pour all the fluid medium into a clean, dry and transparent container. Remove the sediment from the bottom of the container with a spatula and mix thoroughly. When a uniform consistency has been achieved, return the fluid to the original container, a small portion at a time, carefully mixing each addition before the next is made. Complete the reincorporation by pouring the mixture from one container to another several times (see 3.2.2.3). The sample shall be free from air-bubbles before use.

### 3.2.3 Blending and reduction of a series of samples

In cases where a series of samples or increments have been taken from a homogeneous product, they may be tested either separately or combined to produce an aggregate sample.

After thoroughly mixing each sample, pour or otherwise transfer the samples into a clean, dry, transparent container of suitable size and thoroughly mix them by stirring, shaking, etc. When the mixed aggregate sample appears to be homogeneous, take a reduced sample in one or more clean, dry transparent containers, allowing at least 5 % ullage. Close, label and, if necessary, seal the containers. In the case of photosensitive products, protect the container from light.

## 4 Labelling of sample containers

State the following particulars on the label of the sample container:

- a) the name of the manufacture or blender and a description of the product;
- b) the date of manufacture or blending;
- c) the consignor;
- d) the size and particulars of the consignment;
- e) the place of sampling; the date of sampling; the name of the sampler;
- f) the reference number or numbers of the batch, and particulars of the storage tank, drum container or containers, etc. from which the sample or samples have been drawn;
- g) a reference to this International Standard or an equivalent national standard.

NOTE If the sample is dispatched to another laboratory, a delivery note should be sent with it repeating the details given on the label and also, if necessary, a report of the preliminary examination (see clause 5).

## 5 Sample test report

The sample test report shall contain at least the following information:

- a) a description of the sample, as indicated on the label (see clause 4);
- b) a reference to this International Standard or an equivalent national standard;
- c) appearance, clarity, etc. of the sample;
- d) a description of any incrustation, etc. observed;
- e) a description of any settling observed, and of the mixing and re-incorporation procedure adopted, if necessary;
- f) other preliminary observations;
- g) date of examination and name of examiner.

NOTE Further details about the presentation of sampling reports are given in ISO 5306.

## **Annex A (informative)**

### **Bibliography**

- [1] ISO 5306:1983, *Fertilizers — Presentation of sampling reports.*
- [2] ISO 8358:1991, *Solid fertilizers — Preparation of samples for chemical and physical analysis.*

---

---

## BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

### Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover.  
Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

### Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

### Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre.  
Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.  
Tel: 020 8996 7002. Fax: 020 8996 7001.

### Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager.  
Tel: 020 8996 7070.