



BSI Standards Publication

**Aerospace series — Steel
FE-PL1505 (15CrMoV6) —
Air melted — Hardened and
tempered — Bars — $D_e \leq 16$
mm — $980 \text{ MPa} \leq R_m \leq 1$
180 MPa**

National foreword

This British Standard is the UK implementation of EN 2213:2012.

The UK participation in its preparation was entrusted to Technical Committee ACE/61/-/15, Steels for Aerospace Purposes.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012. Published by BSI Standards Limited 2012

ISBN 978 0 580 76574 2

ICS 49.025.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2012.

Amendments issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD

EN 2213

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2012

ICS 49.025.10

English Version

**Aerospace series - Steel FE-PL1505 (15CrMoV6) - Air melted -
Hardened and tempered - Bars - $D_e \leq 16$ mm - $980 \text{ MPa} \leq R_m \leq$
 $1\ 180 \text{ MPa}$**

Série aérospatiale - Acier FE-PL1505 (15CrMoV6) -
Élaboré à l'air - Trempé et revenu - Barres - $D_e \leq 16$ mm -
 $980 \text{ MPa} \leq R_m \leq 1\ 180 \text{ MPa}$

Luft- und Raumfahrt - Stahl FE-PL1505 (15CrMoV6) -
Lufterschmolzen - Gehärtet und angelassen - Stangen - D_e
 ≤ 16 mm - $980 \text{ MPa} \leq R_m \leq 1\ 180 \text{ MPa}$

This European Standard was approved by CEN on 23 December 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
Foreword.....		3
Introduction		4
1	Scope	5
2	Normative references	5

Foreword

This document (EN 2213:2012) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2012, and conflicting national standards shall be withdrawn at the latest by September 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This standard is part of the series of EN metallic material standards for aerospace applications. The general organization of this series is described in EN 4258.

This standard has been prepared in accordance with EN 4500-5.

1 Scope

This European Standard specifies the requirements relating to:

Steel FE-PL1505 (15CrMoV6)
Air melted
Hardened and tempered
Bars
 $D_e \leq 16$ mm
 $980 \text{ MPa} \leq R_m \leq 1\ 180 \text{ MPa}$

for aerospace applications.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2043, *Aerospace series — Metallic materials — General requirements for semi-finished product qualification (excluding forgings and castings)* ¹⁾

EN 2951, *Aerospace series — Metallic materials — Test method — Micrographic determination of content of non-metallic inclusions* ¹⁾

EN 4050-4, *Aerospace series - Test method for metallic materials - Ultrasonic inspection of bars, plates, forging stock and forgings - Part 4 : Acceptance criteria*

EN 4258, *Aerospace series — Metallic materials — General organization of standardization — Links between types of EN standards and their use*

EN 4500-5, *Aerospace series — Metallic materials — Rules for drafting and presentation of material standards — Part 5: Specific rules for steels* ¹⁾

EN 4700-002, *Aerospace series — Steel and heat resisting alloys — Wrought products — Technical specification — Part 002: Bar and section*

EN ISO 642, *Steel — Hardenability test by end quenching (Jominy test) (ISO 642)*

¹⁾ Published as ASD-STAN pre-standard at the date of publication of this standard by Aerospace and Defence Industries Association of Europe-Standardization (ASD-STAN), (www.asd-stan.org).

BS EN 2213:2012
EN 2213:2012 (E)

1	Material designation		Steel FE-PL1505 (15CrMoV6)								
2	Chemical composition %	Element	C	Si	Mn	P	S	Cr	Mo	V	Fe
		min.	0,12	–	0,80	–	–	1,25	0,80	0,20	Base
		max.	0,18	0,20	1,10	0,020	0,015	1,50	1,00	0,30	
3	Method of melting		Air melted								
4.1	Form		Bars								
4.2	Method of production		–								
4.3	Limit dimension(s)	mm	$D_e \leq 16$								
5	Technical specification		EN 4700-002								

6.1	Delivery condition		Annealed			Hardened and tempered		
	Heat treatment		–			955 °C ≤ θ ≤ 995 °C / AC + 615 °C ≤ θ ≤ 655 °C ^a		
6.2	Delivery condition code		A			U		
7	Use condition		Hardened and tempered			Delivery condition		
	Heat treatment		Delivery condition 955 °C ≤ θ ≤ 995 °C / AC + 615 °C ≤ θ ≤ 655 °C ^a			–		

Characteristics

8.1	Test sample(s)		See EN 4700-002.								
8.2	Test piece(s)		See EN 4700-002.								
8.3	Heat treatment		Annealed			Hardened and tempered					
9	Dimensions concerned	mm	$D_e \leq 16$								
10	Thickness of cladding on each face	%	–								
11	Direction of test piece		L								
12	Temperature	θ	°C	Ambient							
13	Proof stress	$R_{p0,2}$	MPa	–			≥ 780				
14	T Strength	R_m	MPa	–			980 ≤ R_m ≤ 1 180				
15	Elongation	A	%	–			≥ 12 ^b				
16	Reduction of area	Z	%	–			–				
17	Hardness		$HB \leq 197$			291 ≤ HB ≤ 350					
18	Shear strength	R_c	MPa	–							
19	Bending	k	–	–							
20	Impact strength	KV	J	–			≥ 30				
21	Temperature	θ	°C	–							
22	Time		h	–							
23	C Stress	σ_a	MPa	–							
24	Elongation	a	%	–							
25	Rupture stress	σ_R	MPa	–							
26	Elongation at rupture	A	%	–							
27	Notes (see line 98)		a, b								

31	Hardenability (Jominy test)	–	See EN 4700-002.					
		1	EN ISO 642					
		7	The "capability clause" applies					
			Distance in mm	1,5	5	9	15	25
HRC min.	38	37	35	32	31	29		
34	Grain size	–	See EN 4700-002.					
		7	$G \geq 5$					
44	External defects	–	See EN 4700-002.					
		1	Visual					
50	Cleanliness/inclusion content (Micro cleanliness)	–	See EN 4700-002.					
		1	EN 2951					
		7	Category 1					
51	Macrostructure (Grain flow)	–	See EN 4700-002.					
61	Internal defects	–	See EN 4700-002.					
		7	Class 3, see EN 4050-4.					
95	Marking inspection	–	See EN 4700-002.					
96	Dimensional inspection	–	See EN 4700-002.					
98	Notes	–	^a The range of temperature of tempering shall be adjusted on the wire rod if the bar is made from cold working ^b In case of cold working transformation, elongation could be 10 % minimum.					
99	Typical use	–	–					

100	-	Product qualification	-	See EN 2043.
				Qualification programme to be agreed between manufacturer and purchaser.

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™