# Bonded abrasive products — Dimensions —

Part 5: Grinding wheels for surface grinding/face grinding

 $\mathrm{ICS}\ 25.100.70$ 



# **National foreword**

This British Standard reproduces verbatim ISO 603-5:1999 and implements it as the UK national standard.

The UK participation in its preparation was entrusted to Technical Committee MTE/13, Grinding wheels, abrasive tools, paper, cloths and powder, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

#### **Cross-references**

The British Standards which implement international publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

#### **Summary of pages**

This document comprises a front cover, an inside front cover, the ISO title page, pages ii and iii, a blank page, pages 1 to 13 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Engineering Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 November 1999

© BSI 11-1999

### Amendments issued since publication

Amd. No.	Date	Comments

ISBN 0 580 35701 5

# INTERNATIONAL STANDARD

ISO 603-5

First edition 1999-07-15

# Bonded abrasive products — Dimensions —

# Part 5:

Grinding wheels for surface grinding/face grinding

Produits abrasifs agglomérés — Dimensions —
Partie 5: Meules pour rectification plane/meulage latéral



Contents	Page
5 51 Scope	1
2 Normative references	1
3 Dimensions	2
3.1 Type 2: Cemented or clamped cylinder wheel	2
3.2 Type 6: Straight cup wheels	3
្នី3.3 Type 31: Segments	4
7.3.4 Type 35: Cemented or clamped disc wheel	5
3.5 Type 36: Disc wheel with inserted nuts	6
3.6 Type 37: Cylinder wheel with inserted nuts	11
รู้ 4 Designation	11
5 Specifications	
⊇ ⊇5.1 Tolerances =	12
5.2 Balancing	12
5.3 Marking	12
Bibliography	13

### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 603-5 was prepared by Technical Committee ISO/TC 29, *Small tools*, subcommittee SC 5, *Grinding wheels and abrasives*.

This first edition, together with ISO 603-1:1999 to ISO 603-4:1999 and ISO 603-6:1999 to ISO 603-16:1999, cancels and replaces ISO/R 603:1967, ISO 603-2:1981, ISO 1117:1975, ISO 2220:1972, ISO 2933:1974, ISO 3290:1976 and ISO 3921:1976 as a technical revision of these standards.

ISO 603 consists of the following parts, under the general title Bonded abrasive products — Dimensions:

- Part 1: Grinding wheels for external cylindrical grinding between centres
- Part 2: Grinding wheels for centreless external cylindrical grinding
- Part 3: Grinding wheels for internal cylindrical grinding
- Part 4: Grinding wheels for surface grinding/peripheral grinding
- Part 5: Grinding wheels for surface grinding/face grinding
- Part 6: Grinding wheels for tool and tool room grinding
- Part 7: Grinding wheels for manually guided grinding
- Part 8: Grinding wheels for deburring and fettling/snagging
- Part 9: Grinding wheels for high-pressure grinding
- Part 10: Stones for honing and superfinishings
- Part 11: Hand finishing sticks
- Part 12: Grinding wheels for deburring and fettling on a straight grinder
- Part 13: Grinding wheels for deburring and fettling on a vertical grinder
- Part 14: Grinding wheels for deburring and fettling/snagging on an angle grinder
- Part 15: Grinding wheels for cutting-off on stationary or mobile cutting-off machines
- Part 16: Grinding wheels for cutting-off on hand held power tools

# Bonded abrasive products — Dimensions —

## Part 5:

Grinding wheels for surface grinding/face grinding

### 1 Scope

This part of of ISO 603 specifies the nominal dimensions, in millimetres, of:

- Type 2: Cemented or clamped cylinder wheel
- Type 6: Straight cup wheel
- Type 31: Segments
- Type 35: Cemented or clamped disc wheel
- Type 36: Disc wheel with inserted nuts
- Type 37: Cylinder wheel with inserted nuts

These bonded abrasive products are intended to be used for surface grinding where the workpiece is secured to a reciprocating table that moves in a straight line. The workpiece and the grinding wheel are mechanically guided.

### 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 603. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 603 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the lates edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 525:1999, Bonded abrasive products — General requirements.

ISO 6103:1999, Bonded abrasive products — Static balancing of grinding wheels — Testing.

ISO 13942:—1), Bonded abrasive products — Limit deviations and run-out tolerances.

<sup>1)</sup> To be published.

# Dimensions




Figure 1 — Type 2

Table 1 — Dimensions of Type 2

# 3.2 Type 6: Straight cup wheels

See Figure 2 and Table 2.





Figure 2 — Type 6

Table 2 — Dimensions of Type 6

D	T	Н	W	E
				min.
125	63	32	13	16
150	80	32	16	20
180	80	76,2	20	20
	100	76,2	20	20
200	100	76,2	20	25
	405	70.0	00	20
	125	76,2	20	25
	400	76,2		
250	100	127	25	25
	405	76,2		
	125	127	]	
300	100	127	25	25
000	125	127	20	23

# 3.3 Type 31: Segments






Figure 4 — Type 3104




Figure 5 — Type 3109

(c)	7.				
Copy,	e Figures	3, 4 and 5	and Table  L e 3101  L 150  200  180  200  180  200	s 3, 4 a	and 5.
lled					~
ntro	se an est	<u> </u>			
Jnco			•		
ງ6, L	<i>B</i>	'   -	L		-
r 20	Figure	e 3 — Typ	e 3101		F
BS					
16:46	Table :	3 — Dime f Type 310	nsions )1		Т
9 04:	В	С	L		В
50 d	50	25			95
t Se	60	25	150		103
, Sa	80	25			106
ogy	80	30			117
lour	90	35	200		152
Teck	90	35	180		132
of .	110	40	200		
itute	120	30	180		
Inst	120	40			
ght,	120	30	200		
alla	120	40	200		
gy T					
olou					
echi					
)f T					
te (					
ıstitu					
y: In					
Copy					
ed (					
Sens					
Li					
l					

Table 4 — Dimensions of Type 3104

В	A	С	L	R
95	72	25	120	170
103	77	25	150	200
106	80	25	150	180
117	74	39	120	171,5
143	103,5	38	200	273
152	108	44	200	179

Table 5 — Dimensions of Type 3109

В	$\boldsymbol{A}$	C	L
60	54	22	110
70	64	25	110
70	64	25	150
80	70	40	150
103	94	38	150
103	94	38	180
120	106	41	200
152	135	63	200
152	135	63	250

# 3.4 Type 35: Cemented or clamped disc wheel

See Figure 6 and Table 6.




Figure 6 — Type 35

Table 6 — Dimensions of Type 35

D	T		Н
			max.
350/356	63	80	203,2
400/406			254
450/457	63	80	304,8
500/508			304,0
600/610	00	00	400
750/762	63	80	508
900/914	_	80	300

# 3.5 Type 36: Disc wheel with inserted nuts




Figure 7 — Type 36

Table 7 — Dimensions of Type 36

yy Tallaght, Institute of Technology, Sat Sep 09 04:16:46 BST 2006, Uncontrolled Copy, (c) 80 04:16:46 BST 2006	s 7 to 15 and	Tables 7 to	15.	φ <i>H</i> φ <i>D</i> gure 7 — T	Type 36		
3:46 B			Table 7 –	– Dimensio	ons of Type 36		
4:16	D		T		Н	Insert layou	t
0 6	050/050		<u> </u>	<u> </u>	max.		
0 d	350/356			_	120		
t Se	400/406	63	80		140		
Sat	450/457			100	50	See Figures 8 to	I5 and
gy,	500/508					Tables 8 to 1	5
olo	600/610	63	80	100	150		
chn	750/762				50		
Те	900/914	_	80	100	280		
ology Tallaght, Institu		30' 45				Pitch circle diameter  177,8	Number
chn	<u> </u>		$\perp$		2	304,8	8 at
Licensed Copy: Institute Of Technology Tal	\ .	= 350 mm/3	856 mm				




Figure 8 — D = 350 mm/356 mm

Table 8 — D = 350 mm/356 mm

Insert I		
Row of inserts Pitch circle diameter		Number of holes
1	177,8	4 at 90°
2	304,8	8 at 45°

**Number of holes** 

5 at 72°

10 at 36°




Figure 9 — D = 400 mm/406 mm



Table 10 — D = 450 mm/457 mm

Table 9 — D = 400 mm/406 mm

Pitch circle

diameter 190,5

323,85

**Insert location** 

1 2

Insert I					
Row of inserts	Pitch circle diameter	Number of holes			
1	101,6	3 at 120°			
2	203,2	5 at 72°			
3	279,4	5 at 72°			
4	374,65	10 at 36°			




Figure 10 — D = 450 mm/457 mm




Figure 11 — D = 500 mm/508 mm

Table 11 — D = 500 mm/508 mm**Insert location** Row of inserts Pitch circle **Number of holes** diameter 3 at 120° 1 107,95 2 203,2 6 at 60° 3 304,8 6 at 60° 4 431,8 12 at 30°




Figure 12 — D = 600 mm/610 mm

Table 12 — D = 600 mm/610 mm

Insert I		
Row of inserts	Pitch circle diameter	Number of holes
1	203,2	6 at 60°
2	330,2	6 at 60°
3	457,2	6 at 60°
4	558,8	12 at 30°




Figure 13 — D = 750 mm/762 mm

Table 13 — D = 750 mm/762 mm

Insert location		
Row of inserts	Pitch circle diameter	Number of holes
1	107,95	3 at 120°
2	279,40	8 at 45°
3	457,20	12 at 30°
4	558,80	12 at 30°
5	673,10	16 at 22°30'




Figure 14 — D = 900 mm/914 mm

Table 14 — D = 900 mm/914 mm

Insert I	Number of holes	
Row of inserts	Pitch circle diameter	
1	330,2	8
2	508	12
3	711,2	16
4	838,2	18




Figure 15 — D = 1 060 mm/ 1 067 mm

Table 15 — D = 1 060 mm/ 1 067 mm

Insert	Number of holes	
Row of inserts	Pitch circle diameter	
1	330,2	8
2	508	12
3	609,6	8
4	711,2	16
5	838,2	4
6	914,4	24

### 3.6 Type 37: Cylinder wheel with inserted nuts

See Figure 16 and Table 16.




Figure 16 — Type 37

Table 16 — Dimensions of Type 37

			Insert layout		
D	T	W	$D_1$	Number of holes	$D_2$
300	100		250	6 at 60°	
350/356			300	0 ot 45°	
400/406		50	350	8 at 45°	M10
450/457			400	10 ot 26°	IVITO
500/508	125		450	10 at 36°	
600/610		63	540	12 at 30°	

### 4 Designation

A complete designation of a bonded abrasive product in accordance with this part of ISO 603 shall be consist of the following information:

- a) designation of the bonded abrasives, e.g. "Grinding wheel";
- b) reference of this part of ISO 603;
- c) type (shape);
- d) dimensions;
- e) specifications of an internal nature;
- f) the maximum operating speed.

In accordance with ISO 525 and this part of ISO 603

### **EXAMPLE**

A grinding wheel for grinding of flat surfaces, Type 2, D = 300 mm, T = 100 mm, W = 32 mm, nature of abrasive A, grain size 46, grade H, structure 8, nature of bond B and a maximum operating speed of 32 m/s is designated as follows:

Cylinder wheel ISO 603-5 - 2 - 300 imes 100 -32 - A 46 H8B - 32 m/s

# $\overline{S}_{0}$ 5 Specifications

The specifications are left to the manufacture's discretion, see ISO 525.

5.1 Tolerances

Limit deviations and run-out tolerances in accordance with ISO 13942.

Balancing

Balancing is in accordance with ISO 6103.

# 5.3 Marking

# **Bibliography**

- [1] ISO 8486-1, Bonded abrasives Determination and designation of grain size distribution Part 1: Macrogrits F4 to F220.
- [2] ISO 8486-2, Bonded abrasives Determination and designation of grain size distribution Part 2: Microgrits F230 to F1200.

# **BSI** — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

#### **Revisions**

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

#### **Buying standards**

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

#### Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001.

#### Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.