ICS 71.100.60; 71.040.40

Essential Oils — Determination of content of phenols

Confirmed February 2011

National foreword

This British Standard reproduces verbatim ISO 1272:2000 and implements it as the UK national standard.

The UK participation in its preparation was entrusted to Technical Committee AW/54, Essential Oils, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed:
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

This British Standard, having been prepared under the direction of the Consumer Products and Services Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 September 2001

Summary of pages

This document comprises a front cover, an inside front cover, the ISO title page, pages ii and iii, a blank page, pages 1 to 5 and a back cover.

The BSI copyright date displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

 $\ensuremath{\mathbb{C}}$ BSI 08-2001

INTERNATIONAL STANDARD

ISO 1272

Second edition 2000-09-01

Essential oils — **Determination of content of phenols**

Huiles essentielles — Détermination de la teneur en phénols



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 1272 was prepared by Technical Committee ISO/TC 54, Essential oils.

This second edition cancels and replaces the first edition (ISO 1272:1973), which has been technically revised.

Essential oils — Determination of content of phenols

1 Scope

This International Standard specifies a method for the determination of the percentage, by volume, of phenols in essential oils.

NOTE See 8.2.2 which establishes some limits to the application of this method.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 356:1996, Essential oils — Preparation of test sample.

ISO 648, Laboratory glassware — One-mark pipettes.

ISO 1773, Laboratory glassware — Narrow-necked boiling flasks.

3 Principle

The phenolic compounds contained in a known volume of an essential oil are transformed into their alkaline phenol esters, which are soluble in the aqueous phase. The volume of the unabsorbed portion of the essential oil is measured.

4 Reagents

Unless indicated otherwise, use only reagents of recognized analytical grade, and distilled or demineralized water or water of equivalent purity.

- 4.1 Tartaric acid, pulverized.
- **4.2** Potassium hydroxide, free from silica and alumina, 1 mol/l aqueous solution.
- **4.3 Xylene**, free from impurities soluble in the potassium hydroxide solution (4.2).

5 Apparatus

Usual laboratory apparatus and, in particular, the following.

5.1 One-mark pipettes, of 2 ml and 10 ml capacities, conforming to class A of ISO 648.

- **5.2 Conical flasks**, of 100 ml capacity, conforming to ISO 1773.
- **5.3** Cassia flask, of 150 ml capacity, with a neck graduated in 0,1 ml, the graduated portion being of 10 ml capacity and at least 150 mm in length.

The zero graduation mark shall be a little above the base of the cylindrical portion of the neck. The angle made by the conical wall with the vertical shall be about 30° (see Figure 1).

5.4 Glass rod, of very small diameter.

Dimensions in millimetres
Graduations in millilitres




Figure 1 — Cassia flask with a graduated neck

6 Sampling

Sampling is not part of the method specified in this International Standard. A recommended sampling method is given in ISO 212.

It is important that the laboratory receive a sample which is truly representative and has not been damaged or changed during transport or storage.

7 Preparation of test sample

Prepare the test sample according to ISO 356.

In order to avoid interphase emulsions at the moment of determination, pretreat the essential oil with tartaric acid as follows:

- take a volume of essential oil greater than 10 ml, then add 0,02 g of tartaric acid (4.1) per millilitre of oil;
- shake vigorously and without filtering, then dry with magnesium sulfate according to 5.3 of ISO 356:1996.

8 Procedure

NOTE If verification of the repeatability is desired, carry out two separate determinations.

8.1 Test sample

Take with the pipette (5.1) 10 ml of the prepared sample (see clause 7) and transfer it to the Cassia flask (5.3) after having introduced approximately 75 ml of the potassium hydroxide solution (4.2).

Shake the mixture six times at 5-min intervals. Operate at a constant temperature of 20 ℃ except in particular cases (see 8.2.2).

NOTE The shaking time will be specified in each monograph.

8.2 Determination

8.2.1 Add to the mixture a supplementary quantity of potassium hydroxide (4.2) so that the portion of the oil not transformed into alkaline phenates soluble in the aqueous phase is raised into the graduated neck of the Cassia flask.

Facilitate the separation of the oil drops attached to the walls by rotating the flask between the hands and gently tapping.

After allowing the flask to stand for a few hours, read off the volume of unabsorbed oil if all of it is gathered into the neck.

If any emulsion is observed, add 2 ml of xylene (4.3) measured with the pipette (5.1). Agitate the emulsified layer by means of the glass rod (5.4) and allow to stand. If the emulsion disappears, read the volume of unabsorbed oil.

If the emulsion persists, repeat the test with the addition of 2 ml of xylene to the test portion before the initial shaking.

8.2.2 In some cases heating is required for the determination. In the case of essential oils containing phenol esters, there is sometimes a partial or total saponification of such esters (for example in the case of essential oils of clove-containing eugenol acetate, the ester is completely saponified during the measurement).

Indications related to the modifications to be introduced in the procedure described in this International Standard, such as shaking time, intervals between shakes, and temperature, will be stated in the standard specific for the corresponding essential oil in the particular cases indicated above.

9 Expression of results

The phenol content, w, of the sample is given, as percentage by volume, by the formula:

$$w = 10 (10 - V)$$

where *V* is the volume, in millilitres, of the unabsorbed portion of the oil read in 8.2.1.

If 2 ml of xylene were added, subtract 2 ml from the volume V.

Express the result to the nearest whole number.

10 Repeatability

The absolute difference between two independent single test results, obtained using the same method on identical test material in the same laboratory by the same operator using the same equipment within a short interval of time, will in not more than 5 % of cases be greater than 1 %.

11 Test report

The test report shall specify:

- all information necessary for the complete identification of the sample;
- the sampling method used, if known;
- the test method used, with reference to this International Standard;
- all operating details not specified in this International Standard, or regarded as optional, together with details or any incidents which may have influenced the test result(s);
- the test result(s) obtained;
- if the repeatability has been checked, the final quoted result obtained.

Bibliography

[1] ISO 212, Essential oils — Sampling.

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001. Standards are also available from the BSI website at http://www.bsi-global.com.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001. Further information about BSI is available on the BSI website at http://www.bsi-global.com.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means — electronic, photocopying, recording or otherwise — without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.

BSI 389 Chiswick High Road London W4 4AL