

BS ISO 4716:2013



BSI Standards Publication

Essential oil of vetiver
[*Chrysopogon zizanioides*
(L.) Roberty, syn. *Vetiveria*
***zizanioides* (L.) Nash]**

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of ISO 4716:2013.

The UK participation in its preparation was entrusted to Technical Committee AW/54, Essential oils.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 73631 5

ICS 71.100.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2013.

Amendments issued since publication

Date	Text affected
------	---------------

INTERNATIONAL
STANDARD

ISO
4716

Third edition
2013-08-01

Essential oil of vetiver [*Chrysopogon zizanioides* (L.) Roberty, syn. *Vetiveria zizanioides* (L.) Nash]

Huile essentielle de vétiver [Chrysopogon zizanioides (L.) Roberty, syn. Vetiveria zizanioides (L.) Nash]



Reference number
ISO 4716:2013(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements	1
4.1 Appearance	1
4.2 Colour	1
4.3 Odour	2
4.4 Relative density at 20 °C, d_{20}^{20}	2
4.5 Refractive index at 20 °C	2
4.6 Optical rotation at 20 °C	2
4.7 Miscibility in ethanol 80 % volume fraction at 20 °C	2
4.8 Acid value	2
4.9 Chromatographic profile	2
4.10 Flashpoint	3
5 Sampling	3
6 Test methods	3
6.1 Relative density at 20 °C, d_{20}^{20}	3
6.2 Refractive index at 20 °C	3
6.3 Optical rotation at 20 °C	3
6.4 Miscibility in ethanol 80 % volume fraction at 20 °C	3
6.5 Acid value	3
6.6 Chromatographic profile	3
7 Packaging, labelling, marking and storage	4
Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of vetiver [<i>Chrysopogon zizanioides</i> (L.) Roberty, syn. <i>Vetiveria zizanioides</i> (L.) Nash]	5
Annex B (informative) Flashpoint	10
Bibliography	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2, www.iso.org/directives.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received, www.iso.org/patents.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 54, *Essential oils*.

This third edition cancels and replaces the second edition (ISO 4716:2002), which has been technically revised.

Essential oil of vetiver [*Chrysopogon zizanioides* (L.) Roberty, syn. *Vetiveria zizanioides* (L.) Nash]

1 Scope

This International Standard specifies certain characteristics of the essential oil of vetiver [*Chrysopogon zizanioides* (L.) Roberty, syn. *Vetiveria zizanioides* (L.) Nash], growing in Reunion Island, China, Haiti, Indonesia, Madagascar, Brazil, and Comoros Island in order to facilitate assessment of its quality.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 210, *Essential oils — General rules for packaging, conditioning and storage*

ISO/TR 211, *Essential oils — General rules for labelling and marking of containers*

ISO 212, *Essential oils — Sampling*

ISO 279, *Essential oils — Determination of relative density at 20 °C — Reference method*

ISO 280, *Essential oils — Determination of refractive index*

ISO 592, *Essential oils — Determination of optical rotation*

ISO 875, *Essential oils — Evaluation of miscibility in ethanol*

ISO 1242, *Essential oils — Determination of acid value*

ISO 11024 (all parts), *Essential oils — General guidance on chromatographic profiles*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

essential oil of vetiver

essential oil obtained by steam distillation of the roots of *Chrysopogon zizanioides* (L.) Roberty, syn. *Vetiveria zizanioides* (L.) Nash of the Poaceae family

Note 1 to entry: For information on the CAS number, see ISO/TR 21092.^[2]

4 Requirements

4.1 Appearance

Viscous liquid.

4.2 Colour

From yellowish brown to reddish brown.

4.3 Odour

Characteristic, woody and earthy.

4.4 Relative density at 20 °C, d_{20}^{20}

Value	Bourbon type ^a	China	Haiti	Indonesia	Brazil
Minimum	0,990	0,985	0,980	0,980	0,990
Maximum	1,015	1,020	1,005	1,003	1,010

^a Bourbon type includes: Reunion Island, Comoros Island and Madagascar origins.

4.5 Refractive index at 20 °C

Value	Bourbon type ^a	China	Haiti	Indonesia	Brazil
Minimum	1,522	1,520	1,516	1,520	1,520
Maximum	1,530	1,528	1,527	1,530	1,530

^a Bourbon type includes: Reunion Island, Comoros Island and Madagascar origins.

4.6 Optical rotation at 20 °C

Value	Bourbon type ^a	China	Haiti	Indonesia	Brazil
Minimum	+19°	+17°	+22°	+17°	+15°
Maximum	+30°	+46°	+48°	+32°	+30°

^a Bourbon type includes: Reunion Island, Comoros Island and Madagascar origins.

4.7 Miscibility in ethanol 80 % volume fraction at 20 °C

It shall not be necessary to use more than 2 volumes of ethanol 80 % volume fraction to obtain a clear solution with 1 volume of essential oil.

NOTE A slight opalescence can sometimes be observed.

4.8 Acid value

Value	Bourbon type ^a	China	Haiti	Indonesia	Brazil
Minimum	4,5	10	1	10	30
Maximum	35	70	6	35	60

^a Bourbon type includes: Reunion Island, Comoros Island and Madagascar origins.

4.9 Chromatographic profile

Carry out the analysis of the essential oil by gas chromatography. Identify in the chromatogram obtained the representative and characteristic components shown in [Table 1](#). The proportions of these components, indicated by the integrator, shall be as shown in [Table 1](#). This constitutes the chromatographic profile of the essential oil.

Important — Due to the viscosity of this essential oil, it is necessary to dilute it with 1,8-cineole so that the final mass fraction of each component in the mixture is 50 %. It is also recommended to use a polyethylene glycol type polar column. There will be two integrations, with and without 1,8-cineole.

Table 1 — Chromatographic profile

Component	Bourbon type ^a		China		Haiti		Indonesia		Brazil	
	min. %	max. %	min. %	max. %	min. %	max. %	min. %	max. %	min. %	max. %
β-Vetivenene	3	6	2	8	0,7	3	4	9	6	9
β-Vetivone	2	5	2	4	2	4	2	4	2	4
Khusimol	12	18	5	15	9	15	6	11	8	13
α-Vetivone	3	6	2	5	2	4	2	4	1	4
Isovalencenol	6	14	1	11	10	16	1	7	5	11
The above percentages are obtained without integration of 1,8-cineole.										
1,8-Cineole	<53		<53		<53		<53		<53	
NOTE The chromatographic profile is normative, contrary to typical chromatograms given for information in Annex A .										
^a Bourbon type includes: Reunion Island, Comoros Island, and Madagascar origins.										

4.10 Flashpoint

Information on the flashpoint is given in [Annex B](#).

5 Sampling

Sampling shall be performed in accordance with ISO 212.

Minimum volume of test sample: 25 ml.

NOTE This volume allows each of the tests specified in this International Standard to be carried out at least once.

6 Test methods

6.1 Relative density at 20 °C, d_{20}^{20}

Determine the relative density in accordance with ISO 279.

6.2 Refractive index at 20 °C

Determine the refractive index in accordance with ISO 280.

6.3 Optical rotation at 20 °C

Determine the optical rotation in accordance with ISO 592 on a 10 % solution in ethanol 95 % volume fraction.

6.4 Miscibility in ethanol 80 % volume fraction at 20 °C

Determine the miscibility in accordance with ISO 875.

6.5 Acid value

Determine the acid value in accordance with ISO 1242.

6.6 Chromatographic profile

Determine the chromatographic profile in accordance with ISO 11024.

7 Packaging, labelling, marking and storage


These items shall be in accordance with ISO/TR 210 and ISO/TR 211.

Annex A
(informative)

Typical chromatograms of the analysis by gas chromatography of the essential oil of vetiver [*Chrysopogon zizanioides* (L.) Roberty, syn. *Vetiveria zizanioides* (L.) Nash]

A.1 Essential oil of vetiver, Haiti

Figure A.1 is a typical chromatogram of the analysis of the essential oil of vetiver, Haiti, diluted with 1,8-cineole so that the final mass fraction of each component in the mixture is 50 %.



Peak identification

- | | |
|---|---------------------|
| 1 | β -Vetivenene |
| 2 | β -Vetivone |
| 3 | Khusimol |
| 4 | α -Vetivone |
| 5 | Isovalencenol |
| 6 | Zizanoic acid |

Operating conditions

Column: capillary; 50 m long; 0,2 mm internal diameter
 Stationary phase: polyethylene glycol 20M^a
 Film thickness: 0,25 μ m
 Oven temperature: programming from 65 °C to 230 °C, at a rate of 2 °C/min
 Injector temperature: 250 °C
 Detector temperature: 250 °C
 Detector: flame ionization type
 Carrier gas: Hydrogen
 Volume injected: 0,2 μ l
 Carrier gas flow rate: 1,1 ml/min
 Split ratio: 1/100


t time

^a Product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

Figure A.1 — Typical chromatogram taken on a polar column

A.2 Essential oil of vetiver, Indonesia

Figure A.2 is a typical chromatogram of the analysis of the essential oil of vetiver, Indonesia, diluted with 1,8-cineole so that the final mass fraction of each component in the mixture is 50 %.



Peak identification

- | | |
|---|---------------------|
| 1 | β -Vetivenene |
| 2 | β -Vetivone |
| 3 | Khusimol |
| 4 | α -Vetivone |
| 5 | Isovalencenol |
| 6 | Zizanoic acid |

Operating conditions


- | | |
|----------|---|
| | Column: capillary; 50 m long; 0,2 mm internal diameter |
| | Stationary phase: polyethylene glycol 20M ^a |
| | Film thickness: 0,25 μ m |
| | Oven temperature: programming from 65 °C to 230 °C, at a rate of 2 °C/min |
| | Injector temperature: 250 °C |
| | Detector temperature: 250 °C |
| | Detector: flame ionization type |
| | Carrier gas: Hydrogen |
| | Volume injected: 0,2 μ l |
| <i>t</i> | Carrier gas flow rate: 1,1 ml/min |
| | Split ratio: 1/100 |

^a Product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

Figure A.2 — Typical chromatogram taken on a polar column

A.3 Essential oil of vetiver, Brazil

Figure A.3 is a typical chromatogram of the analysis of the essential oil of vetiver, Brazil, diluted with 1,8-cineole so that the final mass fraction of each component in the mixture is 50 %.



Peak identification

- 1 β -Vetivenene
- 2 β -Vetivone
- 3 Khusimol
- 4 α -Vetivone
- 5 Isovalencenol
- 6 Zizanoic acid

Operating conditions


Column: capillary; 30 m long; 0,32 mm internal diameter
 Stationary phase: polyethylene glycol
 Film thickness: 0,25 μ m
 Oven temperature: programming from 65 °C to 210 °C, at a rate of 2 °C/min
 Injector temperature: 250 °C
 Detector temperature: 250 °C
 Detector: flame ionization type
 Carrier gas: Helium
 Volume injected: 0,2 μ l
 Carrier gas flow rate: 3,3 ml/min
 Split ratio: 1/50

t time

Figure A.3 — Typical chromatogram taken on a polar column

A.4 Essential oil of vetiver, China

Figure A.4 is a typical chromatogram of the analysis of the essential oil of vetiver, China, diluted with 1,8-cineole so that the final mass fraction of each component in the mixture is 50 %.



Peak identification

- 1 β -Vetivenene
- 2 β -Vetivone
- 3 Khusimol
- 4 α -Vetivone
- 5 Isovalencenol
- 6 Zizanoic acid

Operating conditions

Column: capillary; 60 m long; 0,25 mm internal diameter
 Stationary phase: polyethylene glycol
 Film thickness: 0,25 μ m
 Oven temperature: programming from 65 °C to 230 °C, at a rate of 2 °C/min
 Injector temperature: 250 °C
 Detector temperature: 250 °C
 Detector: flame ionization type
 Carrier gas: Helium
 Volume injected: 0,2 μ l
 Carrier gas flow rate: 1,0 ml/min
 Split ratio: 1/100

t time

Figure A.4 — Typical chromatogram taken on a polar column

Annex B (informative)

Flashpoint

B.1 General information

For safety reasons, transport companies, insurance companies, and people in charge of safety services require information on the flashpoints of essential oils, which in most cases are flammable products.

A comparative study on the relevant methods of analysis (see ISO/TR 11018^[1]) concluded that it was difficult to recommend a single apparatus for standardization purposes, given that:

- there is a wide variation in the chemical composition of essential oils;
- the volume of the sample needed in certain requirements would be too costly for high-priced essential oils;
- as there are several different types of equipment which can be used for the determination, users cannot be expected to use one specified type only.

Consequently, it was decided to give a mean value for the flashpoint annexed to each International Standard, for information, in order to meet the requirements of the interested parties.

The equipment with which this value was obtained has to be specified.

For further information see ISO/TR 11018.^[1]

B.2 Flashpoint of the essential oil of vetiver (all origins)

The mean value is + 100 °C.

NOTE Obtained with Setaflash¹⁾ equipment.

1) Equipment available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

Bibliography

- [1] ISO/TR 11018:1997, *Essential oils — General guidance on the determination of flashpoint*
- [2] ISO/TR 21092, *Essential oils — Characterization*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™