

BS ISO 6734:2010



BSI Standards Publication

Sweetened condensed milk — Determination of total solids content (Reference method)

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of ISO 6734:2010. It supersedes BS 1742-2:1990 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee AW/5, Chemical analysis of milk and milk products.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© BSI 2011

ISBN 978 0 580 71943 1

ICS 67.100.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2011.

Amendments issued since publication

| Date | Text affected |
|------|---------------|
|------|---------------|

INTERNATIONAL
STANDARD

BS ISO 6734:2010

ISO
6734

IDF
15

Second edition
2010-11-15

**Sweetened condensed milk —
Determination of total solids content
(Reference method)**

Lait concentré sucré — Détermination de la matière sèche (Méthode de référence)



Reference numbers
ISO 6734:2010(E)
IDF 15:2010(E)

© ISO and IDF 2010

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. Neither the ISO Central Secretariat nor the IDF accepts any liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies and IDF national committees. In the unlikely event that a problem relating to it is found, please inform the ISO Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO and IDF 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO or IDF at the respective address below.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

International Dairy Federation
Diamant Building • Boulevard Auguste Reyers 80 • B-1030 Brussels
Tel. + 32 2 733 98 88
Fax + 32 2 733 04 13
E-mail info@fil-idf.org
Web www.fil-idf.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6734|IDF 15 was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*, and the International Dairy Federation (IDF). It is being published jointly by ISO and IDF.

This second edition of ISO 6734|IDF 15 cancels and replaces the first edition (ISO 6734:1989), of which it constitutes a minor revision.

Foreword

IDF (the International Dairy Federation) is a non-profit organization representing the dairy sector worldwide. IDF membership comprises National Committees in every member country as well as regional dairy associations having signed a formal agreement on cooperation with IDF. All members of IDF have the right to be represented on the IDF Standing Committees carrying out the technical work. IDF collaborates with ISO in the development of standard methods of analysis and sampling for milk and milk products.

The main task of Standing Committees is to prepare International Standards. Draft International Standards adopted by the Standing Committees are circulated to the National Committees for endorsement prior to publication as an International Standard. Publication as an International Standard requires approval by at least 50 % of IDF National Committees casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. IDF shall not be held responsible for identifying any or all such patent rights.

ISO 6734|IDF 15 was prepared by the International Dairy Federation (IDF) and Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*. It is being published jointly by IDF and ISO.

All work was carried out by the Joint ISO-IDF Action Team on *Water*, now part of the Standing Committee on *Analytical methods for composition*.

This edition of ISO 6734|IDF 15 cancels and replaces IDF 15B:1991.

Sweetened condensed milk — Determination of total solids content (Reference method)

1 Scope

This International Standard specifies the reference method for the determination of the total solids content of sweetened condensed milk.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

total solids content

mass fraction of substances remaining after completion of the heating process specified in this International Standard

NOTE Total solids content is expressed as a percentage by mass.

3 Principle

A test portion is predried on a boiling water bath or steam bath and the remaining water is subsequently evaporated in the presence of sand at a temperature of $102\text{ °C} \pm 2\text{ °C}$ in a drying oven.

4 Apparatus and materials

Unless otherwise stated, use only distilled or demineralized water or water of equivalent purity.

Usual laboratory apparatus and, in particular, the following.

4.1 Analytical balance.

4.2 Desiccator, provided with an efficient desiccant (e.g. freshly dried silica gel with a hygrometric indicator).

4.3 Drying oven, ventilated, capable of being maintained thermostatically at $102\text{ °C} \pm 2\text{ °C}$ throughout the total working space.

4.4 Flat-bottom dishes, of height 20 mm to 25 mm, diameter 50 mm to 75 mm, and made of appropriate material (e.g. stainless steel, nickel or aluminium), provided with well-fitting, readily removable lids.

4.5 Boiling water bath or steam bath, provided with openings of adjustable size.

4.6 Water bath, capable of being maintained at 30 °C to 40 °C .

4.7 Short glass stirring rods, flattened at one end and of suitable size to fit into the dish (4.4).

4.8 Quartz sand or sea sand, which passes through a woven wire cloth sieve of nominal size of openings 500 µm, but is retained by a sieve of nominal size of openings 180 µm, and which passes the following suitability test.

4.8.1 Place approximately 20 g of sand in a dish containing a stirring rod (4.7). Heat the open dish and sand, stirring rod and lid in the oven (4.3) for at least 2 h. Fit the lid, allow the dish to cool in the desiccator (4.2) to the temperature of the balance room and weigh to the nearest 0,1 mg.

4.8.2 Moisten the sand with approximately 5 ml of water, mix the sand and water using the stirring rod and heat the dish and sand, stirring rod and lid in the oven (4.3) for at least 4 h. Fit the lid, allow the dish to cool in the desiccator (4.2) to the temperature of the balance room and weigh again to the nearest 0,1 mg.

The difference between the two weighings shall not exceed 0,5 mg.

If the difference between the weighings exceeds 0,5 mg, the sand can be made suitable for the determination as follows.

Leave the sand immersed in 25 % mass fraction hydrochloric acid ($\rho_{20} \approx 1,12$ g/ml) for 3 days. Stir occasionally. Decant the supernatant liquid as far as possible. Then wash the sand with water until the acid reaction has disappeared.

Heat the sand at approximately 160 °C for at least 4 h. Then repeat the test for the suitability of the sand as described above.

5 Sampling

Sampling is not part of the method specified in this International Standard. A recommended sampling method is given in ISO 707 | IDF 50^[1].

It is important the laboratory receive a truly representative sample which has not been damaged or changed during transport or storage.

6 Preparation of the test sample

Open the container and thoroughly mix the milk with a spoon or spatula. Use an up and down rotary movement in such a way that the top layers and the contents of the lower corners are moved and mixed. Take care to incorporate in the sample any milk adhering to the wall and ends of the container.

Transfer the sample as completely as possible to a second container made of glass, provided with an airtight lid, and close this container. Heat the closed container in the water bath (4.6) maintained at 30 °C to 40 °C. Cool to 20 °C to 25 °C. Stir the sample in the container thoroughly. Mix until the whole mass is homogeneous. Close this container.

In the case of a collapsible tube, open it and transfer the contents to a glass container. Cut open the tube and transfer all material adhering to the interior as completely as possible to the container.

7 Procedure

7.1 Preparation of the dish

Heat a dish (4.4), containing approximately 25 g of sand (4.8), with its lid alongside and a stirring rod (4.7) on top of the lid, in the oven (4.3) for at least 1 h.

Place the lid (with the stirring rod on top) on the dish, immediately transfer to the desiccator (4.2), allow to cool to room temperature (at least 45 min), and weigh the dish, with lid and rod, to the nearest 0,1 mg.

7.2 Test portion

Tilt the sand to one side of the prepared dish (7.1), place on the clear space about 2,0 g of the prepared test sample, replace the lid with the stirring rod on top and weigh the dish to the nearest 0,1 mg.

7.3 Determination

7.3.1 Add 5 ml of water to the test portion in the dish and mix with the stirring rod. Thoroughly mix together the diluted test portion and the sand, and spread the mixture evenly over the bottom of the dish. Leave the stirring end of the rod in the mixture with the other end resting on the rim of the dish.

7.3.2 Heat the dish without lid on the boiling water bath or steam bath (4.5), with as much as possible of the bottom of the dish exposed to steam, for approximately 30 min, stirring the mixture frequently in the early stages of drying so that the mixture is well aerated and becomes crumbly.

7.3.3 Remove the dish from the water bath or steam bath, and then lay the stirring rod flat inside the dish and heat the dish, with its lid alongside, in the oven (4.3) for 2 h. Place the lid on the dish and immediately transfer to the desiccator (4.2).

7.3.4 Allow the dish to cool to room temperature (at least 45 min) and weigh to the nearest 0,1 mg.

7.3.5 Again heat the dish, with its lid alongside, in the oven but for only 1 h. Place the lid on the dish and immediately transfer to the desiccator. Allow to cool as in 7.3.4 and weigh to the nearest 0,1 mg.

7.3.6 Repeat the operations described in 7.3.5 until the difference in mass between two consecutive weighings does not exceed 1 mg. Record the lowest mass.

8 Expression of results

8.1 Method of calculation

The total solids content, expressed as a percentage by mass, is equal to

$$\frac{m_2 - m_0}{m_1 - m_0} \times 100$$

where

m_0 is the mass, in grams, of the dish (including sand), lid, and stirring rod (see 7.1);

m_1 is the mass, in grams, of the dish (including sand), lid, stirring rod, and test portion (see 7.2);

m_2 is the mass, in grams, of the dish, lid, stirring rod, and dried test portion (including sand) (see 7.3.6).

Round the value obtained to the nearest 0,01 % mass fraction.

8.2 Precision

NOTE The values for repeatability and reproducibility are expressed at the 95 % probability level and were derived from the results of an inter-laboratory test (see Reference [3]) carried out in accordance with ISO 5725:1986^[2].

8.2.1 Repeatability

The difference between two single results found on identical test material by one analyst using the same apparatus within a short time interval will exceed 0,4 g of total solids per 100 g of product on average not more than once in 20 cases in the normal and correct operation of the method.

8.2.2 Reproducibility

The difference between two single and independent results found by two operators working in different laboratories on identical test material will exceed 0,6 g of total solids per 100 g of product on average not more than once in 20 cases in the normal and correct operation of the method.

9 Test report

The test report shall contain at least the following information:

- a) all information necessary for the complete identification of the sample;
- b) the sampling method used, if known;
- c) the test method used, with reference to this International Standard (ISO 6734|IDF 15:2010);
- d) all operating details not specified in this International Standard, or regarded as optional, together with details of any incidents which may have influenced the test result(s);
- e) the test result(s) obtained;
- f) if the repeatability has been checked, the final quoted result obtained.

Bibliography

- [1] ISO 707 | IDF 50, *Milk and milk products — Guidance on sampling*
- [2] ISO 5725:1986, *Precision of test methods — Determination of repeatability and reproducibility for a standard test method by inter-laboratory tests*¹⁾
- [3] STEIGER, G., MARTENS, R. *Bull. Int. Dairy Fed.* 1986, (207)

1) Superseded.

BS ISO 6734:2010
ISO 6734:2010(E)
IDF 15:2010(E)

ICS 67.100.10

Price based on 5 pages

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™