BS ISO 10115:2013



BSI Standards Publication

Essential oil of tarragon (Artemisia dracunculus L.)



BS ISO 10115:2013 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of ISO 10115:2013.

The UK participation in its preparation was entrusted to Technical Committee AW/54, Essential oils.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013

Published by BSI Standards Limited 2013

ISBN 978 0 580 75062 5

ICS 71.100.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2013.

Amendments issued since publication

Amd. No. Date Text affected

BS ISO 10115:2013

INTERNATIONAL STANDARD

ISO 10115

Second edition 2013-02-01

Essential oil of tarragon (*Artemisia dracunculus* L.)

*Huile essentielle d'estragon (*Artemisia dracunculus *L.)*



BS ISO 10115:2013 **ISO 10115:2013(E)**



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Con	Contents				
Forew	ord		iv		
1	Scop	2	1		
2	Normative references				
3	Terms and definitions				
4	Specifications				
	4.1 4.2 4.3	Appearance Colour Odour	1		
	4.4	Relative density d_{20}^{20}	2		
	4.5 4.6 4.7	Refractive index at 20 °C Optical rotation at 20 °C Miscibility in ethanol 90 % (volume fraction) at 20 °C	2		
	4.8 4.9 4.10	Acid value	2 2		
5	Samp	ampling			
6	Test methods				
	6.1	Relative density d_{20}^{20}			
	6.2 6.3	Refractive index at 20 °C	3		
	6.4	Miscibility in 90 % (volume fraction) ethanol at 20 °C	3		
	6.5 6.6	Acid value			
7	Pack	aging, labelling, marking and storage	3		
Annex		formative) Typical chromatograms of the analysis by gas chromatography of the atial oil of tarragon (Artemisia dracunculus L.)	4		
Annex		ormative) Flashpoint			
	•	y			

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10115 was prepared by Technical Committee ISO/TC 54, Essential oils.

This second edition cancels and replaces the first edition (ISO 10115:1997) which has been technically revised.

Essential oil of tarragon (Artemisia dracunculus L.)

1 Scope

This International Standard specifies certain characteristics of the essential oil of tarragon (*Artemisia dracunculus* L.), intended to facilitate the assessment of its quality.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 210, Essential oils — General rules for packaging, conditioning and storage

ISO/TR 211, Essential oils — General rules for labelling and marking of containers

ISO 212, Essential oils — Sampling

ISO 279, Essential oils — Determination of relative density at 20 degrees C — Reference method

ISO 280, Essential oils — Determination of refractive index

ISO 592, Essential oils — Determination of optical rotation

ISO 875, Essential oils — Evaluation of miscibility in ethanol

ISO 11024 (all parts), Essential oils — General guidance on chromatographic profiles

ISO 1242, Essential oils — Determination of acid value

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

essential oil of tarragon

essential oil obtained by steam distillation of the leaves of tarragon (*Artemisia dracunculus* L.), of the Asteraceae family

Note 1 to entry: For information on the CAS number, see ISO/TR 21092[2].

4 Specifications

4.1 Appearance

Mobile, clear liquid.

4.2 Colour

Colourless to pale yellow.

BS ISO 10115:2013 **ISO 10115:2013(E)**

4.3 Odour

Characteristic, with a hint of aniseed.

4.4 Relative density d_{20}^{20}

Minimum: 0,918.

Maximum: 0,950.

4.5 Refractive index at 20 °C

Minimum: 1,508.

Maximum: 1,518.

4.6 Optical rotation at 20 °C

Between + 2° and + 6° .

4.7 Miscibility in ethanol 90 % (volume fraction) at 20 °C

In order to obtain a clear solution with 1 volume of essential oil, no more than 4 volumes of ethanol 90 % (volume fraction) ethanol shall be required.

4.8 Acid value

Maximum: 1.

4.9 Chromatographic profile

Carry out the analysis of the essential oil by gas chromatography. On the obtained chromatogram, identify the representative and characteristic components listed in <u>Table 1</u> below. The percentage of each of these components, indicated by the integrator, shall be within the limits figuring in <u>Table 1</u>. This whole constitutes the "chromatographic profile" of the essential oil.

Table 1 — Chromatographic profile

Component	Minimum	Maximum
Component	%	%
α-Pinene	0,5	2,0
Limonene	2,0	7,0
(Z)-β-Ocimene	5,0	13,0
(E) - β -Ocimene	6,0	12,0
Estragole	68,0	84,0
Methyleugenol	n.d.a	< 1,0

NOTE The chromatographic profile is normative, contrary to typical chromatograms given for information in Annex A.

a Not detectable.

4.10 Flashpoint

Information concerning the flashpoint is given in <u>Annex B</u>.

5 Sampling

Sampling shall be performed in accordance with ISO 212.

Minimum volume of the test sample: 25 ml.

NOTE This volume allows each of the tests specified in this International Standard to be carried out at least once.

6 Test methods

6.1 Relative density d_{20}^{20}

Determine the relative density in accordance with ISO 279.

6.2 Refractive index at 20 °C

Determine the refractive index in accordance with ISO 280.

6.3 Optical rotation at 20 °C

Determine the optical rotation in accordance with ISO 592.

6.4 Miscibility in 90 % (volume fraction) ethanol at 20 °C

Determine the miscibility in accordance with ISO 875.

6.5 Acid value

Determine the acid value in accordance with ISO 1242.

6.6 Chromatographic profile

Determine the chromatographic profile in accordance with ISO 11024.


7 Packaging, labelling, marking and storage

These items shall be in accordance with ISO/TR 210 and ISO/TR 211.

Annex A

(informative)


Typical chromatograms of the analysis by gas chromatography of the essential oil of tarragon (*Artemisia dracunculus* L.)



Peak identification		Operating conditions
1	α-Pinene	Fused silica capillary column (HP-101®) length 50 m, internal diameter 0,2 mm $$
2	Limonene	100 % dimethylpolysiloxane
3	(Z)- β -Ocimene	Film thickness: 0,2 μm
4	(E)- β -Ocimene	Oven temperature: programming temperature isothermal at 65 °C for 5 min, then from 65 °C to 95 °C at the rate of 2 °C/min, then isothermal at 95 °C for 5 min, then from 95 °C to 160 °C at the rate of 2,5 °C/min, then from 160 °C to 200 °C at the rate of 3 °C/min, then isothermal at 20 °C for 26 min
5	Estragole	Injector temperature: 230 °C
6	Eugenol	Detector temperature: 250 °C (flame ionization detector)
7	Methyleugenol	Carrier gas: hydrogen
		Volume injected: 0,2 μl
		Carrier gas flow rate: 1,2 ml/min (constant flow rate)
		Split ratio: 1/100

NOTE HP-101 $^{\odot}$ is an example of a suitable product available commercially. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of this product.

Figure A.1 — Typical chromatogram taken on an apolar column



Peak identification		Operating conditions
1	α-Pinene	Fused silica capillary column (HP-20 $\mbox{\ensuremath{\$}}$) length 50 m, internal diameter 0,2 mm
2	Limonene	Polyethyleneglycol, MW 20000
3	(Z)- β -Ocimene	Film thickness: 0,1 μm
4	(E)- β -Ocimene	Oven temperature: programming temperature isothermal at 65 °C for 5 min, then from 65 °C to 95 °C at the rate of 2 °C/min, then isothermal at 95 °C for 5 min, then from 95 °C to 160 °C at the rate of 2,5 °C/min, then from 160 °C to 200 °C at the rate of 3 °C/min, then isothermal at 200 °C for 26 min
5	Estragole	Injector temperature: 230 °C
6	Eugenol	Detector temperature: 250 °C (flame ionization detector)
7	Methyleugenol	Carrier gas: hydrogen
		Volume injected: 0,2 μl
		Carrier gas flow rate: 1,2 ml/min (constant flow rate)
		Split ratio: 1/100

NOTE HP-20® is an example of a suitable product available commercially. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of this product.

Figure A.2 — Typical chromatogram taken on a polar column

Annex B (informative)

Flashpoint

B.1 General information

For safety reasons, transporters, insurance companies, safety department officials, etc., insist on knowing the flashpoint of essential oils which, in most cases, are inflammable products.

A comparative study of the appropriate methods of analysis (see ISO/TR 11018[1]) found that it was difficult to standardize a single method, because:

- there is a very large number of essential oils and their chemical composition varies considerably;
- the sample volume recommended for use with certain appliances is incompatible with the high price of the essential oils;
- users cannot be under obligation to purchase one type of appliance rather than another from the moment that several appliances which can meet the desired objective exist.

Consequently, it was decided to give a mean value for the flashpoint annexed to each research study, and solely by way of indication, in order to meet the request of the relevant departments.

As far as possible, the method by which this value was obtained will be specified.

For all additional information, see ISO/TR 11018[1].

B.2 Flashpoint of the essential oil of tarragon (Artemisia dracunculus L.)

The mean value is + 70 °C.

NOTE Value obtained using a «Setaflash» equipment¹).

¹⁾ Equipment available commercially. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of this product.

Bibliography

- $[1] \hspace{0.5cm} \textbf{ISO/TR 11018:1997, } \textit{Essential oils} \textit{General guidance on the determination of flashpoint}$
- [2] ISO/TR 21092, Essential oils Characterization
- [3] ISO 3218, Essential oils Principles of nomenclature



British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com
Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

