

Gel ink ball pens and refills

Part 2: Documentary use (DOC)

ICS 01.100.40; 97.180

National foreword

This British Standard is the UK implementation of ISO 27668-2:2009.

The UK participation in its preparation was entrusted to Technical Committee TDW/4, Technical product realization (TPR).

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2009

© BSI 2009

ISBN 978 0 580 61705 8

Amendments/corrigenda issued since publication

Date	Comments

INTERNATIONAL
STANDARD

BS ISO 27668-2:2009

ISO
27668-2

First edition
2009-02-01

Gel ink ball pens and refills —
Part 2:
Documentary use (DOC)

Stylos à bille à encre gel et recharges —
Partie 2: Utilisation documentaire (DOC)



Reference number
ISO 27668-2:2009(E)

© ISO 2009

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

ISO 27668-2 was prepared by Technical Committee ISO/TC 10, *Technical product documentation*.

ISO 27668 consists of the following parts, under the general title *Gel ink ball pens and refills*:

- *Part 1: General use*
- *Part 2: Documentary use (DOC)*

Introduction

This part of ISO 27668 is applicable to gel ink ball pens for documentary use.

Part 1 of ISO 27668 is applicable to gel ink ball pens for general use.

For documentary use, some requirements, in addition to those for general use, are necessary

- a) to assure the legibility of lettering, and
- b) for the handling and storage of documents over long periods of time (these requirements are often discussed with the archivist).

An example of documentary use is the preparation of documents that are required as evidence.

Furthermore, pens which meet the requirements for documentary use produce lines which are more resistant to modification (e.g. attempts to falsify a document) than those for general use.

The International Organization for Standardization (ISO) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning aqueous gel ink-filled ballpoint pens.

The holder of this patent right has assured ISO that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO. Information may be obtained from:

Mitsubishi Pencil Company Limited
Patent Administration Department, 5.23-37, Higashi-ohi
JP-Shinagawa, Tokyo 140-8537
Japan
oomorih@mpuni.co.jp

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO shall not be held responsible for identifying any or all such patent rights.

Gel ink ball pens and refills —

Part 2: Documentary use (DOC)

1 Scope

This part of ISO 27668 establishes minimum quality requirements for gel ink ball pens (refillable or non-refillable) and refills for documentary use.

Basic requirements for gel ink ball pens for general use are given in ISO 27668-1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 105-A02, *Textiles — Tests for colour fastness — Part A02: Grey scale for assessing change in colour*

ISO 105-B02, *Textiles — Tests for colour fastness — Part B02: Colour fastness to artificial light: Xenon arc fading lamp test*

ISO 27668-1:2009, *Gel ink ball pens and refills — Part 1: General use*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 27668-1 apply.

4 Requirements

4.1 General requirements

See the general requirements given in ISO 27668-1:2009 (4.1 to 4.3.4, 4.3.7 and 4.3.8).

4.2 Erasure resistance

The surface of the testing paper shall show clear evidence of damage before the line is rendered invisible when tested as specified in 6.2.1.

4.3 Ethanol resistance

The line shall remain visible when tested as specified in 6.2.2.

4.4 Hydrochloric acid resistance

The line shall remain visible when tested as specified in 6.2.3.

4.5 Ammonium hydroxide resistance

The line shall remain visible when tested as specified in 6.2.4.

4.6 Bleaching resistance

The line shall remain visible when tested as specified in 6.2.5.

4.7 Water resistance

The line shall remain visible when tested as specified in 6.2.6.

4.8 Light resistance

The line shall remain visible when tested as specified in 6.2.7.

5 Test equipment, accessories and solutions

5.1 Test equipment and accessories

See ISO 27668-1.

5.2 Test solutions

5.2.1 Ethanol solution, 50 % aqueous solution (volume fraction).

5.2.2 Hydrochloric acid solution, 10 % aqueous solution (mass fraction).

5.2.3 Ammonium hydroxide solution, 10 % aqueous solution (mass fraction).

5.2.4 Bleaching solution, 3 % freshly made aqueous solution of chloramin T¹) (mass fraction).

6 Testing

6.1 General test

6.1.1 Sampling

See ISO 27668-1:2009, 6.1.

6.1.2 Climatic conditions

See ISO 27668-1:2009, 6.2.

6.1.3 General test procedure

See ISO 27668-1:2009, 6.3.

1) Standard designation: *N*-chloro-*p*-toluene sulfonamide sodium salt. IUPAC designation: *N*-chloro-4-methyl-benzene sulfonamide sodium salt.

6.2 Additional tests

6.2.1 Erasure resistance test

Keep a fresh machine-written test piece approximately 5 cm long from the sheet provided in 6.1.3 under the climatic conditions specified in 6.1.2 for 10 min (to allow to dry), and then erase a portion of line with the eraser specified in ISO 27668-1:2009, 5.3. Examine the surface of the erased section of the paper for compliance with 4.2.

6.2.2 Ethanol resistance test

Keep a machine-written test piece approximately 5 cm long from the sheet provided in 6.1.3 under the climatic conditions specified in 6.1.2 for 1 h (to allow to dry), and then immerse in the ethanol solution specified in 5.2.1 for 10 min. Remove and allow to air dry. Examine the written line of the test piece for compliance with 4.3.

6.2.3 Hydrochloric acid resistance test

Keep a machine-written test piece approximately 5 cm long from the sheet provided in 6.1.3 under the climatic conditions specified in 6.1.2 for 1 h (to allow to dry), then immerse in the hydrochloric acid solution specified in 5.2.2 for 24 h. Remove and immerse in distilled water or de-ionized water for 10 min and allow to air dry. Examine the written line of the test piece for compliance with 4.4.

6.2.4 Ammonium hydroxide resistance test

Keep a machine-written test piece approximately 5 cm long from the sheet provided in 6.1.3 under the climatic conditions specified in 6.1.2 for 1 h (to allow to dry), then immerse in the ammonium hydroxide solution specified in 5.2.3 for 24 h. Remove and immerse in distilled water or de-ionized water for 10 min and allow to air dry. Examine the written line of the test piece for compliance with 4.5.

6.2.5 Bleaching resistance test

Keep a machine-written test piece approximately 5 cm long from the sheet provided in 6.1.3 under the climatic conditions specified in 6.1.2 for 10 min (to allow to dry), then immerse in the bleaching solution specified in 5.2.4 for 5 min. Remove and immerse in distilled water or de-ionized water for 10 min and allow to air dry. Examine the written line of the test piece for compliance with 4.6.

6.2.6 Water resistance test

Keep a machine-written test piece approximately 5 cm long from the sheet provided in 6.1.3 under the climatic conditions specified in 6.1.2 for 2 h (to allow to dry), then immerse in distilled water or de-ionized water for 24 h. Remove and allow to air dry. Examine the written line of the test piece for compliance with 4.7.

6.2.7 Light resistance test

Expose a machine-written test piece approximately 5 cm long from the sheet provided in 6.1.3 to the light source of the apparatus specified in ISO 27668-1, 5.5, together with the blue wool references specified in ISO 105-B02 until the contrast between the unexposed and the exposed blue wool reference 5 becomes equal to grey scale grade 4 specified in ISO 105-A02. Examine the written line of the test piece for compliance with 4.8.

7 Designation and marking

7.1 Designation

The designation of a gel ink ball pen or refill shall comprise, in the given order, the following elements:

- a) the description block (e.g. “gel ink ball pen” or “gel ink ball refill”);
- b) the number of this part of ISO 27668 (i.e. ISO 27668-2);
- c) the type classification code for refills (see 4.2 of ISO 27668-1:2009);
- d) the tip classification code (UF, EF, F, M or B; see Table 1 of ISO 27668-1:2009); and
- e) an additional indicator for documentary use (DOC).

EXAMPLE 1 A disposable gel ink ball pen complying with the requirements of this part of ISO 27668, with medium sized tip (M), shall be designated as follows:

Gel ink ball pen ISO 27668-2 M DOC

EXAMPLE 2 A gel ink ball refill complying with the requirements of this part of ISO 27668, type B, with a broad sized tip (B), shall be designated as follows:

Gel ink ball refill ISO 27668-2 B B DOC

7.2 Marking

For identification, disposable gel ink ball pens or refills shall be marked as follows:

- a) the name of the manufacturer, supplier or trademark;
- b) the designation in accordance with 7.1 [except 7.1 a), which is optional]; and
- c) the date of manufacture (year/month, in full or coded) or the batch number.

8 Test report

The test report shall include the following information:

- a) reference to this part of ISO 27668;
- b) the date and place of test;
- c) precise identification of the samples (see 7.2);
- d) identification of the following variable or optional requirements:
 - 1) test atmosphere (see 6.2 of ISO 27668-1:2009),
 - 2) writing angle and writing pitch (see 5.1 of ISO 27668-1:2009),
 - 3) reproducibility apparatus (see 5.4 of ISO 27668-1:2009), and
 - 4) light test apparatus (see 5.5 of ISO 27668-1:2009);
- e) the results in accordance with this part of ISO 27668, as well as a confirmation of permitted application for documentary use;
- f) any deviations from the specified procedures (see Clauses 5 and 6); and
- g) the identification and signature of the tester.

BSI - British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001 Email: orders@bsigroup.com You may also buy directly using a debit/credit card from the BSI Shop on the Website <http://www.bsigroup.com/shop>

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact Information Centre. Tel: +44 (0)20 8996 7111 Fax: +44 (0)20 8996 7048 Email: info@bsigroup.com

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: +44 (0)20 8996 7002 Fax: +44 (0)20 8996 7001 Email: membership@bsigroup.com

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsigroup.com/BSOL>

Further information about BSI is available on the BSI website at <http://www.bsigroup.com>

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright and Licensing Manager. Tel: +44 (0)20 8996 7070 Email: copyright@bsigroup.com