



BSI Standards Publication

Photography — Digital cameras — Texture reproduction measurements

Part 1: Frequency characteristics measurements using cyclic pattern

National foreword

This Published Document is the UK implementation of ISO/TS 19567-1:2016.

The UK participation in its preparation was entrusted to Technical Committee CPW/42, Photography.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.

Published by BSI Standards Limited 2016

ISBN 978 0 580 88589 1

ICS 37.040.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 April 2016.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

First edition
2016-04-01

**Photography — Digital cameras
— Texture reproduction
measurements —**

**Part 1:
Frequency characteristics
measurements using cyclic pattern**

*Photographie — Caméras numériques — Mesurages de la
reproduction de la texture —*

*Partie 1: Mesurages des caractéristiques de fréquence en utilisant un
modèle cyclique*

Reference number
ISO/TS 19567-1:2016(E)





COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Test conditions	1
4.1 General	1
4.2 Environments for measurement	2
4.3 Apparatus and hardware	2
4.4 Arrangement of measuring equipment	2
4.4.1 Reflective test chart	2
4.4.2 Transmissive test chart	2
4.5 Lighting	3
4.6 Camera settings	3
5 Texture reproduction measurement procedure	4
5.1 General	4
5.2 Multiburst measurement	5
5.2.1 Low contrast multiburst chart	5
5.2.2 Measurement method	6
5.3 Siemens star measurement	7
5.3.1 Low contrast sine siemens star chart	7
5.3.2 Measurement method	7
6 Presentations of results	8
6.1 General	8
6.2 Multiburst measurement	8
6.3 Siemens star measurements	8
Annex A (informative) Categorization of texture	10
Annex B (informative) Exposure condition for the measurement	11
Annex C (informative) Interpretation of measurement results	14
Annex D (informative) Measurement results of multiburst and siemens star	16
Bibliography	20

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 42, *Photography*.

Introduction

Texture generally means the visual and tactile surface quality derived from the physicality of the material and the roughness or graininess of the surface. For digital still cameras, texture is of course the visual surface quality and the characteristic of texture reproduction in the captured image is interpreted into the reproduction of the low contrast fine details. This Technical Specification specifies the measurement of how cameras reproduce texture defined as low contrast fine details.

The tendency to utilize small sensors with high pixel counts in some cameras leaves a very small amount of light reaching the individual pixel. With the signal getting smaller and the noise level remaining at a certain level, it is necessary to reduce the noise in the image processing after capturing the image. Although the algorithms used for noise reduction have been developed over time, they are still not able to differentiate texture in the actual scene from the unwanted noise introduced by the capturing system. This decreases the image quality and it is therefore helpful to have a method to measure the loss of texture. Texture can also be enhanced to increase the acutance of the image. The texture reproduction is dependent on frequency and contrast because the noise reduction and the acutance enhancement, etc. are nonlinearly dependent on the pixel value and the difference among the surrounding pixels.

This part of ISO 19567 specifies methods to measure texture reproduction using test charts with cyclic patterns. The test charts are based on the established measurement methods, multiburst (IEC 61146-1) and siemens star (ISO 12233). This part of ISO 19567 newly defines the density of the test charts and exposure setting of measured cameras. The measurement results are presented in the spatial frequency response (SFR) curves.

If one SFR is larger than the other in all frequency range, larger amount of texture is reproduced in the corresponding image. If two SFRs have a cross point and the larger SFR depends on the frequency range, the superior image in the subjective evaluation is dependent on the dominant frequency of the image. Comparison of the measurement result provides important information in the texture comparison of the captured images.

Texture in a real scene consists mostly of non-structured or random patterns as shown in [Annex A](#). Although it has been confirmed by experiments ([Annex C](#) and [Annex D](#)) that the texture reproduction characteristics of most cameras are well represented by the measurements in this Technical Specification, some cameras are found to indicate different characteristics for structured patterns compared to those for non-structured patterns. Measurement methods using non-structured or random patterns are under study and are expected to be included in consequent parts to this Technical Specification.

Photography — Digital cameras — Texture reproduction measurements —

Part 1: Frequency characteristics measurements using cyclic pattern

1 Scope

This part of ISO 19567 specifies a protocol to measure the texture reproduction in the images captured and processed by digital cameras including cameras in other devices, e.g. in camera phones.

This part of ISO 19567 specifies protocols for the measurement of the texture reproduction using test charts with cyclic pattern.

This part of ISO 19567 excludes the acceptable range of value for texture reproduction.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61966-2-1:1999, *Multimedia systems and equipment — Colour measurement and management — Part 2-1: Colour management — Default RGB colour space —sRGB*

IEC 61966-2-1/Amd 1:2003, *Multimedia systems and equipment — Colour measurement and management — Part 2-1: Colour management — Default RGB colour space —sRGB*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

texture

low contrast fine details, which appear in objects

EXAMPLE Low contrast fine details, which is visible in *foliage, fur, sand, textiles, grass, or masonry surfaces*.

3.2

texture reproduction

response in the output image of cameras to the texture of the object in the scene

4 Test conditions

4.1 General

The following measurement conditions should be used as nominal conditions when measuring the texture reproduction of a digital camera.

4.2 Environments for measurement

The measurement shall be carried out in the following environment unless otherwise stated:

- Temperature: $23^{\circ}\text{C} \pm 3^{\circ}\text{C}$

4.3 Apparatus and hardware

Either a reflective chart or a transmissive chart may be used. The light flux from the target shall be diffused and shall not include any specular component.

4.4 Arrangement of measuring equipment

4.4.1 Reflective test chart

The arrangement of the measuring equipment for a reflective test chart shall be set up as shown in [Figure 1](#). The camera shall be positioned so that it casts no shadow on the chart. The lamps shall be positioned at an angle which avoids direct specular reflection from the test chart entering the camera.




Figure 1 — Arrangement of measuring equipment for reflective test chart

4.4.2 Transmissive test chart

The arrangement of the measuring equipment for a transmissive test chart shall be set up as shown in [Figure 2](#).





Figure 2 — Arrangement of measuring equipment for transmissive test chart

4.5 Lighting

Colour temperature of illumination shall be $5\ 700\ K \pm 1\ 000\ K$. Any illuminance level of the test chart may be applied for the texture reproduction measurement; however, the illuminance level in the range from 1 000 lx to 2 000 lx (in the case of transmissive chart, from 57,3 cd/m² to 115 cd/m² for 18 % gray) is recommended when the measurement has no specified purpose (e.g. low light performance). Non-uniformity of illumination on the chart shall be less than 10 %. The light source(s) should be positioned to provide uniform illumination and produce no glare or specular reflections from the target. A flickering light source is not recommended as it may cause banding artefacts to occur in the captured image. In the case of using a flickering light source, although it is not recommended, the exposure time shall not be shorter than one period of the flickering to minimize the banding artefacts caused by the light source.

4.6 Camera settings

The exposure should be adjusted to give the output value for the background gray near the centre of the measured chart to be the value corresponding to the input value defined below in the camera's output colour space.

$$(\text{input luminance for gray}) = (\text{max input luminance}) \times (\text{gray reflectance})$$

For sRGB cameras, the output Y for 18 % gray is 118 (8-bit).

The deviation of the exposure should be between +5 % and -10 % of the aforementioned target exposure. For example, the mean output luminance Y value for the 18 % gray should be 118 (8-bit) +2, -6 when the output colour space of the camera is sRGB 8-bit (IEC 61966-2-1 and IEC 61966-2-1/Amd 1).

The exposure shall be in the range of the aforementioned deviation when the measurement results of multiple cameras are compared ([Annex B](#) explains the basic concept for this stipulation). The exposure may be adjusted by the exposure bias setting of the camera or by adding a white or black card to the test chart.

White balance should be adjusted to render the centre of the image, as neutral as possible.

The focusing shall be in the best practically attainable focus.

For a camera with user selectable compression ratio (e.g. JPEG), the compression ratio should be minimum to minimize the artefacts of compression. The texture reproduction for RAW format image

data should be measured for the output of the RAW converter software. The name and the setting of the RAW converter shall be reported with the results of the measurement.

Other settings, such as “sharpness”, “noise reduction”, shall be in the default mode (factory shipping condition) if those settings are not reported.

5 Texture reproduction measurement procedure

5.1 General

Texture reproduction is measured by the amplitude of a sine waveform in this part of ISO 19567. The frequency characteristics of the texture reproduction are measured for various frequencies in the sine chart to be captured.

Two measurement methods, the multiburst and siemens star, are defined in this part of ISO 19567. The multiburst chart consists of several low contrast sine waves of discrete frequency (see [Figure 3](#)). Each sine wave consists of multiple cyclic patterns along a single direction in the multiburst chart. The siemens star chart consists of a low contrast sine wave-modulated star burst pattern (see [Figure 4](#)), which includes continuous frequency variation in all directions. Based on the structure of each chart, the multiburst and the siemens star can be used in the cases shown in [Table 1](#).

Table 1 — Guidance for selecting the measurement

Multiburst	Siemens star
(1) In the case of measuring SFR with verification of the waveform and the amplitude of the captured image. (1-1) In the case when skilled engineer recognizes the SFR approximately from the waveform of the captured image of the multiburst and verifies that the measured SFR matches the recognized outline. (1-2) In the case of measuring SFR and the waveform simultaneously to see the transient response such as overshooting and undershooting.	(1) In the case of measuring SFR by simply applying the software to the captured image.
(2) In the case of measuring SFR with high precision along a single direction for a discrete frequency. The result of multiburst has higher precision especially for lower frequency than siemens star by averaging the pixel value in the direction perpendicular to the measurement direction and by averaging the amplitude of multiple cycles of the equal frequency along the measurement direction. The alignment of the chart and the width of averaging shall be adjusted to avoid miscalculation especially for higher frequency.	(2) In the case of measuring SFR along multiple directions for continuous frequencies.
(3) In the case of using software generally applied for measuring and displaying the digital value and the waveform of the image. For multiburst, it is easier to measure the amplitude for a certain frequency using such software because it consists of multiple cycles at the same frequency.	(3) In the case of using software specially designed for the measurement of the texture reproduction.

5.2 Multiburst measurement

5.2.1 Low contrast multiburst chart




Figure 3 — Low contrast sine multiburst chart (general specification)

$$\frac{R_w}{R_g} = 1,5 \pm 0,05 \quad (1)$$

$$\frac{R_b}{R_g} = 0,5 \pm 0,05 \quad (2)$$

$$\frac{R_w - R_b}{R_g} = 1,0 \pm 0,05 \quad (3)$$

$$R_g = (18 \pm 2)\% \quad (4)$$

where

R_w is reflectance of bright peak;

R_b is reflectance of dark bottom;

R_g is reflectance of gray centre which is equal to reflectance of the background gray.

The chart includes light and dark patches adjacent to sine waves, which serve as reference areas for bright peak and dark bottom values. The reflectance of the patches is equal to the bright peak (R_w) and the dark bottom (R_b) of the sinusoidal chart.

For transmissive chart, equivalent transmittance is applied.

The relative size of the chart shall be less than or equal to 1/3 of the imaging area to suppress the risk of vignetting.

The test chart defined in [Figure 3](#) shall be used in texture reproduction measurement. Other test charts with different gray centre level and/or the different amplitude value may also be used for measuring the reproduction of smaller or larger amplitude of texture.

5.2.2 Measurement method

The measurement is performed as follows.

- A low contrast sine multiburst chart, as shown in [Figure 3](#), shall be captured and the amplitudes of each sine wave in the multiburst pattern shall be measured.
- The measured amplitude values shall be linearized in the output colour space encoding.
- The linearization shall follow the formula of the colour encoding of the output image. In case of sRGB image, the linearization shall follow the formula of the sRGB standard (IEC 61966-2-1 and IEC 61966-2-1/Amd 1).
- The procedure to obtain the linearized amplitude $A[i]$ of the i -th frequency of the multiburst chart shall be as follows.
 - Measure the mean of peak pixel value $S_{\max}[i]$ and mean of bottom pixel value $S_{\min}[i]$ for each frequency. The noise should be suppressed by averaging along the peaks and bottoms of the sine wave perpendicular to the variation.
 - Calculate each linearized value $S'_{\max}[i]$ and $S'_{\min}[i]$.
 - Calculate the linearized amplitude $A[i]$ by the formula $A[i] = S'_{\max}[i] - S'_{\min}[i]$.
- Calculate the modulation $A_{\text{norm}}[i]$ by the normalizing $A[i]$ by the linearized amplitude between the darkest patch and the brightest patch.

$$A_{\text{norm}}[i] = \frac{A[i]}{(S'_{\text{w}} - S'_{\text{b}})} \quad (5)$$

where

S'_{w} is a linearized value for bright patch;

S'_{b} is a linearized value for dark patch.

- The modulation as a function of the frequency shall be the result of the measurement.

NOTE 1 It is possible to measure texture reproduction responses in any given position and given frequency orientation by varying the position and angle of the multiburst chart with respect to the camera.

NOTE 2 When shooting with an exposure level which gives the output value for the 18 % gray to be 118 (8-bit) as specified in [4.6](#), the corresponding input level before sRGB gamma processing, will be approximately 46 (8-bit digital) and the difference between bright peak and dark bottom will be approximately 46 (8-bit digital), resulting in approximately 18 % in contrast signals. In case of other bit depth, those values will be replaced by corresponding code values.

NOTE 3 This is based on the concept of measuring characteristics when reproduced and displayed on an ideal display (the concept of “= output referred”).

5.3 Siemens star measurement

5.3.1 Low contrast sine siemens star chart




Figure 4 — Low contrast sine siemens star chart

Reflectance of bright peak (R_w), reflectance of dark bottom (R_b), and reflectance of gray centre (R_g) is given in Formulae (1), (2), (3) and (4).

The patches around the siemens star shall include a patch for the bright peak (R_w) and a patch for the dark bottom (R_b). The brightest patch shall be the bright peak (R_w) and the darkest patch shall be the dark bottom (R_b).

For transmission chart, equivalent transmittance is applied.

The relative size of chart shall be less than 1/3 of the imaging area to suppress the risk of vignetting.

The test chart defined in [Figure 4](#) shall be used in texture reproduction measurement. Other test charts with different gray centre level and/or the different amplitude value may also be used for measuring the reproduction of smaller or larger amplitude of texture.

5.3.2 Measurement method

The measurement is performed as follows.

- Step 1: The star shall be located using the four surrounding markers for the region of interest.
- Step 2: The image data value shall be linearized following the formula of the colour encoding of the output image. In case of sRGB image, the linearization shall follow the formula of the sRGB standard (IEC 61966-2-1 and IEC 61966-2-1/Amd 1).
- Step 3: A user-selectable segmentation of the star may be made.
- Step 4: A minimum of 32 radii shall be analysed by localizing the pixels along the radius and selecting the digital code values for the linearized image as a function of the angle.
- Step 5: A sine curve with the expected frequency shall be fitted into the measured values by minimizing the square error.

- Step 6: The contrast of the sine curve shall be determined by normalization to modulation between the darkest patch and the brightest patch.
- Step 7: The modulation as a function of the frequency shall be the result of the measurement.

6 Presentations of results

6.1 General

The measurement results shall be presented as a graph of the frequency characteristics (SFR) of the texture amplitude. The performance of the digital cameras can be compared using the SFR. Given SFR measurements of two different cameras, if one measured SFR is greater than the other across all measured spatial frequencies, then a larger amount of texture is reproduced in the corresponding image. On the other hand, if the greater SFR depends on the frequency, then the superior texture reproduction in a subjective evaluation is dependent on the frequency structure of the image. Comparison of the measurement results can provide important information about the relative texture reproduction of the captured images.

The illuminance level and the output luminance Y value for background gray near the centre of the measurement chart shall be reported. If the centre of the measurement chart is not occupied by the background gray, the output Y shall be reported for the background gray at a measurable area nearest to the centre of the chart. If a target with densities other than those defined in [5.2](#) and [5.3](#) is used, the reflectance or transmittance of the target shall be reported.

6.2 Multiburst measurement

In the following example, the SFR is measured in one direction. The results may be presented in the graph shown in [Figure 5](#) when the SFR is measured in multiple directions by rotating the multiburst chart.




Figure 5 — Example of the result of multiburst measurement

6.3 Siemens star measurements

In the following example, the SFR is measured for eight segments, each of which occupies a 45° sector of the siemens star. The results may be presented in the graph shown in [Figure 6](#) when the SFR is measured in a single direction.




Figure 6 — Example of the result of siemens star measurement

Annex A (informative)

Categorization of texture

Figure A.1 shows an overview of texture including multiburst and siemens star defined in this part of ISO 19567. The texture can be categorized into structured texture and non-structured, i.e. random texture. Texture with high autocorrelation is categorized as structured texture, and that with low autocorrelation is categorized as non-structured or random texture.




Figure A.1 — Categorization of texture

Annex B (informative)

Exposure condition for the measurement

This Annex is provided in order to explain the concept of the exposure conditions which is specified in [4.6](#).

The frequency characteristics of the output image for low contrast sine charts are dependent on the input amplitude to the image processing of the camera because the input signals are enhanced or reduced nonlinearly depending on the amplitude and the frequency by the noise reduction, etc. The exposure value of the camera directly influences the input amplitude for the low contrast sine chart so the exposure condition influences the result of the texture reproduction measurement. Lower exposure tends to give worse texture reproduction because the smaller amplitude with high frequency is often reduced by the noise reduction. In order to give a fair comparison among multiple cameras, the exposure condition is limited in the range between +5 % and -10 % of the target exposure.

[Figure B.1](#) and [Figure B.2](#) show how the input amplitude and output Y value are influenced by the exposure which varies from +5 % to -10 % of the target exposure when the output colour space is sRGB 8-bit (see IEC 61966-2-1:1999, 5.3 and IEC 61966-2-1/Amd 1:2003, F.5). As shown in [Figure B.1](#) and [Figure B.2](#), the input amplitude is proportional to the exposure and the output Y value varies depending on the exposure. The output Y value for the 18 % gray is 118 (8-bit) for the target exposure and it varies from 120 (8-bit) to 112 (8-bit) for the exposure between +5 % and -10 % of the target exposure. Thus the output Y value for the 18 % gray is specified in the range shown in [4.6](#).




Figure B.1 — Input amplitude and output Y value depending on the exposure




Figure B.2 — Output Y value for sRGB 8-bit colour space

Annex C (informative)

Interpretation of measurement results

This Annex shows an interpretation of measurement results.

[Figure C.1](#) shows measurement results of two cameras using siemens star chart. Camera #17 has higher SFR in lower frequency, while camera #11 has higher SFR in higher frequency. [Figure C.2](#) shows a comparison of captured images by these cameras. Camera #17 has higher texture reproduction in pebble area (lower frequency), while camera #11 has higher texture reproduction in grass area (higher frequency). Measurement results in [Figure C.1](#) correspond with the characteristics of captured images in [Figure C.2](#).




Figure C.1 — Measurement result of Camera #11 and Camera #17





Figure C.2 — Image comparison between Camera #11 and Camera #17

Annex D (informative)


Measurement results of multiburst and siemens star

[Figures D.1](#) to [D.8](#) show the measurement results of those using multiburst and those using siemens star chart. Both results exhibit a similar tendency. In general, as ISO sensitivity increases, the noise level increases and SFR decreases due to the stronger noise reduction processing. The following results of multiburst and siemens star correspond to this tendency.

(1) Camera #1




(a) Multiburst




(b) Siemens star

Figure D.1 — Measurement results of Camera #1

(2) Camera #6



(a) Multiburst



(b) Siemens star

Figure D.2 — Measurement results of Camera #6

(3) Camera #11




Figure D.3 — Measurement results of Camera #11

(4) Camera #17






Figure D.4 — Measurement results of Camera #17

(5) Camera #21




(a) Multiburst




(b) Siemens star

Figure D.5 — Measurement results of Camera #21

(6) Camera #26




(a) Multiburst



(b) Siemens star

Figure D.6 — Measurement results of Camera #26

(7) Camera #31




(a) Multiburst

(b) Siemens star

Figure D.7 — Measurement results of Camera #31

(8) Camera #36



(a) Multiburst

(b) Siemens star

Figure D.8 — Measurement results of Camera #36

Bibliography

- [1] ISO 5-1, *Photography and graphic technology — Density measurements — Part 1: Geometry and functional notation*
- [2] ISO 5-2, *Photography and graphic technology — Density measurements — Part 2: Geometric conditions for transmittance density*
- [3] ISO 5-3, *Photography and graphic technology — Density measurements — Part 3: Spectral conditions*
- [4] ISO 5-4, *Photography and graphic technology — Density measurements — Part 4: Geometric conditions for reflection density*
- [5] IEC 61146-1, *Video cameras (PAL/SECAM/NTSC) — Methods of measurement — Part 1: Non-broadcast single-sensor cameras*
- [6] CIPA DCG-002-2012, Specification Guidelines for Digital Cameras (Revised Version), 2012

This page deliberately left blank

This page deliberately left blank

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Rewvisions

Our British Standards and other publications are updated by amendment or revision. We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

