International Standard



1035/1

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ ORGANISATION INTERNATIONALE DE NORMALISATION

Hot-rolled steel bars — Part 1 : Dimensions of round bars

Barres en acier laminées à chaud — Partie 1 : Dimensions des barres rondes

First edition - 1980-10-15

UDC 669.14-422

Ref. No. ISO 1035/1-1980 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 1035/1 was developed by Technical Committee ISO/TC 17, Steel, and was circulated to the member bodies in December 1978.

It has been approved by the member bodies of the following countries:

Australia Hungary
Belgium India
Bulgaria Italy
Canada Japan
Czechoslovakia Korea, Dem. P. Rep. of
Denmark Korea, Rep. of

Egypt, Arab Rep. of Netherlands Finland New Zealand

Finland New Zeals
France Poland
Germany, F. R. Romania

South Africa, Rep. of Spain

Sweden Switzerland Thailand Turkey

United Kingdom USSR

The member bodies of the following countries expressed disapproval of the document on technical grounds :

Australia USA

This International Standard cancels and replaces ISO Recommendation R 1035/1-1969, of which it constitutes a technical revision.

Hot-rolled steel bars — Part 1: Dimensions of round bars

1 Scope and field of application

This International Standard specifies dimensions of metric series hot-rolled steel round bars.

2 Reference

ISO 1035/4, Hot-rolled steel bars — Part 4: Tolerances of round, square and flat bars — Metric series.

3 Dimensions and tolerances

- **3.1** The dimensions of round bars are given in the table.
- **3.2** Unless otherwise specified in the order, the tolerances on the dimensions of round bars shall be the normal tolerances specified in ISO 1035/4. Tolerances tighter than those specified in ISO 1035/4 will form the subject of a future International Standard.

Table — Diameters, sectional areas and masses per unit length

Preferred sizes			Second-preference sizes		
Diameter mm	Sectional area cm ²	Mass ¹⁾ per unit length kg/m	Diameter	Sectional area cm ²	Mass ¹⁾ per unit length kg/m
8 10 12 14 16	0,503 0,785 1,13 1,54 2,01	0,395 0,617 0,888 1,21 1,58	15 17 19 21 23	1,77 2,27 2,84 3,46 4,15	1,39 1,78 2,23 2,72 3,26
18 20 22 25	2,54 3,14 3,80 4,91	2,47 2,98 3,85	24 26 27 34	4,52 5,31 5,73 9,08	3,55 4,17 4,49 7,13
28 30 32 35	6,16 7,07 8,04 9,62	4,83 5,55 6,31	36 38 42 47	10,2 11,3 13,9	7,99 8,9 10,9
40 45 50	12,6 15,9	7,55 9,85 12,5	48 52	17,3 18,1 21,2	13,6 14,2 16,7
55 60	19,6 23,8 28,3	15,4 18,7 22,2	63 85 95	31,2 56,7 70,9	24,5 44,5 55,6
65 70 75	33,2 38,5 44,2	26 30,2 34,7	130 150 170	133 177 227	104 139 178
80 90 100	50,3 63,6 78,5	39,5 49,9 61,7	190 220	284 380	223 298
110 120 140	95,0 113 154	74,6 88,8 121			
160 180 200 1) The val	201 254 314 ues of mass	158 200 247			

The values of mass are based on a density of steel of 7,85 kg/dm³.

