



INTERNATIONAL STANDARD ISO 16663-2:2003
TECHNICAL CORRIGENDUM 1

Published 2005-05-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Fishing nets — Method of test for the determination of mesh size —

**Part 2:
Length of mesh**

TECHNICAL CORRIGENDUM 1

Filets de pêche — Méthode d'essai pour la détermination des dimensions de la maille —

Partie 2: Longueur de maille

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO 16663-2:2003 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 248, *Textiles and textile products*, in collaboration with Technical Committee ISO/TC 38, *Textiles*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Page 2

Subclause 6.1

Replace the existing text by the following:

Straighten the netting manually in the N-direction. Using a ruler, measure the distance from the first knot or joint exclusive to the eleventh sequential knot or joint inclusive with an accuracy of 1 mm (as shown in Figure 1). The mesh length is obtained by dividing the measured length by 5.

Subclause 7.1

Replace the existing text by the following:

Record the mesh length, in millimetres, for each measurement.