



Standard Guide for Testing Printing Inks and Related Materials¹

This standard is issued under the fixed designation D5010; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

^{ε1} NOTE—Editorial changes were made in Table 1 and Table 2 in May 2009.

1. Scope*

1.1 This guide covers a list of test methods, practices, and specifications that can be used for the testing and evaluation of printing inks, printed ink films, and substrates used in their production (see [Table 1](#)).

1.2 This guide includes methods that were developed to test paints, paint films, and substrates, but may be adapted for use in testing printing inks and printed matter. Tests on raw materials and analytical methods in general have not been included. Tests for printing ink vehicles are covered in Guide [D6687](#).

NOTE 1—For the purpose of this guide, clear coatings such as overprint varnishes are classed as printing inks.

1.3 Other ASTM standards not specified here may also be applicable.

2. Referenced Documents

2.1 ASTM Standards:²

[D16 Terminology for Paint, Related Coatings, Materials, and Applications](#)

[D6687 Guide for Testing Printing Ink Vehicles and Components Thereof](#)

3. Terminology

3.1 Definitions:

3.1.1 The following definition is given in Terminology [D16](#).

3.1.2 *printing ink, n*—a colored or pigmented liquid or paste composition that dries to a solid film after application as a thin layer by printing machinery.

3.1.2.1 *Discussion*—Printing inks may contain vehicles, colorants, waxes, solvents, and other additives. Bulk inks are

¹ This guide is under the jurisdiction of the ASTM Committee [D01](#) on Paint and Related Coatings, Materials, and Applications and is the direct responsibility of Subcommittee [D01.56](#) on Printing Inks.

Current edition approved June 1, 2008. Published July 2008. Originally approved in 1991. Last previous edition approved in 2008 as D5010–08. DOI: 10.1520/D5010-08AE01.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

tested for dispersion, tinting strength, density, heat and storage stability, rheology, and printing properties.

3.2 Definitions of Terms Specific to This Standard:

3.2.1 *printed ink film, n*—thin layer of a printing ink deposited onto a substrate by means of a laboratory or production printing press, occasionally by a drawdown or roll-out technique.

3.2.1.1 *Discussion*—Printed matter is the usual medium by which inks are tested for appearance properties, drying, and resistance to various agents.

3.2.2 *printing substrate, n*—material onto which ink is deposited in the production of printed matter.

3.2.2.1 *Discussion*—Printing substrates include paper, paperboard, plastic film, glass, and metallic surfaces. In this guide, standards relating to substrates are largely restricted to properties associated with appearance and printability.

4. Test Categories

4.1 For convenience in selection, the test methods, practices, and specifications, listed in this guide are classified into three groups by type of printing process and in subgroups indicating whether the test is conducted on a bulk ink, a printed ink film, or a substrate (see [Table 2](#)). The group is given in the left column preceding the test method reference. The classifications are as follows:

4.1.1 Group 1—Applicable in General:

Class A—Bulk inks.

Class B—Printed ink films.

Class C—Substrates.

4.1.2 Group 2—Applicable to Low Viscosity or Liquid Inks Associated With Flexography or Gravure:

Class A—Bulk inks.

Class B—Printed ink films.

Class C—Substrates.

4.1.3 Group 3—Applicable to High Viscosity or Paste Inks Associated With Letterpress, Lithography, or Silk Screen:

Class A—Bulk inks.

Class B—Printed ink films.

Class C—Substrates.

*A Summary of Changes section appears at the end of this standard

5. Precision and Bias

5.1 If available, precision for each test method listed can be found in the latest revision of that test method.

6. Keywords

6.1 printed matter; printing inks; printing substrates; test methods and practices (tabulation of)

TABLE 1 Numerical Listing of Ink-Related Standards

ASTM Designation	Volume	Title
D16	06.01	Terminology for Paint, Related Coatings, Materials, and Applications
D56	05.03 06.04	Test Method for Flash Point by Tag Closed Cup Tester
D93	04.09 05.01 06.04	Test Methods for Flash Point by Pensky-Martens Closed Cup Tester
D185	06.03	Test Methods for Coarse Particles in Pigments
D344	06.01	Test Method for Relative Hiding Power of Paints by the Visual Evaluation of Brushouts
D523	06.01	Test Method for Specular Gloss
D528	15.09	Test Method for Machine Direction of Paper and Paperboard
D562	06.01	Test Method for Consistency of Paints Measuring Krebs Unit (KU) Viscosity Using a Stormer-Type Viscometer
D644	15.09	Test Method for Moisture Content of Paper and Paperboard by Oven Drying
D685	15.09	Practice for Conditioning Paper and Paperboard Products for Testing
D724	15.09	Test Method for Surface Wettability of Paper (Angle-of-Contact Method)
D780	15.09	Test Method for Printing Ink Permeation of Paper (Castor Oil Test)
D822	06.01	Practice for Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings
D869	06.02	Test Method for Evaluating the Degree of Settling of Paint
D918	15.09	Test Method for Blocking Resistance of Paper and Paperboard
D971	05.01	Test Method for Interfacial Tension of Oil Against Water by the Ring Method
D1006	06.01	Practice for Conducting Exterior Exposure Tests of Paints on Wood
D1014	06.01	Practice for Conducting Exterior Exposure Tests of Paints and Coatings on Metal Substrates
D1200	06.01	Test Method for Viscosity by Ford Viscosity Cup
D1210	06.01	Test Method for Fineness of Dispersion of Pigment-Vehicle Systems by Hegman-Type Gage
D1259	06.01	Test Methods for Nonvolatile Content of Resin Solutions
D1308	06.01	Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes
D1310	05.01 06.04	Test Method for Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus
D1316	06.02	Test Method for Fineness of Grind of Printing Inks by the NPIRI Grindometer
D1331	15.04	Test Methods for Surface and Interfacial Tension of Solutions of Surface-Active Agents
D1353	06.04	Test Method for Nonvolatile Matter in Volatile Solvents for Use in Paint, Varnish, Lacquer, and Related Products
D1474	06.01	Test Methods for Indentation Hardness of Organic Coatings
D1475	06.01	Test Method for Density of Liquid Coatings, Inks, and Related Products
D1535	06.01	Practice for Specifying Color by the Munsell System
D1544	06.01	Test Method for Color of Transparent Liquids (Gardner Color Scale)
D1545	06.03	Test Methods for Viscosity of Transparent Liquids by Bubble Time Method
D1590	11.01	Test Methods for Surface Tension of Water and Waste Water
D1640	06.03	Test Methods for Drying, Curing, or Film Formation of Organic Coatings at Room Temperature
D1644	06.01	Test Methods for Nonvolatile Content of Varnishes
D1653	06.01	Test Methods for Water Vapor Transmission of Organic Coating Films
D1725	06.03	Test Method for Viscosity of Resin Solutions
D1729	06.01	Practice for Visual Evaluation of Colors and Color Differences of Diffusely-Illuminated Opaque Materials
D1849	06.02	Test Method for Package Stability of Paint
D1963	06.03	Test Method for Specific Gravity of Drying Oils, Varnishes, Resins, and Related Materials at 25/25°C
D2066	06.02	Test Methods for Relative Tinting Strength of Paste-Type Printing Ink Dispersions
D2067	06.02	Test Method for Coarse Particles in Printing Ink Dispersions
D2090	06.03	Test Method for Clarity and Cleanliness of Paint and Ink Liquids
D2091	06.02	Test Method for Print Resistance of Lacquers
D2196	06.01	Test Methods for Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer
D2243	06.02	Test Method for Freeze-Thaw Resistance of Water-Borne Coatings
D2244	06.01	Practice for Calculation of Color Differences from Instrumentally Measured Color Coordinates
D2248	06.01	Practice for Detergent Resistance of Organic Finishes
D2337	06.02	Test Method for Freeze-Thaw Stability of Multicolor Lacquers
D2369	06.01	Test Method for Volatile Content of Coatings
D2482	15.09	Test Method for Surface Strength of Paper (Wax Pick Method)
D2574	06.01	Test Method for Resistance of Emulsion Paints in the Container to Attack by Microorganisms
D2578	08.02	Test Method for Wetting Tension of Polyethylene and Polypropylene Films
D2616	06.01	Test Method for Evaluation of Visual Color Difference with a Gray Scale
D2794	06.01	Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact)
D2805	06.01	Test Method for Hiding Power of Paints by Reflectometry
D3134	06.01	Practice for Establishing Color and Gloss Tolerances
D3258	06.02	Test Method for Porosity of White or Near White Paint Films by Staining
D3278	06.01	Test Methods for Flash Point of Liquids by Small Scale Closed-Cup Apparatus
D3359	06.01	Test Methods for Measuring Adhesion by Tape Test
D3361	06.01	Practice for Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings
D3363	06.01	Test Method for Film Hardness by Pencil Test
D3424	06.02	Practice for Evaluating the Relative Lightfastness and Weatherability of Printed Matter
D3456	06.01	Practice for Determining by Exterior Exposure Tests the Susceptibility of Paint Films to Microbiological Attack
D3732	06.02	Practice for Reporting Cure Times of Ultraviolet-Cured Coatings
D3792	06.01	Test Method for Water Content of Coatings by Direct Injection into a Gas Chromatograph
D3825	05.03	Test Method for Dynamic Surface Tension by the Fast-Bubble Technique

TABLE 1 *Continued*

ASTM Designation	Volume	Title
D3828	05.03	Test Method for Flash Point by Small Scale Closed Cup Tester
D3924	06.01	Specification for Standard Environment for Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials
D3925	06.01	Practice for Sampling Liquid Paints and Related Pigmented Coatings
D3928	06.02	Test Method for Evaluation of Gloss or Sheen Uniformity
D3934	06.01	Test Method for Flash/No Flash Test—Equilibrium Method by a Closed-Cup Apparatus
D3960	06.01	Practice for Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings
D4017	06.01	Test Method for Water in Paints and Paint Materials by Karl Fischer Method
D4040	06.02	Test Method for Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer
D4060	06.01	Test Method for Abrasion Resistance of Organic Coatings by the Taber Abraser
D4086	06.01	Practice for Visual Evaluation of Metamerism
D4141	06.01	Practice for Conducting Black Box and Solar Concentrating Exposures of Coatings
D4144	06.02	Test Method for Estimating Package Stability of Coatings for Ultraviolet Curing
D4147	06.02	Practice for Applying Coil Coatings Using the Wire-Wound Drawdown Bar
D4212	06.01	Test Method for Viscosity by Dip-Type Viscosity Cups
D4287	06.01	Test Method for High-Shear Viscosity Using the ICI Cone/Plate Viscometer
D4302	06.02	Specification for Artists' Oil, Resin-Oil, and Alkyd Paints
D4303	06.02	Test Methods for Lightfastness of Colorants Used in Artists' Materials
D4359	06.01	Test Method for Determining Whether a Material is a Liquid or a Solid
D4361	06.01	Test Method for Apparent Tack of Printing Inks and Vehicles by a Three-Roller Tackmeter
D4366	06.01	Test Methods for Hardness of Organic Coatings by Pendulum Damping Tests
D4449	06.01	Test Method for Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance
D4459	08.03	Practice for Xenon-Arc Exposure of Plastics Intended for Indoor Applications
D4518	06.01	Test Methods for Measuring Static Friction of Coating Surfaces
D4541	06.02	Test Method for Pull-Off Strength of Coatings Using Portable Adhesion Testers
D4674	08.03	Practice for Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments
D4713	06.02	Test Methods for Nonvolatile Content of Heatset and Liquid Printing Ink and Systems
D4758	06.03	Test Method for Nonvolatile Content of Latexes
D4942	06.02	Test Methods for Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer
D5031	06.01	Practice for Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings
D5039	15.09	Test Methods for Identification of Wire Side of Paper
D5067	06.02	Specification for Artists' Watercolor Paints
D5098	06.02	Specification for Artists' Acrylic Dispersion Paints
D5181	06.02	Test Method for Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester
D5264	15.09	Practice for Abrasion Resistance of Printed Materials by the Sutherland Rub Tester
D5383	06.02	Practice for Visual Determination of the Lightfastness of Art Materials by Art Technologists
D5398	06.02	Practice for Visual Evaluation of the Lightfastness of Art Materials by the User
D5403	06.02	Test Methods for Volatile Content of Radiation Curable Materials
D5717	06.02	Test Method for Determining Extractability of Metals from Art Materials
D5724	06.02	Specification for Gouache Paints
D5909	06.02	Test Method for Drying Time of Oxidative-Drying Printing Inks by Squalene Resistance
D6073	06.02	Test Method for Relative Setting of Heatset Printing Inks
D6419	06.02	Test Method for Volatile Content of Sheet-Fed and Coldset Web Offset Printing Inks
D6487	06.02	Practice for Preparing Prints of Paste Printing Inks by Rollouts on a Laboratory Flat-Bed Press
D6488	06.02	Terminology Relating to Print Problems
D6531	06.02	Test Method for Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement
D6606	06.03	Test Method for Viscosity and Yield of Vehicles and Varnishes by the Duke Viscometer
D6687	06.03	Guide for Testing Printing Ink Vehicles and Components Thereof
D6688	06.02	Test Method for Relative Resistance of Printed Matter to Liquid Chemicals by a Sandwich Method
D6695	06.01	Practice for Xenon-Arc Exposures of Paints and Related Coatings
D6846	06.02	Practice for Preparing Prints of Paste Printing Inks With a Printing Gage
D7163	06.02	Test Method for Specular Gloss of Printed Matter
D7188	06.02	Terminology for Printing Inks, Materials, and Processes
D7189	06.02	Test Method for Relative Mileage of News Inks on Newsprint
D7244	06.02	Test Method for Relative Cure of Energy-Cured Inks and Coatings
D7305	06.02	Test Method for Reflection Density of Printed Matter
E284	06.01	Terminology of Appearance
E308	06.01	Test Method for Computing the Colors of Objects by Using the CIE System
E313	06.01	Practice for Calculating Yellowness and Whiteness Indices From Instrumentally Measured Colored Coordinates
E429	06.01	Test Method for Measurement and Calculation of Reflecting Characteristics of Metallic Surfaces Using Integrating Sphere Instruments
E430	06.01	Test Methods for Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry
E691	06.04	Practice for Conducting an Interlaboratory Study to Determine the Precision of a Test Method
E805	06.01	Practice for Identification of Instrumental Methods of Color and Color-Difference Measurement of Materials
E991	06.01	Practice for Color Measurement of Fluorescent Specimens Using the One-Monochromator Method
E1331	06.01	Test Method for Reflectance Factor and Color by Spectrophotometry Using Hemispherical Geometry
E1347	06.01	Test Method for Color and Color-Difference Measurement by Tristimulus Colorimetry
E1349	06.01	Test Method for Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45:0 or 0:45) Geometry
F34	15.09	Practice for Construction of Test Cell for Liquid Extraction of Flexible Barrier Materials
F149	15.09	Terminology Relating to Optical Character Recognition
F151	15.09	Test Method for Residual Solvents in Flexible Barrier Materials
F372	15.09	Test Method for Water Vapor Transmission Rate of Flexible Barrier Materials Using an Infrared Detector Technique
F413	15.09	Practice for Preparation of an Offset Duplicator for Use in Functional Testing of Lithographic Copy Products
F425	15.09	Terminology Relating to Lithographic Copy Products
F909	15.09	Terminology Relating to Printers
F1125	15.09	Terminology of Image Quality in Impact Printing Systems

TABLE 1 *Continued*

ASTM Designation	Volume	Title
G7	14.02	Practice for Atmospheric Environmental Exposure Testing of Nonmetallic Materials
G24	14.02	Practice for Conducting Exposures to Daylight Filtered Through Glass
G151	14.02	Practice for Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources
G153	14.02	Practice for Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials
G155	14.02	Practice for Operating Xenon Arc Light Apparatus for Exposure of Nonmetallic Materials

TABLE 2 Index of Standards by Property

Group	Topic	ASTM Designation	ASTM Volume No.
Testing in General			
1ABC	Terminology for Paint, Related Coatings, Materials, and Applications	D16	06.01
1ABC	Terminology for Printing Inks, Materials, and Processes	D7188	06.02
1C	Conditioning Paper and Paperboard Products for Testing	D685	15.09
1ABC	Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials, Standard Environment for	D3924	06.01
1A	Determining Whether a Material is a Liquid or a Solid	D4359	06.01
1ABC	Interlaboratory Study to Determine the Precision of a Test Method	E691	06.01 06.04 08.03
1A	Sampling Liquid Paints and Related Pigmented Coatings	D3925	06.01
1A	Testing Printing Ink Vehicles and Components Thereof	D6687	06.03
Appearance Properties			
1ABC	Terminology Relating to Appearance of Materials	E284	06.01
<i>Color and Reflectance</i>			
1ABC	Calculation of Color Differences From Instrumentally Measured Coordinates	D2244	06.01
1ABC	Color and Color-Difference by Tristimulus (Filter) Colorimetry	E1347	06.01
1ABC	Color Measurement of Fluorescent Specimens Using the One-Monochromator Method	E991	06.01
1A	Color of Transparent Liquids (Gardner Color Scale)	D1544	06.01
1ABC	Computing the Color of Objects by the CIE System	E308	06.01
1ABC	Establishing Color and Gloss Tolerances	D3134	06.01
1ABC	Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials	E805	06.01
1ABC	Reflectance Factor and Color by Spectrophotometry Using Bidirectional Geometry	E1349	06.01
1ABC	Reflectance Factor and Color by Spectrophotometry Using Hemispherical Geometry	E1331	06.01
1C	Reflecting Characteristics of Metallic Surfaces Using Integrating-Sphere Instruments	E429	06.01
1BC	Reflection Density of Printed Matter	D7305	06.02
1ABC	Specifying Color by the Munsell System	D1535	06.01
1ABC	Visual Color Difference With a Gray Scale	D2616	06.01
1ABC	Visual Evaluation of Colors and Color Differences of Diffusely-Illuminated Opaque Materials	D1729	06.01
1ABC	Visual Evaluation of Metamerism	D4086	06.01
1C	Whiteness and Yellowness of Near-White Opaque Materials	E313	06.01
<i>Gloss</i>			
1ABC	Gloss of High-Gloss Surfaces by Abridged Goniophotometry	E430	06.01
1ABC	Specular Gloss (20°, 60°, 85°)	D523	06.01
1BC	Specular Gloss of Printed Matter	D7163	06.02
1ABC	Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance	D4449	06.01
1ABC	Visual Evaluation of Gloss or Sheen Uniformity	D3928	06.02
<i>Opacity and Strength</i>			
1B	Hiding Power of Paints by Reflectometry	D2805	06.01
1B	Relative Hiding Power of Paints by the Visual Evaluation of Brushouts	D344	06.01
2A	Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement	D6531	06.02
3A	Relative Tinting Strength of Paste-Type Printing Ink Dispersions	D2066	06.02
<i>Other Optical Properties</i>			
1A	Clarity and Cleanness of Paint and Ink Liquids	D2090	06.03
1B	Definitions of Terms Relating to Optical Character Recognition	F149	15.09
1B	Terminology of Image Quality in Impact Printing Systems	F1125	15.09
Chemical Resistance			
1B	Detergent Resistance of Organic Finishes	D2248	06.01

TABLE 2 *Continued*

Group	Topic	ASTM Designation	ASTM Volume No.
1B	Extractability of Metals from Art Materials, Determining	D5517	06.02
1B	Household Chemicals on Clear and Pigmented Organic Finishes, Effect of	D1308	06.01
1B	Resistance to Liquid Chemicals by a Sandwich Method	D6688	06.02
Density			
1A	Density of Liquid Coatings, Inks, and Related Products	D1475	06.01
1A	Specific Gravity of Drying Oils, Varnishes, Resins, and Related Materials at 25/25°C	D1963	06.03
Dispersion			
1A	Coarse Particles in Pigments	D185	06.03
1A	Coarse Particles in Printing Ink Dispersions	D2067	06.02
1A	Fineness of Dispersion of Pigment-Vehicle Systems by Hegman-Type Gage	D1210	06.01
1A	Fineness of Grind of Printing Inks by the NPIRI Grindometer	D1316	06.02
Drying			
1B	Drying, Curing, or Film Formation of Organic Coatings at Room Temperature	D1640	06.03
3B	Drying Time of Oxidative-Drying Printing Inks by Squalene Resistance	D5909	06.02
3B	Relative Cure of Energy-Cured Inks and Coatings	D7244	06.02
3B	Relative Setting of Heatset Printing Inks	D6073	06.02
1B	Reporting Cure Times of Ultraviolet-Cured Coatings	D3732	06.02
Heat Stability			
1A	Flash/No Flash Test—Equilibrium Method by a Closed-Cup Apparatus	D3934	06.01
1A	Flash Point by Pensky-Martens Closed Cup Tester	D93	04.09 05.01 06.04
1A	Flash Point of Liquids by Small Scale Closed-Cup Apparatus	D3278	06.01
1A	Flash Point by Small Scale Closed Cup Tester	D3828	05.03
1A	Flash Point by Tag Closed Cup Tester	D56	05.01 06.04
1C	Moisture Content of Paper and Paperboard by Oven Drying	D644	15.09
1A	Flash Point and Fire Point by Tag Open-Cup Apparatus	D1310	05.01 06.04
2A	Nonvolatile Content of Latexes	D4758	06.03
1A	Nonvolatile Content of Heatset and Liquid Printing Ink Systems	D4713	06.02
1A	Nonvolatile Content of Resin Solutions	D1259	06.01
1A	Nonvolatile Content of Varnishes	D1644	06.01
1A	Nonvolatile Matter in Volatile Solvents for Use in Paint, Varnish, Lacquer, and Related Products	D1353	06.03
1A	Volatile Content of Coatings	D2369	06.01
3A	Volatile Content of Non-Heatset Web Offset Printing Inks	D6419	06.02
1A	Volatile Content of Radiation Curable Materials	D5403	06.02
1A	Volatile Organic Compound (VOC) Content of Paints and Related Coatings	D3960	06.01
Lightfastness and Weatherability			
1B	Accelerated Outdoor Exposure Test of Coatings	D4141	06.01
1B	Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments	D4674	08.03
1B	Atmospheric Environmental Exposure Testing of Nonmetallic Materials	G7	14.02
1B	Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings	D5031	06.01
1B	Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources	G151	14.02
1B	Exterior Exposure Tests of Paints and Coatings on Metal Substrates	D1014	06.01
1B	Exterior Exposure Tests of Paints on Wood	D1006	06.01
1B	Exterior Exposure Tests for the Susceptibility of Paint Films to Microbiological Attack	D3456	06.01
1B	Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings	D822	06.01
1B	Gouache Paints, Specification for	D5724	06.02
1B	Lightfastness and Weatherability of Printed Matter	D3424	06.02
1B	Lightfastness of Art Materials, Visual Determination by Art Technologists	D5383	06.02
1B	Lightfastness of Art Materials, Visual Evaluation by the User	D5398	06.02
1B	Lightfastness of Artists' Acrylic Dispersion Paints	D5098	06.02
1B	Lightfastness of Artists' Oil, Resin-Oil, and Alkyd Paints	D4302	06.02
1B	Lightfastness of Artists' Watercolor Paints	D5067	06.02
1B	Lightfastness of Colorants Used in Artists' Materials	D4303	06.02
1B	Natural Light Exposures Under Glass	G24	14.02
1B	Operating an Accelerated Lightfastness Xenon-Arc-Type (Water Cooled) Light-Exposure Apparatus for the Exposure of Plastics for Indoor Applications	D4459	08.03
1B	Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials	G153	14.02

TABLE 2 *Continued*

Group	Topic	ASTM Designation	ASTM Volume No.
1B	Operating Xenon-Arc Light Apparatus for Exposure of Nonmetallic Materials	G155	14.02
1B	Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings	D3361	06.01
1B	Xenon-Arc Exposures of Paint and Related Coatings	D6695	06.01
Physical Strength and Resistance (Nonchemical)			
1B	Abrasion Resistance of Organic Coatings by Taber Abraser	D4060	06.01
1B	Abrasion Resistance of Printed Materials by the Sutherland Rub Tester	D5264	15.09
1B	Abrasion Resistance of Printed Matter by the GA CAT Comprehensive Abrasion Tester	D5181	06.02
1B	Adhesion by Tape Test	D3359	06.01
1B	Film Hardness (of Organic Coatings) by Pencil Test	D3363	06.01
1B	Hardness of Organic Coatings by Pendulum Damping Test	D4366	06.01
1B	Indentation Hardness of Organic Coatings	D1474	06.01
1B	Print (Imprint) Resistance of Lacquers	D2091	06.02
1B	Pull-off Strength of Coatings Using Portable Adhesion Tester	D4541	06.02
1B	Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact)	D2794	06.01
1B	Static Friction of Coating Surfaces	D4518	06.01
Porosity and Permeability			
1B	Porosity of White or Near White Paint Films by Staining	D3258	06.02
1B	Water Vapor Transmission of Organic Coating Films	D1653	06.01
2C	Water Vapor Transmission Rate of Flexible Barrier Materials Using an Infrared Detection Technique	F372	15.09
Printing Properties			
2A	Applying Coil Coatings Using the Wire-Wound Drawdown Bar	D4147	06.02
3A	Definitions of Terms Relating to Lithographic Copy Products	F425	15.09
1B	Definitions of Terms Relating to Printers	F909	15.09
1C	Blocking Resistance of Paper and Paperboard	D918	15.09
1C	Machine Direction of Paper and Paperboard	D528	15.09
3AC	Preparation of an Offset Duplicator for Use in Functional Testing of Lithographic Copy Products	F413	15.09
3A	Preparing Prints of Paste Printing Inks by Rollouts on a Laboratory Flat-Bed Press	D6487	06.02
3A	Preparing Prints of Paste Printing Inks with a Printing Gage	D6846	06.02
1C	Printing Ink Permeation of Paper (Castor Oil Test)	D780	15.09
1AC	Relative Mileage of News Inks on Newsprint	D7189	06.02
1B	Terminology Relating to Print Problems	D6488	06.02
3A	Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer	D4942	06.02
3C	Surface Strength of Paper (Wax Pick Method)	D2482	15.09
1C	Wire Side of Paper	D5039	15.09
Rheology			
3A	Apparent Tack of Printing Inks and Vehicles by a Three-Roller Tackmeter	D4361	06.02
1A	Consistency of Paints Measuring Krebs Unit (KU) Viscosity Using a Stormer-Type Viscometer	D562	06.01
1A	High-Shear Viscosity Using the ICI Cone/Plate Viscometer	D4287	06.01
1A	Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer	D2196	06.01
3A	Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer	D4040	06.02
3A	Viscosity and Yield of Vehicles and Varnishes by the Duke Viscometer	D6606	06.03
2A	Viscosity by Dip-Type Viscosity Cups	D4212	06.01
1A	Viscosity by Ford Viscosity Cup	D1200	06.01
1A	Viscosity of Resin Solutions	D1725	06.03
1A	Viscosity of Transparent Liquids by Bubble Time Method	D1545	06.03
Special Analytical Tests			
2C	Liquid Extraction of Flexible Barrier Materials	F34	15.09
2C	Residual Solvents in Flexible Barrier Materials	F151	15.09
1A	Water Content of Coatings by Direct Injection into a Gas Chromatograph	D3792	06.01
1A	Water in Paints and Paint Materials by Karl Fischer Method	D4017	06.01
Storage Stability			
1A	Degree of Settling of Paint	D869	06.02
2A	Freeze-Thaw Resistance of Water-Borne Paints	D2243	06.02
1A	Freeze-Thaw Stability of Multicolor Lacquers	D2337	06.02
1A	Package Stability of Coatings for Ultraviolet Curing	D4144	06.02
1A	Package Stability of Paint	D1849	06.02
2A	Resistance of Emulsion Paints in the Container to Attack by Microorganisms	D2574	06.01
Surface Chemistry			
1A	Dynamic Surface Tension by the Fast-Bubble Technique	D3825	05.03

TABLE 2 *Continued*

Group	Topic	ASTM Designation	ASTM Volume No.
1A	Interfacial Tension of Oil Against Water by the Ring Method	D971	05.01
1A	Surface and Interfacial Tension of Solutions of Surface-Active Agents	D1331	15.04
1A	Surface Tension of Water and Waste Water	D1590	11.01
1C	Surface Wettability of Paper (Angle-of-Contact Method)	D724	15.09
2C	Wetting Tension of Polyethylene and Polypropylene Films	D2578	08.02

SUMMARY OF CHANGES

Committee D01 has identified the location of selected changes to this standard since the last issue (D5010 - 08) that may impact the use of this standard. (Approved June 1, 2008.)

(1) Practice D822, D1006, D1014, D3361, D3456, and D5031 were added to Table 1 and Table 2 Lightfastness and Weatherability.

(2) The word “type” was inserted after Brookfield in Test Method D2196 in Table 1 and Table 2 Rheology.

(3) Practice D4147 was added to Table 1 and Table 2 Printing Properties.

(4) Test Method D7305 was added to Table 1 and Table 2 Color and Reflectance.

Committee D01 has identified the location of selected changes to this standard since the last issue (D5010 - 05) that may impact the use of this standard. (Approved February 1, 2008.)

(1) In Table 2, the heading Light and Weather Fastness was changed to Lightfastness and Weatherability.

(2) Title for Test Method D4303 was changed in Table 1 and added to Table 2 Lightfastness and Weatherability.

(3) Title for Test Method D4674 in Table 1 and Table 2 Lightfastness and Weatherability was changed.

(4) Practice D6695 was added to Table 1 and Table 2 Lightfastness and Weatherability.

(5) Test Method D7163 was added to Table 1 and Table 2 Gloss.

(6) Terminology D7188 was added to Table 1 and Table 2 Testing in General.

(7) Test Method D7189 was added to Table 1 and Table 2 Printing Properties.

(8) Test Method D7244 was added to Table 1 and Table 2 Drying.

(9) Test Method D2620, Practice G23, and Practice G26 were withdrawn from the ASTM Book of Standards and, therefore, deleted from Table 1 and Table 2 Lightfastness and Weatherability.

ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org). Permission rights to photocopy the standard may also be secured from the ASTM website (www.astm.org/COPYRIGHT/).