

Standard Tables of Body Measurements for Adult Female Misses Figure Type, Size Range 00–20¹

This standard is issued under the fixed designation; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

 ϵ^1 NOTE—Measurements in Tables 1 and 2 for Upper-Chest Girth, Size 8, Shoulder Slope, Shoulder and Arm Length and Arm Length were corrected editorially in May 2012.

INTRODUCTION

These body measurement tables were developed from evaluation of data currently used in the apparel industry. These tables were developed from data published by the U.S. Department of Commerce,² Caesar Study³, Size USA Study,⁴ Current USA industry and studies, and scans and documentation from Alvanon Inc.⁵ This standard takes into consideration Misses figure at a standard height of 5 ft 5 in. (65 % of average USA population) taking into account the decrease and increase in body weight that shift a person from one size to another, while this person does not gain in height. Also included is a definition of body type, Curvy or Straight as applied to waist, high hip, hip seat, thigh and mid-thigh girths that result in a different body shape (silhouette). Major review and evaluation was done. The incremental growth at different key body points has been addressed and defined, which resulted in identifying increases and decreases at different rates in specific areas; bust, waist, high hip and hip/seat. Additionally, to better serve the industry, incremental movement between sizes was reviewed ensuring smooth transition between sizes. To verify the proposed body measurements, a three-dimensional Avatar was created in the Misses size range 00 through 20 (Curvy and Straight) by Alvanon Inc. for a visual reference and is also attached in the documentation.

1. Scope

- 1.1 These tables list body measurements of adult female misses figure Type sizes 00 through 20. Although these are body measurements, they can be used as a baseline in designing apparel for Missy in this size range when considering such factors as fabric type, ease for body movement, styling, and fit.
- 1.2 These tables list body measurements for the complete range of Missy sizing.
- 1.3 The values stated in either SI units or inch-pound units are to be regarded separately as standard. The values stated in

each system may not be exact equivalents; therefore, each system shall be used independently of the other. Combining values from the two systems may result in non-conformance with the standard.

2. Referenced Documents

2.1 ASTM Standards:⁶

D 123 Terminology Relating to Textile Materials

D 5219 Terminology Relating to a Body Dimension for Apparel Sizing

2.2 ISO Standards:⁷

ISO 3635 Size Designation of Clothes, Definitions, and Body Measurement Procedures

3. Terminology

3.1 Definitions:

¹ This table is under the jurisdiction of ASTM Committee D13 on Textiles and is the direct responsibility of Subcommittee D13.55 on Body Measurement for Apparel Sizing.

Current edition approved July 1, 2011. Published August 2011. Originally approved in 1994. Last previous edition approved in 2001 as D5585-95(2001) which was withdrawn January 2010 and reinstated in July 2011. DOI: 10.1520/D5585-11E01.

² U.S. Department of Commerce, Voluntary Product Standard: Body Measurements for Sizing of Girls' Apparel, NIST Publication No. PS 54–172, Washington DC.

 $^{^3}$ Caesar: Summary Statistics for the Adult population (Ages 18-65) of the United States of America, 2002.

⁴ Available from: http://www.tc2.com/sizeusa.html

⁵ Alvanon, Inc., 145 W. 30th Street, Suite 1000, New York, NY 10001.

⁶ For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

 $^{^7}$ Available from American National Standards Institute (ANSI), 25 W. 43rd St., 4th Floor, New York, NY 10036, http://www.ansi.org.



- 3.1.1 For definitions relating to body dimensions, refer to Terminology D 5219.
- 3.1.2 For definitions of other textile terms used in this standard, refer to Terminology D 123–03.

4. Significance and Use

- 4.1 The use of the body measurement information in Table 1 and Table 2 will assist manufacturers in developing patterns and garments that are consistent with the current anthropometric characteristics of the population of interest. This practice should in turn reduce or minimize consumer confusion and dissatisfaction related to apparel sizing. (Also refer to ISO 3635.)
- 4.2 Three-dimensional avatars depicting each of the missy sizes and sub category curvy and straight on certain measures, were created by Alvanon, Inc. and included in this standard to assist manufacturers in visualizing the posture, shape, and proportions generated by the measurements charts in the accompanying tables. (Avatar 1-6) See Fig. 1 and Fig. 2.

5. Apparatus

- 5.1 *Tape Measure*, dimensionally stable and approximately 1.5 cm (½-in.) wide and graduated accurately in cm (½6 in.).
- 5.2 *Plastic Goniometry*, to measure the radian (degree) of shoulder slope.
 - 5.3 Scale, standard, calibrated, body weight type.
 - 5.4 Metal Ruler.

6. Procedure

- 6.1 General:
- 6.1.1 For all vertical and most horizontal measurements, subject is to be standing erect without shoes and with feet approximately 15 cm (6 in.) apart. (for Infant special cases) For all vertical and most horizontal measurements, subject is to be lying down flat with legs extended and foot positioned at 1.57 rad (90°) to the leg.
- 6.1.2 Take measurements over regular undergarments normally worn.
- 6.1.3 Take all measurements from the same side of the body for consistency.
- 6.1.4 Refer to Terminology D 5219 for the location of all points to be measured.
 - 6.2 Body Measurements:
- 6.2.1 *Body Weight*—Weight as measured on a calibrated scale taken with the subject in undergarments.
- 6.2.2 *Head Girth*—Measure the maximum horizontal circumference of the head above the ears.
- 6.2.3 *Neck Base Girth*—Measure the circumference of the neck, taken over the cervicale at the back and the top of the collarbone at the front.
- 6.2.4 *Mid-Neck Girth*—Measure the horizontal circumference of the neck, taken approximately 25 mm (1 in.) above the neck base level.
- 6.2.5 *Shoulder Girth*—Measure the horizontal circumference around the shoulders, taken at the front break-point level with the arms down.

- 6.2.6 Chest/Bust Girth—Measure the horizontal circumference around the body, taken under the arms and across the fullest part of the chest/bust apex including the lower portion of the shoulder blades.
- 6.2.7 *Under-Bust Girth*—Measure the horizontal circumference around the body under the arms and bust.
- 6.2.8 *Upper-Chest Girth*—Measure the horizontal circumference around the body, taken under the arms and above the fullest part of the chest/bust including the lower portion of the shoulder blades.
- 6.2.9 *Waist Girth*—Measure the minimum horizontal circumference around the body at waist height.
- 6.2.10 *High-Hip Girth*—Measure the maximum horizontal circumference around the body, taken at high hip level approximately 7.5 cm (3 in.) below the waist level including the abdominal extension.
- 6.2.11 *Hip/Seat Girth*—Measure the maximum horizontal circumference around the body at hip height.
- 6.2.12 *Thigh Girth*—Measure the maximum horizontal circumference of the upper leg, taken close to the crotch.
- 6.2.13 *Mid-Thigh Girth*—the maximum horizontal circumference of the upper leg, taken midway between the hip girth level and the midpoint (or crease) of the knee.
- 6.2.14 *Knee Girth*—Measure the maximum horizontal circumference of the knee, taken over the kneecap with the leg straight.
- 6.2.15 *Calf Girth*—Measure the maximum horizontal circumference of the lower leg, taken between the knee and the ankle.
- 6.2.16 *Ankle Girth*—Measure the maximum horizontal circumference of the ankle, taken over the greatest prominence of the anklebones.
- 6.2.17 *Armscye Girth*—Measure the circumference from the shoulder joint through the front break-point, the armpit, the back break-point and to the starting point, taken with the arms down.
- 6.2.18 *Upper-Arm Girth*—Measure the maximum circumference of the arm, taken midway between the elbow and the shoulder joints with the arm bent 1.57 rad (90°).
- 6.2.19 *Elbow Girth*—Measure the maximum circumference of the elbow, taken over the outer prominence of the elbow bone with the arm bent $1.57 \text{ rad } (90^{\circ})$.
- 6.2.20 Wrist Girth—Measure the maximum circumference of the wrist, taken over the inner and outer prominence of the wrist bones.
- 6.2.21 *Hand Girth*—Measure the maximum circumference of the hand around the knuckles excluding the thumb, taken with the fingers together.
- 6.2.22 Trunk Length (total vertical)—Measure the circumference taken from a point on the right shoulder midway between the neck base and the shoulder joint, down the back through the crotch and up over the prominence of the right chest/bust apex to the starting point, avoiding constriction at the crotch.
- 6.2.23 *Height*—Measure the vertical distance from the crown of the head to the floor, taken with subject standing and without shoes.



TABLE 1 Body Measurements, Inch-Pound Units

Size	00	0	2	4	6	8	10	12	14	16	18	20
Body Weight (Mean), lb	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Body Weight (Range), lb	N/A	N/A	N/A N/A	N/A	N/A N/A	N/A N/A	N/A N/A	N/A	N/A N/A	N/A N/A	N/A	N/A N/A
Girth Measurements, in.	00	0	2	4	6	8	10	12	14	16	18	20
Head Girth	211/4	211/4	21½	21½	213/4	213/4	22	22	221/4	221/4	221/2	221/2
Neck Base Girth	131/4	131/2	133/4	14	141/4	145/8	147/8	151/8	151/2	153/4	16	16%
Mid-Neck Girth	123/8	125/8	127/8	131/8	13%	135/8	137/8	141/4	145/8	15	151/2	16
Shoulder Girth	371/8	373/4	383/8	39	39¾	401/2	411/4	42	43	441/4	451/2	467/8
Chest/Bust Girth	311/8	31¾	33	341/8	351/4	361/4	371/4	38¾	40%	421/8	44	46
Under-Bust Girth	25¾	261/2	271/4	28	29	30	31	321/2	34	35¾	375/8	395/8
Upper-Chest Girth	31¾	321/4	331/4	341/8	35	357/8	363/4	38	391/4	405/8	421/4	437/8
Waist Girth – Curvy	237/8	245/8	25%	261/8	27	28	29	303/4	32½	34½	363/4	39 401/
Waist Girth – Straight High-Hip Girth – Curvy	25% 29½	261/8 301/4	26 ⁷ / ₈ 31 ¹ / ₈	275/8 325/8	28½ 33¾	29½ 34¾	30½ 35¾	321/4 371/4	34 38%	36 40½	38½ 42¼	40½ 44%
High-Hip Girth – Straight	29 ³ / ₂	301/2	31%	327/8	34	35	36	37 ½ 37½	391/8	40 1/2	42 ¹ / ₂	44% 44%
Hip/Seat Girth – Curvy	34	34 ⁵ / ₈	357/8	371/8	381/4	391/4	401/4	413/4	431/4	45	463/4	483/4
Hip/Seat Girth - Straight	331/4	337/8	351/8	363/8	37½	381/2	39½	41	421/2	441/4	46	48
Thigh Girth – Curvy	201/2	207/8	211/4	21%	221/8	225/8	231/8	24	247/8	261/4	271/2	283/4
Thigh Girth - Straight	201/8	201/2	207/8	211/4	213/4	221/4	223/4	235/8	241/2	253/4	27	281/4
Mid-Thigh Girth – Curvy	183/8	18¾	191/8	191/2	20	201/2	21	211/8	223/4	233/4	247/8	26
Mid-Thigh Girth - Straight	181/8	181/2	181/8	191/4	193/4	201/4	203/4	21%	221/2	231/2	245/8	253/4
Knee Girth	125/8	123/4	13	133/8	13¾	141/8	141/2	15	151/2	16	161/2	17
Calf Girth	121/8	121/4	121/2	121/8	131/4	135/8	14	141/2	15	151/2	16	161/2
Ankle Girth	81/8	81/4	83/8	85/8	87/8	91/8	93/8	95/8	97/8	101/8	103/8	105/8
Armscye Girth	141/2	143/4	151/8	15½	153/4	16	161/4	167/8	171/2	181/8	181/8	195/8
Upper-Arm Girth	93/4	10	101/4	10½	103/4	111/8	111/2	113/4	121/8	12½	13	135/8
Elbow Girth	91/8	91/4	93/8	91/2	95/8	9¾	97/8	101/8	10%	105/8	11	117/8
Wrist Girth	51/8	51/4	53/8	53/4	57/8	6	61/8	61/4	63/8	61/2	65/8	63/4
Hand Girth	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Trunk Length (total vertical girth) – Curvy	57⅓ 57	57½ 57%	58 57%	58½ 58¾	59 58%	59½ 59%	60 59%	60% 60¾	61¾ 61⅓	62 ⁷ / ₈ 62 ³ / ₄	64 63%	651/8 65
Trunk Length (total vertical girth) – Straight Vertical Measurements, in.	00	0	2	4	6	8	10	12	14	16	18	20
Height, in.	65½	65½	65½	65½	65½	65½	65½	65½	65½	65½	65½	65½
Head and Neck Length	91/4	91/4	91/4	91/4	91/4	91/4	91/4	91/4	91/4	91/4	91/4	91/4
Cervicale Height	561/4	561/4	561/4	561/4	561/4	561/4	561/4	561/4	561/4	561/4	561/4	561/4
Cervicale to Crotch – Curvy	253/4	253/4	253/4	253/4	253/4	253/4	253/4	253/4	253/4	253/4	253/4	253/4
Cervicale to Crotch – Straight	253/4	253/4	253/4	253/4	253/4	253/4	253/4	253/4	25¾	253/4	253/4	253/4
Center Back Waist Length	161/8	161/8	161/8	161/8	161/8	161/8	161/8	161/4	163/8	161/2	165/8	163/4
Center Front Waist Length	131/8	14	141/8	141/4	143/8	141/2	141/2	145/8	143/4	147/8	15	15½
Scye Depth	53/4	53/4	57/8	6	61/8	61/8	61/4	63/8	61/2	63/4	67/8	7
Side Waist Length	81/2	81/2	83/8	81/4	81/8	81/8	8	7 ½	77/8	73/4	7 5/8	7 5⁄8
Waist to Hip/Seat Height – Curvy	81/8	81/8	81/4	81/4	81/4	81/4	81/4	81/4	81/4	81/4	81/4	81/4
Waist to Hip/Seat Height – Straight	81/8	81/8	81/8	81/8	81/8	81/8	81/8	81/8	81/8	81/8	81/8	81/8
Waist to Knee Height – Curvy	227/8	227/8	23	23	23	23	23	23	23	23	23	23
Waist Leight – Straight	227/8	227/8	227/8	227/8	227/8	227/8	227/8	227/8	227/8	227/8	227/8	23
Waist Height High-Hip Height	40½ 37	40½ 37	40½ 37	40½ 37	40½ 37	40½ 37	40½ 37	40½ 37	40½ 37	40½ 37	40½ 37	40½ 37
Hip/Seat Height	32½	32½	32½	32½	32½	32½	32½	32½	32½	32½	32½	32½
Crotch Height	30½	30½	30½	301/2	30½	301/2	301/2	301/2	301/2	30½	301/2	301/2
Rise Height	10	10	10	10	10	10	10	10	10	10	10	10
Knee Height	177/8	177/8	177/8	177/8	177/8	177/8	177/8	177/8	177/8	177/8	177/8	17 ⁷ /8
Ankle Height	23/4	23/4	23/4	23/4	23/4	23/4	23/4	23/4	23/4	23/4	23/4	23/4
Width and Length Measurements, in.	00	0	2	4	6	8	10	12	14	16	18	20
Crotch Length (total)	241/4	241/2	243/4	25	251/4	251/2	257/8	261/4	26¾	271/4	273/4	281/4
Shoulder Length	43/4	47/8	47/8	5	5	51/8	51/8	51/8	51/4	51/4	53/8	51/2
Shoulder Slope	20¾ °	201/4°	201/8°	20°	197⁄8°	195⁄8°	19½ °	191/4°	19°	18¾ °	18% °	181/8°
Shoulder Drop	15/8	15/8	15/8	15/8	15/8	15/8	15/8	15/8	15/8	15/8	15/8	15/8
Across Back Shoulder Width	141/2	145/8	147/8	151/8	151/4	15½	15%	15¾	16	16%	16¾	171/8
Across Front Shoulder Width	141/2	145/8	147/8	151/8	15%	153/4	157/8	16	161/4	163/4	17	173/8
Upper Back Width Upper Front Chest Width	131/4	13½ 12%	13¾	14	141/ ₄	14½ 1256	145/8 127/6	143/4	15 14¼	153/8 1.45/6	15¾ 15	161/8 153/6
Back Width	12¾ 12⅓	13	121/8 131/4	131/8 131/2	13% 13%	135⁄8 14¹⁄8	13% 14%	14 14%	147/8	145⁄8 15¹⁄4	15 ⁵ /8	15% 16%
Front Chest Width	12 1/8	123/4	131/8	131/2	137/8	141/4	145/8	15	151/2	15 ⁷ / ₈	161/2	10 ½8 17½
Bust Point to Bust Point	65/8	63/4	7	71/4	71/2	73/4	8	81/4	81/2	83/4	9	91/4
Neck to Bust Point	93/4	97/8	10	101/8	101/4	103/8	10½	103/4	11	111/4	11½	113/4
Bust Point to Bust Point (Halter)	25%	26	26%	263/4	271/8	271/2	277/8	281/2	291/8	293/4	30%	31
Cervicale to Wrist Length	301/8	301/4	30%	301/2	305/8	303/4	303/4	303/4	307/8	311/8	311/4	31½
Shoulder and Arm Length	275/8	273/4	273/4	277/8	277/8	28	28	28	281/8	281/4	283/8	281/2
Arm Length	223/4	227/8	227/8	227/8	23	23	23	23	23	23	23	23
Hand Length	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Hand Width	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Foot Length	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Foot Width	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A



TABLE 2 Body Measurements, SI Units

Size	00	0	2	4	6	8	10	12	14	16	18	20
Body Weight (Mean), kg	N/A											
Body Weight (Range), kg	N/A											
Girth Measurements, cm	00	0	2	4 54.04	6	8	10	12	14	16	18	20
Head Girth Neck Base Girth	53.98 33.66	53.98 34.29	54.61 34.93	54.61 35.56	55.25 36.20	55.25 37.15	55.88 37.78	55.88 38.42	56.52 39.37	56.52 40.01	57.15 40.64	57.15 41.59
Mid-Neck Girth	31.43	32.07	32.70	33.34	33.97	34.61	35.24	36.20	37.15	38.10	39.37	40.64
Shoulder Girth	94.30	95.89	97.47	99.06	100.97	102.87	104.78	106.68	109.22	112.40	115.57	119.06
Chest/Bust Girth	79.06	80.65	83.82	86.68	89.54	92.08	94.62	98.43	102.55	107.00	111.76	116.84
Under-Bust Girth	65.41	67.31	69.22	71.12	73.66	76.20	78.74	82.55	86.36	90.81	95.57	100.65
Upper-Chest Girth Waist Girth – Curvy	80.65 60.64	81.92 62.55	84.46 64.45	86.68	88.90 68.58	91.12 71.12	93.35	96.52	99.70 82.55	103.19 87.63	107.32 93.35	111.44 99.06
Waist Girth – Curvy Waist Girth – Straight	64.45	66.36	68.26	66.36 70.17	72.39	74.93	73.66 77.47	78.11 81.92	86.36	91.44	97.16	102.87
High-Hip Girth – Curvy	74.93	76.84	79.06	82.87	85.73	88.27	90.81	94.62	98.74	102.87	107.32	112.71
High-Hip Girth - Straight	75.57	77.47	79.69	83.50	86.36	88.90	91.44	95.25	99.38	103.51	107.95	113.35
Hip/Seat Girth - Curvy	86.36	87.95	91.12	94.30	97.16	99.70	102.24	106.05	109.86	114.30	118.75	123.83
Hip/Seat Girth – Straight	84.46	86.04	89.22	92.39	95.25	97.79	100.33	104.14	107.95	112.40	116.84	121.92
Thigh Girth — Curvy	52.07	53.02	53.98	54.93	56.20	57.47	58.74	60.96	63.18	66.68	69.85	73.03
Thigh Girth – Straight Mid-Thigh Girth – Curvy	51.12 46.67	52.07 47.63	53.02 48.58	53.98 49.53	55.25 50.80	56.52 52.07	57.79 53.34	60.01 55.56	62.23 57.79	65.41 60.33	68.58 63.18	71.76 66.04
Mid-Thigh Girth – Straight	46.04	46.99	47.94	48.90	50.17	51.44	52.71	54.93	57.15	59.69	62.55	65.41
Knee Girth	32.07	32.39	33.02	33.97	34.93	35.88	36.83	38.10	39.37	40.64	41.91	43.18
Calf Girth	30.80	31.12	31.75	32.70	33.66	34.61	35.56	36.83	38.10	39.37	40.64	41.91
Ankle Girth	20.64	20.96	21.27	21.91	22.54	23.18	23.81	24.45	25.08	25.72	26.35	26.99
Armscye Girth	36.83	37.47	38.42	39.37	40.01	40.64	41.28	42.86	44.45	46.04	47.94	49.85
Upper-Arm Girth Elbow Girth	24.77 23.18	25.40 23.50	26.04 23.81	26.67 24.13	27.31 24.45	28.26 24.77	29.21 25.08	29.85 25.72	30.80 26.35	31.75 26.99	33.02 27.94	34.61 30.16
Wrist Girth	13.02	13.34	13.65	14.61	14.92	15.24	15.56	15.88	16.19	16.51	16.83	17.15
Hand Girth	N/A											
Trunk Length (total vertical girth) - Curvy	145.11	146.05	147.32	148.59	149.86	151.13	152.40	154.62	156.85	159.70	162.56	165.42
Trunk Length (total vertical girth) – Straight	144.78	145.73	147.00	148.27	149.54	150.81	152.08	154.31	156.53	159.39	162.24	165.10
Vertical Measurements, cm	100.07	100.07	2	4	6	8	10	12	14	16	18	20
Height, cm Head and Neck Length	166.37 23.50											
Cervicale Height	142.88	142.88	142.88	142.88	142.88	142.88	142.88	142.88	142.88	142.88	142.88	142.88
Cervicale to Crotch – Curvy	65.41	65.41	65.41	65.41	65.41	65.41	65.41	65.41	65.41	65.41	65.41	65.41
Cervicale to Crotch – Straight	65.41	65.41	65.41	65.41	65.41	65.41	65.41	65.41	65.41	65.41	65.41	65.41
Center Back Waist Length	40.96	40.96	40.96	40.96	40.96	40.96	40.96	41.28	41.59	41.91	42.23	42.55
Center Front Waist Length	35.24	35.56	35.88	36.20	36.51	36.83	36.83	37.15	37.47	37.78	38.10	38.42
Scye Depth Side Waist Length	14.61 21.59	14.61 21.59	14.92 21.27	15.24 20.96	15.56 20.64	15.56 20.64	15.88 20.32	16.19 20.00	16.51 20.00	17.15 19.69	17.46 19.37	17.78 19.37
Waist to Hip/Seat Height – Curvy	20.64	20.64	20.96	20.96	20.04	20.04	20.96	20.00	20.00	20.96	20.96	20.96
Waist to Hip/Seat Height – Straight	20.64	20.64	20.64	20.64	20.64	20.64	20.64	20.64	20.64	20.64	20.64	20.64
Waist to Knee Height - Curvy	58.10	58.10	58.42	58.42	58.42	58.42	58.42	58.42	58.42	58.42	58.42	58.42
Waist to Knee Height – Straight	58.10	58.10	58.10	58.10	58.10	58.10	58.10	58.10	58.10	58.10	58.10	58.42
Waist Height	102.87	102.87	102.87	102.87	102.87	102.87	102.87	102.87	102.87	102.87	102.87	102.87
High-Hip Height Hip/Seat Height	93.98 82.55											
Crotch Height	77.47	77.47	77.47	77.47	77.47	77.47	77.47	77.47	77.47	77.47	77.47	77.47
Rise Height	25.40	25.40	25.40	25.40	25.40	25.40	25.40	25.40	25.40	25.40	25.40	25.40
Knee Height	45.40	45.40	45.40	45.40	45.40	45.40	45.40	45.40	45.40	45.40	45.40	45.40
Ankle Height	6.99	6.99	6.99	6.99	6.99	6.99	6.99	6.99	6.99	6.99	6.99	6.99
Width and Length Measurements, cm	00	0	2	62.50	6	8	10	12	14	16	18	20
Crotch Length (total) Shoulder Length	61.57 12.07	62.23 12.38	62.87 12.38	63.50 12.70	64.14 12.70	64.77 13.02	65.72 13.02	66.68 13.02	67.95 13.34	69.22 13.34	70.49 13.65	71.76 13.97
Shoulder Slope	20% °	201/4°	201/8°	20°	197/8°	195/8°	19.5°	191/4°	19°	18¾ °	18% °	18½°
Shoulder Drop	4.13	4.13	4.13	4.13	4.13	4.13	4.13	4.13	4.13	4.13	4.13	4.13
Across Back Shoulder Width	36.83	37.15	37.78	38.42	38.74	39.37	39.69	40.01	40.64	41.59	42.55	43.50
Across Front Shoulder Width	36.83	37.15	37.78	38.42	39.05	40.01	40.32	40.64	41.28	42.55	43.18	44.13
Upper Back Width	33.66	34.29	34.93	35.56	36.20	36.83	37.15	37.47	38.10	39.05	40.01	40.96
Upper Front Chest Width Back Width	31.43 32.70	32.07 33.02	32.70 33.66	33.34 34.29	33.97 35.24	34.61 35.88	35.24 36.51	35.56 37.15	36.20 37.78	37.15 38.74	38.10 39.69	39.05 40.96
Front Chest Width	32.07	32.39	33.34	34.29	35.24	36.20	37.15	38.10	39.37	40.32	41.91	43.50
Bust Point to Bust Point	16.83	17.15	17.78	18.42	19.05	19.69	20.32	20.96	21.59	22.23	22.86	23.50
Neck to Bust Point	24.77	25.08	25.40	25.72	26.04	26.35	26.67	27.31	27.94	28.58	29.21	29.85
Bust Point to Bust Point (Halter)	65.09	66.04	66.99	67.95	68.90	69.85	70.80	72.39	73.98	75.57	77.15	78.74
Cervicale to Wrist Length	76.52	76.84	77.15	77.47	77.79	78.11	78.11	78.11	78.42	79.06	79.38	80.01
Shoulder and Arm Length	70.17	70.49	70.49	70.80	70.80	71.12	71.12	71.12	71.44	70.76	72.07	72.39
Arm Length Hand Length	58.79 N/A	58.10 N/A	58.10 N/A	58.10 N/A	58.42 N/A							
Hand Width	N/A											
Foot Length	N/A											
Foot Width	N/A											




FIG. 1 Missy Avatar - Curvy

- 6.2.24 *Head and Neck Length*—Measure the distance from the crown of the head to the cervicale (contour), taken with the head erect and the neck unbent.
- 6.2.25 *Cervicale Height*—Measure the vertical distance from the cervicale to the floor, taken with subject standing and without shoes.
- 6.2.26 *Cervicale to Knee*—Measure the vertical distance from the cervicale to a point level with the mid-point of the back of the knee (or crease).
- 6.2.27 *Center Back Waist Length*—Measure from the cervicale to the center back waist level, taken along the spine (contour).
- 6.2.28 *Center Front Waist Length*—Measure from the center front neck base line to the center front waist level (contour).
- 6.2.29 *Scye Depth*—Measure the vertical distance from the cervicale to the back break-point level, taken with the arms down.

- 6.2.30 *Side Waist Length*—Measure the distance from the mid-underarm point of the armscye to the waist level, taken along the side of the body (contour).
- 6.2.31 Waist to Hip/Seat Height—Measure the distance from the waist level to the hip girth level, taken along the side of the body (contour).
- 6.2.32 Waist to Knee Height—Measure the vertical distance from the waist level to a point level with the midpoint of the back of the knee (or crease), taken along the side of the body.
- 6.2.33 Waist Height—Measure the distance from the waist level to the hip girth level along the side of the body (contour) then vertically to the floor, taken with subject standing and without shoes.
- 6.2.34 *High-Hip Height*—Measure the distance from the high-hip girth level to the hip girth level along the side of the body (contour) then vertically to the floor, taken with the subject standing and without shoes.




FIG. 2 Missy Avatar - Straight

- 6.2.35 *Hip/Seat Height*—Measure the vertical distance from the hip girth level to the floor along the side of the body, taken with subject standing and without shoes.
- 6.2.36 *Crotch Height*—Measure the vertical distance from the midpoint of the crotch to the floor, taken with the subject standing and without shoes.
- 6.2.37 *Rise Height*—Measure the vertical distance from the waist level at the side of the torso to the flat surface, taken with subject sitting on hard, flat surface.
- 6.2.38 *Knee Height*—Measure the vertical distance from the midpoint of the back of the knee (or crease) to the floor, taken with subject standing and without shoes.
- 6.2.39 *Ankle Height*—Measure the vertical distance from the prominence of the outer ankle bone to the floor, taken with subject standing and without shoes.

- 6.2.40 *Crotch Length (total)*—Measure the distance from waist level at the center front, through the crotch and to the waist level at the center back, avoiding constriction at the crotch.
- 6.2.41 *Shoulder Length*—Measure the distance from the side of the neck base to the top of the shoulder joint, taken with the arm down.
- 6.2.42 Shoulder Slope—Measure the degree of difference between the shoulder slant and the horizontal line that originates at the side neck base, taken with a goniometer positioned on the shoulder and moved until the baseline is parallel to the floor.
- 6.2.43 *Shoulder Drop*—Measure the vertical distance from the side of the neck base to the top of the shoulder joint, taken with the arm down.

- 6.2.44 *Across Back Shoulder Width*—Measure the horizontal distance across the back from the top of one shoulder joint to the top of the other shoulder joint, taken with the arms down.
- 6.2.45 *Upper Back Width*—Measure the horizontal distance across the back from back break-point to back break-point over the shoulder blades, taken with the arms down.
- 6.2.46 *Upper Front Chest Width*—Measure the horizontal distance across the chest from the front break-point, taken with the arms down.
- 6.2.47 *Back Width*—Measure the horizontal distance across the back from back break-point to back break-point over the shoulder blades, taken with the arms down.
- 6.2.48 Front Chest Width—Measure the horizontal distance across the chest from the front break-point, taken with the arms down
- 6.2.49 *Bust Point to Bust Point*—Measure the horizontal distance from bust apex to bust apex, taken with the arms down.
- 6.2.50 *Neck to Bust Point*—Measure the distance from the side of the neck base to the bust apex (contour), taken with the arms down.
- 6.2.51 Bust Point to Bust Point (Halter)—Measure the distance from the bust apex around the neck base to the bust apex (contour), taken with the arms down.
- 6.2.52 *Cervicale to Wrist*—Measure the distance from the cervicale over the top of the shoulder joint, along the outside of the arm, over the elbow to the prominent wrist bone, taken with the arm bent 1.57 rad (90°) and the hand placed on the hip.

- 6.2.53 Shoulder and Arm Length—Measure the distance from the side of the neck base across the shoulder joint and along the outside of the arm over the elbow to the prominent wrist bone, taken with the arm bent 1.57 rad (90°) and the hand placed on the hip.
- 6.2.54 *Arm Length*—Measure the distance from the top of the shoulder joint along the outside of the arm over the elbow to the prominent wrist bone, taken with the arm bent (1.57 rad or 90°) and the hand placed on the hip.
- 6.2.55 *Hand Length*—Measure the straight distance from the prominence of the longest finger to the inner wrist bone, taken across the palm of the hand with fingers together and palm flat (use a stable, flat ruler).
- 6.2.56 *Hand Width*—Measure the maximum width across the palm of the hand excluding the thumb, taken with fingers together and palm flat (use a stable, flat ruler).
- 6.2.57 Foot Length—Measure the straight distance from the prominence of the back of the heel to the prominence of the longest toe, taken with the foot on a flat surface without shoes (use stable, flat ruler).
- 6.2.58 *Foot Width*—Measure the straight distance from one side of the foot to the other side at the widest part, taken with the subject standing and without shoes (use stable, flat ruler).

7. Keywords

7.1 apparel; body measurements; garment sizes; size range; tables

ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org). Permission rights to photocopy the standard may also be secured from the ASTM website (www.astm.org/COPYRIGHT/).