



# Standard Practice for Treestand Labels<sup>1</sup>

This standard is issued under the fixed designation F2121; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

## 1. Scope

1.1 This practice provides guidance for providing user labels on treestands.

1.2 The values stated in inch-pound units are to be regarded as standard. No other units of measurement are included in this standard.

1.3 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

## 2. Referenced Documents

2.1 *ASTM Standards:*<sup>2</sup>

**F1749 Specification for Fitness Equipment and Fitness Facility Safety Signage and Labels**

2.2 *Manufacturing Standards:*

**TMS 03 Standard Practice for Treestand Safety Devices**<sup>3</sup>

## 3. Terminology

3.1 The terminology and definitions in the referenced documents are applicable to this practice.

3.2 *Definitions:*

3.2.1 *backbar or V-bar*—the adjustable component of a climbing treestand or handclimber that engages the tree to provide support. The backbar may be rigid or flexible.

3.2.2 *climbing stick*—a device to assist climbing a tree primarily to a fixed position treestand. A structure that is secured to the tree and allows the user to support his weight and climb to the desired height on the tree.

<sup>1</sup> This practice is under the jurisdiction of ASTM Committee F08 on Sports Equipment, Playing Surfaces, and Facilities and is the direct responsibility of Subcommittee F08.18 on Treestands.

Current edition approved June 1, 2013. Published July 2013. Originally approved in 2001. Last previous edition approved in 2009 as F2121–05 (2009). DOI: 10.1520/F2121-13.

<sup>2</sup> For referenced ASTM standards, visit the ASTM website, [www.astm.org](http://www.astm.org), or contact ASTM Customer Service at [service@astm.org](mailto:service@astm.org). For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

<sup>3</sup> Available from Treestand Manufacturer's Association, P.O. Box 15214, Hattiesburg, MS 39404, <http://tmastands.com/index.html>.

3.2.3 *climbing treestand*—a treestand that provides both the means to ascend the tree, and allow the user to remain at a desired elevation.

3.2.4 *handclimber, or climbing aid*—a device to assist climbing with a climbing treestand. A structure that allows the user to support his weight when lifting a climbing treestand with his legs.

3.2.5 *ladder treestand*—a treestand that is secured to the tree at the elevation where the platform is located. (The ladder treestand may be secured to the tree at other locations and has steps that are used to reach the platform or hunting position).

3.2.6 *non-climbing, fixed position or hang-on treestand*—a treestand that is secured to the tree at the elevation where it is used. (The user usually ascends the tree by some means and then lifts the treestand to the desired position and secures it for use.)

3.2.7 *platform*—the horizontal structural area of a treestand on which the user stands and/or places his feet.

3.2.8 *treestand*—a device designed to be affixed to a tree or its branches so as to permit an individual to sit or stand thereon for the purpose of attaining an elevated position from which to observe, photograph or hunt.

3.2.9 *tripod or tower stand*—a tripod or tower stand is constructed to be self-supporting and is not required to be secured to a tree.

## 4. Summary of Practice

4.1 This practice provides guidelines for the design and placement of user labels and warnings on treestands and climbing sticks, particularly for quality assurance and adequacy of safety including:

4.1.1 Use of instructions in anticipation of user error or misuse.

4.1.2 Rated load capacity in accordance with manufacturer's rating.

4.1.3 Availability of instructions in case of their loss.

4.1.4 Placement of labels and warnings.

4.1.5 Types of labels.

4.1.6 Special labels and warnings.

## 5. Significance and Use

5.1 This practice is provided to develop and maintain uniformity in practices for use, selection, location, placement,

and content of labels on treestands and climbing sticks, particularly with regard to quality assurance and safety.

5.2 It is emphasized that the use of these practices will not alter the validity of data determined with specific tests, but provides guidance in the interpretation of test results (valid or invalid) and guidance in the selection of a reasonable general provision in those instances where no standard exists today.

## 6. Procedure

6.1 It is recommended that manufacturers follow the methods of labeling in Specification **F1749** and so described herein. When unusual or special conditions require labels or warning methods not covered herein, the manufacturer shall be responsible for their development to assure adequate information for the user.

6.2 All labels and warnings shall be clearly understandable, legible, in English, of a size consistent with the space available to be marked, and able to withstand reasonable exposure to the elements.

### 6.3 Selection of Placement:

6.3.1 Labels and warnings shall be placed such that they are visible to the user when mounting the treestand or climbing stick and when it is in use (sitting or standing). The following placement locations are recommended for individual units and situations:

6.3.1.1 The top (upper) side of the platform as given in **3.2.7**.

6.3.1.2 Along the top (upper) side of the backbar as given in **3.2.1**.

6.3.1.3 Along the top (upper) side of a flat surface on a main structural support member.

6.3.1.4 On the top (upper) portion of a component requiring a special label or warning.

### 6.4 Selection of Type of Label or Warning:

6.4.1 All materials used shall be able to withstand reasonable exposure to the elements.

6.4.1.1 For direct mark use, it shall be with permanent ink or paint, engraved, stamped, embossed, etched or other permanent means.

6.4.1.2 For tagging (nameplates, stickers, etc.), the tag shall be secured by mechanical means or by adhesives suitable to withstand reasonable exposure to the elements. Adhesives shall be resistant to peel off.

6.4.1.3 Labels or lettering, or both, shall be highly visible by use of the signal word “WARNING” with black letters on orange background.

### 6.5 Label Content:

6.5.1 The minimum information that shall be provided on a treestand label is as follows:

6.5.1.1 The warning label must contain the signal word “WARNING” and preceded with or follow the words “failure to follow all warnings listed could result in serious injury or death.”

6.5.1.2 The label must contain a phrase that warns not to use without Full Body Harness (Fall Arrest System) that meets Treestand Manufacturing Standards.

6.5.1.3 The label must contain a phrase that warns to “not use before reading instructions” or “read instructions before use.”

6.5.1.4 The label must state the rated load capacity or weight limit of the treestand. For two person tripod stands, the maximum single user weight rating must be stated.

6.5.1.5 The label must contain the manufacturer’s name and address or name and telephone number.

6.5.1.6 Any specific safety information pertinent to a particular model should be printed on the label.

6.5.2 Other information that should be helpful to the user as a label, but could be contained in the instructions is recommended. Example phrases are: “do not modify this product” and “proper maintenance and inspection is required.”

## 7. Keywords

7.1 backbar; climbing aid; climbing stick; platform; treestand; tripod

## APPENDIX

### (Nonmandatory Information)

#### X1. Additional Information

X1.1 This practice is provided for use by manufacturers of treestands and testing companies. Criteria has been developed for certification of treestands and this practice is an integral part of the certification. However, a treestand conforming to

this practice alone does not constitute certification and those manufacturers desiring certification must meet all applicable standards as a minimum requirement.

*ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.*

*This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.*

*This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or [service@astm.org](mailto:service@astm.org) (e-mail); or through the ASTM website ([www.astm.org](http://www.astm.org)). Permission rights to photocopy the standard may also be secured from the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, Tel: (978) 646-2600; <http://www.copyright.com/>*