



# Standard Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments<sup>1</sup>

This standard is issued under the fixed designation F2205; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

## 1. Scope

1.1 This guide covers recommendations for use of chemical dispersants to assist in the control of oil spills and is written with the goal of minimizing the environmental impacts of oil spills. Aesthetic and socioeconomic factors are not considered; although, these and other factors are often important in spill response.

1.2 Each on-scene commander has available several means of control or cleanup of spilled oil. In this guide, use of chemical dispersants should not be considered as a last resort after other methods have failed. Chemical dispersants should be given equal consideration with other spill countermeasures.

1.3 This guide presents general guidelines only. The oil is assumed to be dispersible and the dispersant to be effective, available, applied correctly, and in compliance with relevant government regulations. Oil, as used in this guide, includes crude oils and fuel oils. Differences between individual dispersants and to a certain degree, differences between different oils are not considered.

1.4 This guide is one of several related to dispersant considerations in different environments. The other standards are listed in Section 2.

1.5 This guide applies to marine and estuarine environments but not to freshwater environments.

1.6 In making dispersant use decisions, appropriate government authorities should be consulted as required by law.

1.7 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

---

<sup>1</sup> This guide is under the jurisdiction of ASTM Committee F20 on Hazardous Substances and Oil Spill Response and is the direct responsibility of Subcommittee F20.13 on Treatment.

Current edition approved April 1, 2013. Published April 2013. Originally approved in 2002. Last previous edition approved in 2007 as F2205 – 07. DOI: 10.1520/F2205-07R13.

## 2. Referenced Documents

2.1 *ASTM Standards*:<sup>2</sup>

F2532 Guide for Determining Net Environmental Benefit of Dispersant Use

## 3. Significance and Use

3.1 This guide is meant to aid local and regional spill response teams who may apply it during response planning and spill events.

3.2 This guide presents data on the effects of surface oil, dissolved oil and dispersed oil on components of tropical environments. These data can aid in decision-making related to the use of dispersants to minimize environmental damage from oil spills.

## 4. General Considerations for Making Dispersant-Use Decisions

4.1 The decision of whether to use or not to use dispersants in a given spill situation involves trade-offs. Dispersing a slick at one site temporarily introduces more oil into the water column at that site than would be there if a surface slick floated over it. Therefore, adverse effects on water column organisms may be increased at that site so that adverse effects can be decreased at other sites.

4.2 Dispersant use is primarily a spill control method, not a cleanup method. Such use can give spill response personnel some control over where the impacts of a spill will occur whatever types of impacts they may be. Since some environments are known to be more vulnerable to the longer-lasting impacts of spilled oil, an acceptable trade-off may be to protect those environments by dispersing an oil slick in a less sensitive or less productive environment. In general, the net environmental benefit of dispersant use versus non-use should be evaluated (see Guide F2532). The net environmental benefit of a particular countermeasure involves evaluating benefits and disadvantages of the particular technology being evaluated, versus other cleanup methods or no action, on the habitat or

---

<sup>2</sup> For referenced ASTM standards, visit the ASTM website, [www.astm.org](http://www.astm.org), or contact ASTM Customer Service at [service@astm.org](mailto:service@astm.org). For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

ecosystems involved in the area. Environmental benefit analysis is best conducted before the spill.

4.3 In this guide, environments that are most vulnerable to the longer-term impacts of oil contamination are identified. Protection of these environments is recommended as a high priority, by means of dispersants or other methods.

## 5. The Tropical Environment

5.1 Tropical environments encompass many different habitats. This guide will cover those habitats that are important in terms of decisions to use dispersants. The applications of dispersant to open waters and waters of depth greater than about 10 metres will not be covered here and is covered by other guides listed in Section 2. Shallow waters and habitats associated with mangroves, seagrasses and coral reefs are important considerations. Habitats other than those such as sand beaches, mudflats, cobble beaches and rocky shores may be common in certain localities but are generally less-sensitive.

5.2 Mangrove ecosystems are intertidal forests dominated by various species of woody halophytes that are commonly called mangroves. There are many families and species of mangroves (1-4)<sup>3</sup>. Mangrove ecosystems occur in tropical low-energy depositional areas. Mangroves tend to further promote the deposition and recycling of organic and mineral matter. Their extensive root systems are very important in stabilizing intertidal sediments (3). Adult mangroves form the structural basis for the mangrove community in that they provide attachment sites for many species of animals and shelter for many others.

5.2.1 Mangrove ecosystems contribute to the productivity of tropical marine ecosystems where they play the same but more important roles as do salt marshes in temperate climates. Mangroves are important as nursery areas as well as for the detritus that they supply to the surrounding communities (3). Much of the world's fish populations depend on detritus and remineralized nutrients exported from mangrove areas (5).

5.2.2 Mangrove forests dominate much of the world's tropical shoreline; many are adjacent to tanker routes, oil fields and refineries. The low energy characteristic of mangrove forests leads to the entry and retention of oil in these environments.

5.3 *Coral Reefs*—Coral reefs are structures created and maintained by the establishment and growth of hard corals and coralline algae. They may be comprised of emergent or submergent reefal zones, or a combination of both. Geomorphically, barrier and fringing reefs protect the insular and continental coastlines which they border from erosion. Typically, the coral reef provides habitat for a large variety of attached plants and epifauna, infauna, mobile invertebrates, and fishes. The large number of economically important species they support make reefs locally important in commercial and sport fisheries. The resultant high diversity and abundance of reef associates and the functional and spatial dominance of corals and coralline algae are the essential characteristics of coral reefs.

<sup>3</sup> The boldface numbers in parentheses refer to a list of references at the end of this guide.

5.3.1 Coral reefs are circumglobal in the tropics and subtropics between the northern and southern hemispheric 18.5°C climatic isotherms. A majority of coral species and the most diverse reefs occur in Indo-West Pacific seas. Tropical West Atlantic and Eastern Pacific reefs are generally less diverse in terms of corals and reef associates.

5.4 *Seagrasses*—Seagrasses can be found in shallow marine environments from the tropics to Polar regions. This guide focuses on those located in tropical waters. Seagrass beds form a discrete ecosystem that traps detritus derived from terrestrial and marine sources, and then exports large quantities of plant and animal materials, including leaf and root fragments, dissolved organic matter, and detritus, to the open sea. The presence of an extensive network of roots and rhizomes facilitates the sediment-binding ability of the grass beds; the seagrass leaves effectively retard currents, thus promoting sedimentations of organic and inorganic materials around the plants.

5.4.1 Seagrass communities are among the most productive of natural ecosystems. Seagrass leaf blades support large numbers of epiphytes which can equal the biomass of the grass itself. Major food chains are based upon a variety of epiphytes and associated organisms. Active sulfur, nitrogen, phosphorus, and carbon cycles are maintained through the sediment-plant-water interfaces, and the dense interlacing mat of vegetation provides ideal cover for foraging marine fauna as well as shelter and protection for larval and juvenile forms.

## 6. Effects of Oil and Dispersed Oil on Tropical Biota

6.1 *Mangroves*—Mangroves are primarily impacted by oil by three different routes; through the oiling of the pneumatophores, or breathing pores typically located on special aerial roots or stems, through oil absorption from the water column and through oil absorption through the roots from contaminated soil/sediment and ground water (6-12). Mangroves with oil on pneumatophores may die within about 5 to 7 days, depending on oxygenation conditions at the site (13-15). Mangroves may die from high concentrations of oil in the water column (16-18). The third route of oil impact on mangroves, through oil absorption from the soil, is also well documented (19-22). Oil in mangrove-dominated sediments can cause long-lasting effects and degrades only very slowly (23-27). Sublethal effects including leaf loss, deformations, and low growth can persist for five years after the spill event (8, 9, 28). Replanting mangroves, a primary restoration method is successful in soils with reduced hydrocarbon content (29-33). Natural regrowth occurs, but occurs slowly (34-36). Countermeasures which reduce the amount of oil arriving into the mangrove area are suggested (37-40).

6.1.1 Low levels of oil from either dissolved/dispersed oil in the water column or in the sediments cause a variety of sub-lethal effects on mangroves, including leaf loss, reduced growth of adventitious roots, abnormal pneumatophores and mineral imbalance, and slow growth rates (42-45). Studies show that these effects will persist from 1 year up to 7 depending on amount of oil and environmental conditions.

6.2 *Biota Associated with Mangrove Forests*—Mangrove forests provide shelter and support for an extensive system of

biota including algae, crustaceans, and molluscs. Dissolved and dispersed oil can cause lethality to mangrove biota at levels as low as 20 ppm and naphthalene as low as 0.4 ppm on prolonged contact (44-53). Studies have shown that the abundances of species inversely correlated with the apparent oil damage (54). Other studies have shown that the specific numbers of a given species did not necessarily correlate with oil content (55, 56).

**6.3 Coral Reefs**—Corals can be exposed to oil by two modes, direct oiling and through the uptake of dissolved or dispersed oil. Direct oiling occurs rarely but can result in extensive mortality. The uptake of dissolved and dispersed oil can result in severe mortality at levels as low as 12 µL/L for prolonged exposures (57). Corals are not usually subject to harmful concentrations of water-borne hydrocarbons by the passage of a slick overhead and are typically unaffected (58-61). Similarly corals have been shown to reject particles of oil larger (>60 µm) than dispersed droplets (62). Corals are, however, particularly susceptible to high concentrations of dissolved and dispersed oil and this may lead to long lasting effects or mortality (44, 45, 49, 63-66). Because dispersants move oil into the water column, they may increase the effect of the oils on corals (5, 41, 67). Exposure of corals to about 20 to 50 ppm of dissolved or dispersed oil showed that behavioral reflexes were induced in corals, however depuration was noted within a week and recovery within a few weeks (68-70). Some long-lasting effects of low-level exposure was observed, including reduced growth and deformation.

**6.4 Biota Associated with Coral Reefs**—Coral reefs provide shelter and support for an extensive system of biota. Prolonged exposure to dissolved and dispersed oil can cause lethality to reef biota at levels as low as 20 ppm (12, 44-49, 52, 53, 71-73). Studies have shown that the abundances of species inversely correlated with apparent oil damage (74). Increasing amounts of oil availability, such as through the use of dispersants, increases the exposure of organisms to oil (75 and 76).

**6.5 Seagrasses**—Seagrasses can be exposed to oil by two methods, direct oiling and through the uptake of dissolved or dispersed oil. Direct oiling occurs rarely but can result in extensive mortality (17). The uptake of dissolved and dispersed oil can result in severe mortality at levels as low as 100 µg/L (77). Seagrasses are not usually subject to harmful concentra-

tions of water-borne hydrocarbons by the passage of a slick overhead and are typically unaffected (78-80). Seagrasses are, however, particularly susceptible to high concentrations of dissolved and dispersed oil and this may lead to long lasting effects or mortality. The lethal toxicity to seagrasses varies very much with species, and is between 75 to 125 ppm in 100 h (81, 82). Use of dispersants may increase the exposure of seagrasses to oil (83, 84).

**6.6 Biota Associated with Seagrasses**—Seagrasses provide shelter and nutrients for an extensive system of biota (85, 86). Dissolved and dispersed oil can cause lethality to these biota at levels as low as 20 ppm (12, 44-49, 52, 53, 71-73). Increasing amounts of oil availability, such as through the use of dispersants, increase the exposure to organisms (75).

## 7. Recommendations

7.1 Dispersant use decisions must be based on the net environmental benefit analysis of use versus non-use of dispersants.

7.2 Dispersant use decisions should include consideration of the proximity of the dispersant application to sensitive marine environments including mangrove forests, seagrasses and corals.

7.3 An important consideration is the flushing rate of water in the mangrove, seagrass and coral areas. If the flushing rate is rapid, dissolved and dispersed oil will have minimal effects.

7.4 In many jurisdictions there are regulatory limitations in water depth (3 to 30 m) that dispersants can be applied. These limitations shall be followed.

7.5 Dispersants are best applied in deep waters and not in direct proximity to mangroves, seagrasses and corals.

7.6 Chemical dispersion should be considered a viable option even if dispersed oil might enter the mangrove forest. Dispersants should not be used to remove oil adhered to mangroves or shorelines. Shoreline cleaners or surface washing agents can be considered for removing adhered oil.

7.7 Application of dispersants to prevent oil from entering the sensitive habitats of tropical environments should be considered to minimize environmental impact.

7.8 The potential environmental impact of the dispersed oil plume trajectory should be considered.

**REFERENCES**

- (1) Baker, J., Suryowinto, I. M., Brooks, P., and Rowland, S., "Tropical Marine Ecosystems and the Oil Industry: With a Description of a Post-Oil Spill Survey in Indonesian Mangroves," *Proceedings of Petroleum; Petroleum and the Marine Environment*, Graham and Trotman, London, 1981, pp. 679-703.
- (2) Chaw, L. H., Teas, H. J., Pannier, F., and Baker, J. M., "Biological Impacts of Oil Pollution," *Volume Four of IPIECA Report Series*, International Petroleum Industry Environmental Conservation Association, London, 1993.
- (3) Field, C. D., "Rehabilitation of Mangrove Ecosystems: An Overview," *Marine Pollution Bulletin*, Vol 37, Nos. 8-12, 1998, pp. 383-392.
- (4) Lewis, R. R., "Mangrove Forests, Chapter 8," *Creation and Restoration of a Coastal Plant Community*, R. R. Lewis, Ed., CRC Press, 1982, pp. 153-171.
- (5) Thorhaug, A., Anderson, M., Teas, H., Carby, B., et al., "Dispersant Use for Tropical Nearshore Waters: Jamaica," *Proceedings of the 1991 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1991a, pp. 415-418.
- (6) Evans, C. W., "The Effects and Implications of Oil Pollution in Mangrove Forests," *Proceedings of the 1985 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1985, pp. 367-371.
- (7) Hoi-Chaw, L. and Meow-Chan, F., "Field and Laboratory Studies on the Toxicities of Oils to Mangroves," *Proceedings of the 1995 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1995, pp. 539-546.
- (8) Levings, S. C., and Garrity, S. D., "Effects of Oil Spills on Fringing Red Mangroves (*Rhizophora mangle*): Losses of Mobile Species Associated with Submerged Prop Roots," *Bulletin of Marine Science*, Vol 54, 1994a, pp. 782-794.
- (9) Levings, S. C., Garrity, S. D., and Burns, K. A., "The Galeta Oil Spill III. Chronic Reoiling. Long-Term Toxicity of Hydrocarbon Residues and Effects on Epibiota in the Mangrove Fringe," *Estuarine Coast and Shelf Science*, Vol 38, 1994b, pp. 365-395.
- (10) Levings, S. C., Garrity, S. D., and Burns, K. A., "The 1986 Bahia Las Minas Oil Spill: Summary Results from the Red Mangrove (*Rhizophora mangle*) Fringe," *Proceeding of the Symposium on Gulf of Mexico and Caribbean Oil Spills in Coastal Ecosystems: Assessing Effects, Natural Recovery, and Progress in Remediation Research*, MMS OCS Study, MMS 95-0063, 1994c , pp.80-98.
- (11) Levings, S. C. and Garrity, S. D., "Oiling of Mangrove Keys in the 1993 Tampa Bay Oil Spill," *Proceedings of the Proceedings of the 1995 International Oil Spill Conference* , American Petroleum Institute, Washington, D.C., 1994d, pp. 421-428.
- (12) Thorhaug, A., "Oil Spills in the Tropics and Subtropics," *Pollution in Tropical Aquatic Systems*, Chapter 4, D.W. Connell and D.W. Hawker, Editors, CRC Press, Boca Raton, FL, 1991b, pp. 99-127.
- (13) Dahlin, J. A. and Michel, J., NOAA HAZMAT, "Recovery of Mangrove Habitats at the Vista Bella Oil Spill Site," *Hazmat Report 95-3*, NOAA Hazmat, Seattle, WA, 1994.
- (14) Dicks, B., "Oil and the Black Mangrove, *Avicennia marina* in the Northern Red Sea," *Marine Pollution Bulletin*, Vol 17, No. 11, 1986, pp. 500-503.
- (15) Teas, H. J., Lessard, R. R., Canevari, G. P., Brown, C. D., and Glenn, R., "Saving Oiled Mangroves Using a New Non-dispersing Shoreline Cleaner," *Proceedings of the 1993 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1993, pp. 147-151.
- (16) Ballou, T. G. and Lewis, III, R. R., "Environmental Assessment and Restoration Recommendations for a Mangrove Forest Affected by Jet Fuel," *Proceedings of the 1989 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1989, pp. 535-540.
- (17) Jackson, J. B. C., Cubitt, J. D., Keller, B. D., Batista, V., Burns, K., et. al., "Ecological Effects of a Major Oil Spill on Panamanian Coastal Marine Communities," *Science*, Vol 243, January 6, 1989, pp. 37-44.
- (18) Getter, C. D., Ballou, T. G., and Koons, C. B., "Effects of Dispersed Oil on Mangroves, Synthesis of a Seven-Year Study," *Marine Pollution Bulletin*, Vol 16, No. 8, 1985, pp. 318-324.
- (19) Duke, N. C., Pinzon, Z. S., and Prada, M. C., "Large-Scale Damage to Mangrove Forests Following Two Large Oil Spills in Panama," *Biotropica*, Vol 29, No. 1, 1997, pp. 2-14.
- (20) Ellison, A. M. and Farnsworth, E. J., "Anthropogenic Disturbance of Caribbean Mangrove Ecosystems: Past Impacts, Present Trends, and Future Predictions," *Biotropica*, Vol 28, No. 4a, 1996, pp. 549-565.
- (21) Grant, D. L., Clarke, P. J., and Allaway, W. G., "The Response of Grey Mangrove (*Avicennia marina* (Forsk.) Vierh.) Seedlings to Spills of Crude Oil," *Journal of Experimental Marine Biology and Ecology*, Vol 7, 1993, pp. 273-295.
- (22) Martin, F., Dutrieux, E., and Debry, A., "Natural Recovery of a Chronically Oil-Polluted Mangrove Soil after a De-Pollution Process," *Ocean & Shoreline Management*, Vol 14, 1990, pp. 173-190.
- (23) Monoz, D., Guiliano, M., Doumenq, P., Jacquot, F., Scherrer, P., and Mille, G., "Long Term Evolution of Petroleum Biomarkers in Mangrove Soil (Guadeloupe)," *Marine Pollution Bulletin*, Vol 34, No. 11, 1997, pp. 868-874.
- (24) Monoz, D., Doumenq, P., Elhy, M. C., Guiliano, M., Jacquot, F., Scherrer, P., and Mille, G., "In situ Evolution over an 8 Years's Period of Polycyclic Aromatic Hydrocarbons in Mangrove Soil. Qualitative and Quantitative Analysis by High Resolution GC/MS," *Polycyclic Aromatic Compounds*, Vol 9, No. 11, 1996, pp. 129-136.
- (25) Page, D. S., Mayo, D. W., Cooley, J. F., Sorenson, E., Gilfillan, E. S., and Hanson, S. A., "Hydrocarbon Distribution and Weathering Characteristics at a Tropical Oil Spill Site," *Proceedings of the 1979 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1979, pp. 709-712.
- (26) Scherrer, P. and Mille, G., "Biodegradation of Crude Oil in an Experimentally Polluted Peaty Mangrove Soil," *Marine Pollution Bulletin*, Vol 20, No. 9, 1989, pp. 430-432.
- (27) Scherrer, P. and Mille, G., "Biodegradation of Crude Oil in Experimentally-Polluted Clayey and Sandy Mangrove Soils," *Oil and Chemical Pollution*, Vol 6, 1990, pp. 163-176.
- (28) Levings, S. C., Garrity, S. D., Van Vleet, E. S., and Wetzel, D. L., "Sublethal Injury to Red Mangroves Two Years After Oiling," *Proceedings of the 1997 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1997, pp. 1040-1041.
- (29) Boer, B., "Trial Planting of Mangroves (*Avicennia marina*) and Salt-marsh Plants (*Salicornia europaea*) in Oil-impacted Soil in the Jubail Area, Saudi Arabia," *A Marine Wildlife Sanctuary for the Arabian Gulf Environmental Research and Conservation Following the 1991 Gulf War Oil Spill*, F. Krupp, A. H. Abuzinada and L. A. Nadar (eds.), Riyadh and Senckenberg Research Institute, Frankfurt, 1996, pp. 185-192.
- (30) Proffitt, C. E. and Devlin, D. J., "Are the Cumulative Effects in Red Mangroves from Oil Spills during Seedling and Sapling Stages?," *Ecological Applications* , Vol 8, No. 1, 1998, pp. 121-127.
- (31) Proffitt, C. E., Devlin, D. J., and Lindsey, M., "Effects of Oil on Mangrove Seedlings Grown under Different Environmental Conditions?," *Marine Pollution Bulletin*, Vol 30, No. 12, 1995, pp. 788-793.
- (32) Teas, H. J., Lasday, A. H., Luque, E., Morales, R., De Diego, M., and Baker, J. M., "Mangrove Restoration after the 1986 Refineria Panama Oil Spill," *Proceedings of the 1989 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1989, pp. 443-437.

- (33) Teas, H. J., Luque, E., De Diego, M., and Lasday, A. H., "Upland Soil and Fertilizer in Rhizophora Mangrove Growth on Oiled Soil," *Proceedings of the 1991 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1991, pp. 477-481.
- (34) Panapitukkul, N., Duarte, C. M., Thampanya, U., Keowvongshri, P., Srichai, N., et al., "Mangrove Colonization: Mangrove Progression over the Groug Pak Phanang (SE Thailand) Mud Flat," *Estuarine, Coastal and Shelf Science*, Vol 47, 1998, pp. 51-61.
- (35) Garrity, S. D., Levings, S. C., and Burns, K. A., "The Galeta Oil Spill. I. Long-term Effects on the Physical Structure of the Mangrove Fringe," *Estuarine, Coastal and Shelf Science*, Vol 38, 1994, pp. 327-348.
- (36) Getter, C. D., Scott, G. L., and Michel, J., "The Effects of Oil Spills on Mangrove Forests: A Comparison of Five Oil Spill Sites in the Gulf of Mexico and the Caribbean Sea," *Proceedings of the 1981 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1981, pp. 535-540.
- (37) Proffitt, C. E., *Managing Oil Spills in Mangrove Ecosystems: Effects, Remediation, Restoration and Modeling*, U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, 1997.
- (38) Quilici, A., Infante, C., Rodrigues-Grau, J., LaSchiavza, J. A., Briceno, L. H., and Pereira, N., "Mitigation Strategies at an Estuarine Mangrove Area Affect by an Oil Spill," *Proceedings of the 1995 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1995, pp. 429-433.
- (39) Teas, H. J., Duerr, E. O., and Wilcox, J. R., "Effects of South Louisiana Crude Oil and Dispersants on Rhizophora Mangroves," *Marine Pollution Bulletin*, Vol 18, No. 3, 1987, pp. 122-124.
- (40) National Oceanic and Atmospheric Administration, "Oil Spills in Mangroves," *Planning and Response Considerations*, 2002, <http://archive.orr.noaa.gov/oilspills/mangroves/mangroves.html>.
- (41) National Oceanic and Atmospheric Administration, "Oil Spills in Coral Reefs," *Planning and Response Considerations*, 2001, <http://archive.orr.noaa.gov/oilspills/coral/reports.html>.
- (42) Boer, B., "Anomalous Pneumatophores and Adventitious Roots of *Avicennia marina* (Forssk.) Vierh. Mangroves Two Years after the 1991 Gulf War Oil Spill in Saudi Arabia," *Marine Pollution Bulletin*, Vol 27, 1993, pp. 207-211.
- (43) Page, D. S., Gilfillan, E. S., Foster, J. C., Hotham, J. R., and Gonzalez, L., "Mangrove Leaf Tissue Sodium and Potassium Ion Concentrations as Sublethal Indicators of Oil Stress in Mangrove Trees," *Proceedings of the 1985 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1985, pp. 391-393.
- (44) Keller, B. D. and Jackson, J. B. C., *Long-term Assessment of the Oil Spill at Bahia Las Minas, Panama, Synthesis Report; Vol I: Executive Summary*, U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, 1993a.
- (45) Keller, B. D. and Jackson, J. B. C., *Long-term Assessment of the Oil Spill at Bahia Las Minas, Panama, Synthesis Report; Vol II: Technical Report, Part I*, U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, 1993b.
- (46) Ballou, T. G., Hess, S. C., Dodge, R. E., Knap, A. H., and Sleeter, T. D., "Effects of Untreated and Chemically Dispersed Oil on Tropical Marine Communities, a Long-term Experiment," *Proceedings of the 1989 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1989, pp. 447-454.
- (47) Chan, E. J., "Oil Pollution and Tropical Littoral Communities: Biological Effects of the 1975 Florida Keys Oil Spill," *Proceedings of the 1977 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1977, pp. 539-542.
- (48) Law, A. T., "Toxicity Study of the Oil Dispersant Corexit 9527 on *Macrobrachium rosenbergii* (de Man) Egg Hatchability by Using a Flow-Through Bioassay Technique," *Environmental Pollution*, Vol 88, 1995, pp. 341-343.
- (49) Cubit, J. D., Getter, C. D., Jackson, J. B. C., Garrity, S. D., Caffey, H. M., Thompson, R. C., Weil, E., and Marshall, M. J., "An Oil Spill Affecting Coral Reefs and Mangroves on the Caribbean Coast of Panama," *Proceedings of the 1987 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1987, pp. 401-406.
- (50) Devlin, D. J. and Proffit, C. E., "Experimental Analyses of the Effects of Oil on Mangrove Seedlings and Saplings and the Mangrove Gastropod *Melampus coffeus* L.," *Proceedings of the Symposium on Gulf of Mexico and Caribbean Oil Spills in Coastal Ecosystems: Assessing Effects, Natural Recovery, and Progress in Remediation Research*, MMS OCS Study, MMS 95-0063, 1994, pp. 3-22.
- (51) Mackey, A. P. and Hodgkinson, M., "Assessment of the Impact of Naphthalene Contamination on Mangrove Fauna Using Behavioral Bioassays," *Bulletin of Environmental Contamination and Toxicology*, Vol 56, 1996, pp. 279-286.
- (52) McGuinness, K. A., "Effects of Oil Spills on Macro-Invertebrates of Salt Marshes and Mangrove Forests in Botany Bay, New South Wales, Australia," *Journal of Experimental Marine Biology and Ecology*, Vol 142, 1990, pp. 121-135.
- (53) Baca, B. J., Snedaker, S. C., Dodge, R. E., Knap, A. H., and Sleeter, T. D., "The Effects of Crude Oil and Dispersed Crude Oil on Tropical Ecosystems: Long-Term Seagrass, Mangrove and Coral Studies," *Proceedings of Oceans 96 Conference*, Marine Technology Society, Washington, D.C., 1996, pp. 469-485.
- (54) Garrity, S. D. and Levings, S. C., "Effects of an Oil Spill on Some Organisms Living on a Mangrove (*Rhizophora mangle* L.) Roots in a Low Wave-Energy Habitats in Caribbean Panama," *Marine Environmental Research*, Vol 35, 1993, pp. 251-271.
- (55) Gilfillan, E. S., Page, D. S., Gerber, R. P., Hansen, S., Cooley, J., and Hotham, J., "Fate of the Zoe Colocotroni Oil Spill and Its Effects on Infaunal Communities Associated with Mangroves," *Proceedings of the 1991 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1991, pp. 353-360.
- (56) Wardrop, B. W., Pfennig, P., Leeder, J., and Connolly, R., *The Distribution, Persistence and Effects of Petroleum Hydrocarbons in Mangroves Impacted by the "ERA" Oil Spill (September, 1992)—Final Phase One Report*, Report to the Office of the Environment Protection Authority, South Australian Department of Environment and Natural Resources, 1997.
- (57) Cohen, Y., Nissenbaum, A., and Eisler, R., "Effects of Iranian Crude Oil on the Red Sea Octocoral *Heteroxenia fuscescens*," *Environmental Pollution*, Vol 12, 1977, pp. 173-186.
- (58) Downing, N. and Roberts, C., "Has Gulf War Affected Coral Reefs of the Northwestern Gulf?," *Marine Pollution Bulletin*, Vol 27, 1993, pp. 149-156.
- (59) Guzman, H. M., Burns, K. A., and Jackson, J. B. C., "Injury, Regeneration and Growth of Caribbean Reef Coral after a Major Oil Spill in Panama," *Marine Ecology Progress Series*, Vol 105, 1994, pp. 231-244.
- (60) Mohammed, S. Z. and Al-Ssadh, S., "Coral Reef Grounds and its Associated Biota in the Western Side of the Arabian Gulf (ROPME Sea Area) with Respect to 1991 Gulf War Oil Spill," *Indian Journal of Marine Sciences*, Vol 25, 1991, pp. 35-40.
- (61) Vogt, H. P., "Coral Reefs in Saudi Arabia: 3-5 Years after the Gulf War Oil Spill," *Coral Reefs*, Vol 14, 1995, pp. 271-273.
- (62) Bak, R. P. M. and Elgershuizen, J. H. B. W., "Patterns of Oil-Sediment Rejection in Corals," *Marine Biology*, Vol 37, 1976, pp. 105-113.
- (63) Bak, R. P. M., "Effects of Chronic Oil Pollution on a Caribbean Coral Reef," *Marine Pollution Bulletin*, Vol 18, No. 10, 1987, pp. 534-539.
- (64) Guzman, H. M. and Holst, I., "Effects of Chronic Oil-Sediment Pollution on the Reproduction of the Caribbean Reef Coral, *Siderastrea siderea*," *Marine Pollution Bulletin*, Vol 26, No. 5, 1993, pp. 276-282.

- (65) Holden, H. and LeDrew, E., "Spectral Discrimination of Healthy and Non-Healthy Corals Based on Cluster Analysis, Principle Component Analysis and Derivative Spectroscopy," *Remote Sensing of the Environment*, Vol 65, 1998, pp. 215-224.
- (66) Lewis, J. B., "Effects of Crude Oil and an Oil-Spill Dispersant on Reef Corals," *Marine Pollution Bulletin*, Vol 2, Number 4, 1971, pp. 59-62.
- (67) Thorhaug, A., McFarlane, J., Carby, B., McDonald, F., Anderson, M., et al., "Dispersed Oil Effects on Tropical habitats: Preliminary laboratory Results of Dispersed Oil Testing on Jamaica Corals and Seagrass," *Proceedings of the 1989 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1989, pp. 455-458.
- (68) Knap, A. H., Sleeter, T. D., Dodge, R. E., Wyers, S. C., Frith, H. R., and Smith, S. P., "Effects of Oil Spills and Dispersant Use on Corals—A Review and Multidisciplinary Experimental Approach," *Oil and Petrochemical Pollution*, Vol 1, No. 3, 1983, pp. 157-169.
- (69) Knap, A. H., Wyers, S. C., Dodge, R. E., Sleeter, T. D., Frith, H. R., Smith, S. R., and Cook, C. B., "The Effects of Chemically and Physically Dispersed Oil on the Brain Coral, *Diploria Strigosa* (Dana)—A Summary Review," *Proceedings of the 1985 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1985, pp. 547-551.
- (70) Peters, E. C., Meyers, P. A., Yevish, P. P., and Blake, N. J., "Bioaccumulation and Histopathological Effects of Oil on a Stony Coral," *Marine Pollution Bulletin*, Vol 12, No. 10, 1981, pp. 333-339.
- (71) Ansari, Z. A., Saidanha, M. C., and Rajkumar, R., "Effects of Petroleum Hydrocarbons on the Growth of a Microalga *Isochrysis* sp. (Chrysophyta)," *Indian Journal of Marine Sciences*, Vol 26, Dec. 1997, pp. 372-376.
- (72) Fuentes, F. A., Santo Domingo, J. W., and Hazen, T. C., "Survival of *Candida Albicans* and *Pseudomonas Aeruginosa* in Oil Polluted Tropical Coastal Waters," *Water Research*, Vol 32, No. 7, 1998, pp. 2154-2170.
- (73) Reish, D. J., Oshida, P. J., Mearns, A. J., Ginn, T. C., and Buchman, M., "Effects of Pollution on Saltwater Organisms," *Water Environment Research*, Vol 70, No. 4, 1998, pp. 931-949.
- (74) Spooner, M., "Oil Spill in Tarut Bay, Saudi Arabia," *Marine Pollution Bulletin*, Vol 1, No. 11, 1970.
- (75) Wolfe, M. F., Schlosser, J. A., Schwartz, G. J. B., Sigaram, S., Mielbrecht, E. E., Tjeerdema, R. S., and Sowby, M. L., "Influence of Dispersants on the Bioavailability and Trophic Transfer of Petroleum Hydrocarbons to Primary Levels of a Marine Food Chain," *Aquatic Toxicology*, Vol 42, 1998, pp. 211-227.
- (76) Eisler, R., "Acute Toxicities of Crude Oils and Oil-Dispersant Mixtures to Red Sea Fishes and Invertebrates," *Israel Journal of Zoology*, Vol 24, 1975, pp. 16-27.
- (77) Baca, B. J. and Getter, C. D., "The Toxicity of Oil and Chemically-Dispersed Oil to the Seagrass *Thalassia testudinum*," *Oil Spill Chemical Dispersants: Research Experience and Recommendations*, STP 840, Tom. E. Allen, Ed., American Society for Testing and Materials, Philadelphia, PA, 1984, pp. 314-323.
- (78) Durako, M. J., Kenworthy, W. J., Fatemy, S. M. R., Valavi, H., and Thayer, G. W., *Marine Pollution Bulletin*, Vol 27, 1993, pp. 233-237.
- (79) Kenworthy, W. J., Durand, M. J., Fatemy, S. M. R., Valavi, H., and Thayer, G. W., "Ecology of Seagrasses in Northeastern Saudia Arabia One year after the Gulf War Oil Spill," *Marine Pollution Bulletin*, Vol 27, 1993, pp. 213-222.
- (80) Marshall, M. J., "The Applicability of Predictions Made from Other Oil Spills to the 1986 Bahia Las Minas, Panama, Crude Oil Spill: Seagrass Communities," *Proceedings of the Seminar: Gulf of Mexico and Caribbean Oil Spills in Coastal Ecosystems: Assessing Effects, Natural Recovery, and Progress in Remediation Research*, U.S. Department of the Interior, Minerals Management Service, New Orleans, LA, 1994, pp. 65-79.
- (81) Thorhaug, A., Marcus, J., and Booker, F., "Oil and Dispersed Oil on Subtropical and Tropical Seagrasses in Laboratory Studies," *Marine Pollution Bulletin*, Vol 17, No. 8, 1986, pp. 357-361.
- (82) Thorhaug, A., and Marcus, J., "Effects of Oil and Dispersant on Subtropical /Tropical Seagrasses," *Proceedings of the 1985 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1985, pp. 497-501.
- (83) Thorhaug, A., and Marcus, J., "Preliminary Mortality Effects of Seven Dispersants on Subtropical /Tropical Seagrasses," *Proceedings of the 1987 International Oil Spill Conference*, American Petroleum Institute, Washington, D.C., 1987, pp. 223-224.
- (84) Thorhaug, A., "Dispersed Oil Effects on Marshes, Seagrasses, and Corals in the Wider Caribbean," *Proceedings of the 6th International Coral Reef Symposium*, Vol 2, 1988, pp. 337-339.
- (85) Livingston, R. J., "Historic Trends of Human Impacts on Seagrass Meadows in Florida" *Proceedings of the Symposium on Subtropical-tropical Seagrasses of the Southeastern United States*, Florida Department of Natural Resources, St. Petersburg, 1985, pp. 139-151.
- (86) Phillips, R. C., "Seagrass Meadows," *Creation and Restoration of Coastal Plant Communities*, Chapter 9, R. R. Lewis, Ed., CRC Press, Boca Raton, 1982, pp. 173-193.

## RELATED MATERIAL

ASTM F1209, Guide for Ecological Considerations for the Use of Oilspill Dispersants in Freshwater and Other Inland Environments, Ponds and Sloughs

ASTM F1210, Guide for Ecological Considerations for the Use of Oilspill Dispersants in Freshwater and Other Inland Environments, Lakes and Large Water Bodies

ASTM F1231, Guide for Ecological Considerations for the Use of Oilspill Dispersants in Freshwater and Other Inland Environments, Rivers and Creeks

*ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.*

*This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.*

*This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or [service@astm.org](mailto:service@astm.org) (e-mail); or through the ASTM website ([www.astm.org](http://www.astm.org)). Permission rights to photocopy the standard may also be secured from the ASTM website ([www.astm.org/COPYRIGHT/](http://www.astm.org/COPYRIGHT/)).*