



BSI Standards Publication

AEROSPACE SERIES

Specification for nuts, plain and slotted (unified hexagons and unified threads) for shear bolts for aircraft in corrosion-resisting steel

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

raising standards worldwide[™]

Copyright British Standards Institution
Provided by IHS under license with BSI - Uncontrolled Copy
No reproduction or networking permitted without license from IHS

Not for Resale

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2010

ISBN 978 0 580 69781 4

ICS 49.030.30

The following BSI references relate to the work on this standard:

Committee reference ACE/12

Draft for comment 10/30212959 DC

Publication history

First published September 2010

Amendments issued since publication

Date	Text affected
-------------	----------------------

Contents

Foreword *ii*

1	Scope	1
2	Normative references	1
3	General requirements	1
4	Material and manufacture	1
5	Dimensions	1
6	Screw threads	1
7	Anti-corrosion treatment	2
8	Inspection procedure	2
9	Designation	2

Annexes

Annex A (informative) Inch to millimetre conversion 5

Bibliography 6

List of tables

Table 1 – Dimensions of slotted nuts 3

Table 2 – Dimensions of plain nuts 4

Table A.1 – Conversion of inches to approximate millimetre equivalents (rounded to one decimal place) 5

Summary of pages

This document comprises a front cover, an inside front cover, pages i to ii, pages 1 to 6, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard is published by BSI and came into effect on 30 September 2010. It was prepared by Technical Committee ACE/12, *Aerospace fasteners and fastening systems*. A list of organizations represented on this committee can be obtained on request to its secretary.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is "shall".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

1 Scope

This British Standard specifies the materials, dimensions, finish and inspection requirements for corrosion-resisting steel nuts with unified hexagons and unified threads for use with shear bolts for aircraft. It makes provision for ranges of plain and slotted nuts.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS S 80, *High chromium-nickel corrosion resisting steel forging stock, bars, forgings and parts (880 to 1 080 MPa: limiting ruling section 100 mm)*

BS A 100, *Specification for general requirements for bolts and free running nuts of tensile strength not exceeding 1 249 MPa*

BS EN 2516, *Passivation of corrosion resisting steels and decontamination of nickel base alloys*

3 General requirements

The nuts shall not be used as direct replacements for those conforming to BS A 110 without the authority of the original equipment manufacturer's Design Authority.

NOTE This standard has been created to provide a cadmium free alternative to plain and slotted nuts conforming to BS A 110.

The nuts shall conform to BS A 100 in respect of manufacture, screw threads, identification and marking.

4 Material and manufacture

The nuts shall be machined all over from corrosion-resisting steel conforming to BS S 80 (condition: hardened and tempered).

5 Dimensions

All finished nuts shall conform to the dimensions and tolerances given in Table 1 or Table 2 as appropriate.

NOTE The values in inch units are to be regarded as the standard. A table is given in Annex A to provide a ready means of calculating the approximate millimetre equivalents of the inch dimensions. More accurate conversions should be based on the tables in BS 350.

6 Screw threads

The nuts shall have unified threads of the form and class of fit specified in BS A 100.

7 Anti-corrosion treatment

All finished nuts shall be passivated in accordance with BS EN 2516 (material type: ferritic and martensitic chromium steels).

8 Inspection procedure

The nuts shall be inspected in accordance with BS A 100.

9 Designation


The nuts shall be designated A400-XX¹⁾, where XX is the part reference suffix specified in Table 1 or Table 2 as appropriate.

NOTE For example: A400-ES, A400-ST.

¹⁾ Marking A400 on or in relation to a product represents a manufacturer's declaration of conformity, i.e. a claim by or on behalf of the manufacturer that the product meets the requirements of the standard. The accuracy of the claim is solely the claimant's responsibility. Such a declaration is not to be confused with third-party certification of conformity.

Table 1 Dimensions of slotted nuts
Dimensions in inches

Slotted nut – Third angle projection




Key

- 1 Countersink 90°–120° on this face only to major diameter of thread.
- 2 Tan-R rounded slots.
- 3 Chamfer 25°–35° on this face only to across flats (AF).

1 Nominal size	2 Decimal equivalent of nominal size	3 Part reference suffix	4 Width across flats		5	6 Width across corners		7 Thickness		8 Slot		9 Lower face of nut to bottom of slot	
			B		C	G		Depth J	Width K	L			
			min.	max.	max.	min.	max.	ref.	min.	max.	min.	max.	
1/4"-28 UNF	0.250	ES	0.370	0.375	0.433	0.190	0.200	0.090	0.080	0.090	0.100	0.110	
5/16"-24 UNF	0.3125	GS	0.431	0.438	0.505	0.190	0.200	0.090	0.080	0.090	0.100	0.110	
3/8"-24 UNF	0.375	JS	0.493	0.500	0.577	0.190	0.200	0.090	0.080	0.090	0.100	0.110	
7/16"-20 UNF	0.4375	LS	0.554	0.562	0.650	0.190	0.200	0.090	0.080	0.090	0.100	0.110	
1/2"-20 UNF	0.500	NS	0.679	0.688	0.794	0.190	0.200	0.090	0.080	0.090	0.100	0.110	
9/16"-18 UNF	0.5625	PS	0.741	0.750	0.866	0.190	0.200	0.090	0.080	0.090	0.100	0.110	
5/8"-18 UNF	0.625	QS	0.866	0.875	1.010	0.190	0.200	0.090	0.125	0.135	0.100	0.110	
3/4"-16 UNF	0.750	SS	0.929	0.938	1.083	0.190	0.200	0.090	0.125	0.135	0.100	0.110	

Table 2 **Dimensions of plain nuts**
Dimensions in inches

Plain nut – Third angle projection



Key

- 1 Countersink 90°–120° on one face only to major diameter of thread.
- 2 Chamfer 25°–35° on both faces to across flats (AF).

1	2	3	4	5	6	7	8
Nominal size	Decimal equivalent of nominal size	Part reference suffix	Width across flats		Width across corners	Thickness	
			<i>B</i>		<i>C</i>	<i>G</i>	
			min.	max.	max.	min.	max.
¼"-28 UNF	0.250	ET	0.370	0.375	0.433	0.190	0.200
⅝"-24 UNF	0.3125	GT	0.431	0.438	0.505	0.190	0.200
⅜"-24 UNF	0.375	JT	0.493	0.500	0.577	0.190	0.200
⅞"-20 UNF	0.4375	LT	0.554	0.562	0.650	0.190	0.200
½"-20 UNF	0.500	NT	0.679	0.688	0.794	0.190	0.200
⅜"-18 UNF	0.5625	PT	0.741	0.750	0.866	0.190	0.200
⅝"-18 UNF	0.625	QT	0.866	0.875	1.010	0.190	0.200
¾"-16 UNF	0.750	ST	0.929	0.938	1.083	0.190	0.200

Annex A (informative) Inch to millimetre conversion**Table A.1 Conversion of inches to approximate millimetre equivalents (rounded to one decimal place)**

in	mm
$\frac{1}{4}$	6.4
$\frac{5}{16}$	7.9
$\frac{3}{8}$	9.5
$\frac{7}{16}$	11.1
$\frac{1}{2}$	12.7
$\frac{9}{16}$	14.3
$\frac{5}{8}$	15.9
$\frac{3}{4}$	19.1
$\frac{7}{8}$	22.2
1	25.4
2	50.8

Bibliography

For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS A 110, *Specification for steel nuts (unified hexagons and unified threads) for shear bolts for aircraft*

BS 350, *Conversion factors for units*

© 2011 British Standards Institution

British Standards Institution (BSI)

BSI is the independent national body responsible for preparing British Standards and other standards-related publications, information and services.

It presents the UK view on standards in Europe and at the international level.

It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover.

Tel: +44 (0)20 8996 9001 Fax: +44 (0)20 8996 7001

BSI offers Members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Tel: +44 (0)20 8996 7669 Fax: +44 (0)20 8996 7001

Email: plus@bsigroup.com

Buying standards

You may buy PDF and hard copy versions of standards directly using a credit card from the BSI Shop on the website www.bsigroup.com/shop. In addition all orders for BSI, international and foreign standards publications can be addressed to BSI Customer Services.

Tel: +44 (0)20 8996 9001 Fax: +44 (0)20 8996 7001

Email: orders@bsigroup.com

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Knowledge Centre.

Tel: +44 (0)20 8996 7004 Fax: +44 (0)20 8996 7005

Email: knowledgecentre@bsigroup.com

Various BSI electronic information services are also available which give details on all its products and services.

Tel: +44 (0)20 8996 7111 Fax: +44 (0)20 8996 7048

Email: info@bsigroup.com

BSI Subscribing Members are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.

Tel: +44 (0)20 8996 7002 Fax: +44 (0)20 8996 7001

Email: membership@bsigroup.com

Information regarding online access to British Standards via British Standards Online can be found at www.bsigroup.com/BSOL

Further information about BSI is available on the BSI website at www.bsigroup.com/standards

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. This does not preclude the free use, in the course of implementing the standard of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained. Details and advice can be obtained from the Copyright & Licensing Manager.

Tel: +44 (0)20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Tel +44 (0)20 8996 9001

Fax +44 (0)20 8996 7001

www.bsigroup.com/standards

raising standards worldwide[™]

Copyright British Standards Institution
Provided by IHS under license with BSI - Uncontrolled Copy
No reproduction or networking permitted without license from IHS

Not for Resale

