

Technical drawings — Construction drawings — Drawings for the assembly of prefabricated structures

The European Standard EN ISO 4172:1996 has the status of a
British Standard

ICS 01.100.30

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee B/212, Tolerances, drawing practice, modular co-ordination, joints, project information and computer modelling, upon which the following bodies were represented:

Architects and Surveyors Institute
 Association of County Councils
 British Institute of Architectural Technologists
 Building Employers' Confederation
 Chartered Institute of Building
 Chartered Institution of Building Services Engineers
 Department of the Environment (Building Research Establishment)
 Institution of Civil Engineers
 Institution of Structural Engineers
 Royal Institute of British Architects
 Royal Institution of Chartered Surveyors
 Society of Chief Architects of Local Authorities

The following bodies were also represented in the drafting of the standard, through subcommittees and panels:

Association of Building Engineers
 British Constructional Steelwork Association Ltd.
 British Standards Society
 Landscape Institute

This British Standard, having been prepared under the direction of the Sector Board for Building and Civil Engineering, was published under the authority of the Standards Board and comes into effect on 15 September 1997

© BSI 09-1999

The following BSI references relate to the work on this standard:
 Committee reference B/212
 Draft for comment 96/106466 DC

ISBN 0 580 28348 8

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
Foreword	2
Foreword	iii
Text of ISO 4172	1

National foreword

This British Standard has been prepared by Technical Committee B/212, and is the English language version of EN ISO 4172:1996, *Technical drawings — Construction drawings — Drawings for the assembly of prefabricated structures*, published by the European Committee for Standardization (CEN). It is identical with ISO 4172:1991, published by the International Organization for Standardization (ISO).

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the EN ISO title page, page 2, the ISO title page, pages ii to iv, pages 1 to 10, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

ICS 01.100.30

Descriptors: See ISO document

English version

Technical drawings — Construction drawings — Drawings for the assembly of prefabricated structures

(ISO 4172:1991)

Dessins techniques — Dessins de
construction — Dessins d'assemblage des
structures préfabriquées
(ISO 4172:1991)

Technische Zeichnungen — Zeichnungen für
das Bauwesen — Zeichnungen für den
Zusammenbau vorgefertigter Teile
(ISO 4172:1991)

This European Standard was approved by CEN on 1996-10-25. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

Foreword

The text of the International Standard from Technical Committee ISO/TC 10 “Technical drawings, product definition and related documentation” of the International Organization for Standardization (ISO) has been taken over as an European Standard by CEN/CS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 1997, and conflicting national standards shall be withdrawn at the latest by May 1997.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 4172:1991 has been approved by CEN as a European Standard without any modification.

NOTE Normative references to International Standards are listed in Annex ZA (normative)

INTERNATIONAL STANDARD

ISO
4172

Second edition
1991-03-01

Technical drawings — Construction drawings — Drawings for the assembly of prefabricated structures

*Dessins techniques — Dessins de construction — Dessins d'assemblage
des structures préfabriquées*



Reference number
ISO 4172:1991(E)

Contents

	Page
Foreword	iii
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Documentation	1
5 Designation of prefabricated structural components	2
Annex ZA (normative) Normative references to international publications with their relevant European publications	Inside back cover
Figure 1 — An example of a location drawing (plan) for foundations and foundation beams	3
Figure 2 — An example of a location drawing (plan) for floor slabs	4
Figure 3 — An example of a location drawing (plan) for the components of a frame	5
Figure 4 — An example of typical section	6
Figure 5 — An example of a location drawing (view) for wall panels	7
Figure 6 — An example of a location drawing (plan) for wall panels	8
Figure 7 — An example of a joint with bolted connection — Horizontal section	9
Figure 8 — An example of a joint with continuity reinforcement and site-poured concrete — Vertical section	9
Figure 9 — Designation of components on location drawings	10
Figure 10 — Designation showing supplementary information	10

Descriptors: Drawings, technical drawings, buildings, civil engineering, prefabricated element, assembling.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 4172 was prepared by Technical Committee ISO/TC 10, *Technical drawings, product definition and related documentation*.

This second edition cancels and replaces the first edition (ISO 4172:1981), clause 2 and subclause 4.3 of which have been technically revised.

1 Scope

This International Standard specifies general rules for the preparation of working drawings intended for the field assembly of prefabricated structures for building and civil engineering works.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 128:1982, *Technical drawings — General principles of presentation*.

ISO 129:1985, *Technical drawings — Dimensioning — General principles, definitions, methods of execution and special indications*.

ISO 1046:1973, *Architectural and building drawings — Vocabulary*.

ISO 2444:1988, *Joints in building — Vocabulary*.

ISO 2445:1972, *Joints in building — Fundamental principles for design*.

ISO 2553:1984, *Welds — Symbolic representation on drawings*.

ISO 4068:1978, *Building and civil engineering drawings — Reference lines*.

ISO 4157-1:1980, *Building drawings — Part 1: Designation of buildings and parts of buildings*.

ISO 5455:1979, *Technical drawings — Scales*.

ISO 5457:1980, *Technical drawings — Sizes and layout of drawing sheets*.

ISO 6284:1985, *Tolerances for building — Indication of tolerances on building and construction drawings*.

ISO 7200:1984, *Technical drawings — Title blocks*.

ISO 7437:1990, *Technical drawings — Construction drawings — General rules for execution of production drawings for prefabricated structural components*.

ISO 8048:1984, *Technical drawings — Construction drawings — Representation of views, sections and cuts*.

3 Definitions

For the purposes of this International Standard, the following definitions apply.

3.1

prefabricated structure

structure erected out of prefabricated structural components

3.2

prefabricated structural component

component of a prefabricated structure delivered to the construction site as a purpose-made part

4 Documentation

4.1 General

The documentation for prefabricated structures shall comprise

- a) location drawings (general arrangement drawings),
- b) detail drawings,
- c) component schedules (and component range drawings), and
- d) additional specifications and lists for incidental materials, special shipping instructions, etc.

These shall be prepared in accordance with the relevant parts of the International Standards listed in clause 2.

4.2 Location drawings

4.2.1 A location drawing is a simplified representation of a prefabricated structure and the location of designated structural components. The components may be represented by an extra thick line (see Figure 1, Figure 3 and Figure 4) or by their simplified outlines.

For each group of components for prefabricated structures, connected by similar construction conditions, the location drawings should be given in the sequence of their application during the assembly.

If necessary, design charts or loading schemes shall be given on location drawings, which shall indicate loading limitations, erection procedures, and other details concerning erection and assembly such as joints and jointing and temporary works, and shall refer to documents giving such information.

The location drawings for prefabricated structures shall show the following:

- a) layout grid lines of buildings;
- b) designations of structural components;
- c) relationship of components to the layout grid lines;

- d) specific levels of structural components;
- e) reference to the detail drawings.

The structural components should be shown in plans, sections or views, as illustrated in Figure 1 to Figure 6.

The location drawings for complicated three-dimensional structures should be made in different planes.

The preferred scales for location drawings are 1 : 50, 1 : 100 and 1 : 200.

4.2.2 On the location drawings of prefabricated foundations and other underground structures it is also recommended to show the following:

- a) outline of foundation beds;
- b) foundation sublayers (broken line);
- c) their sizes;
- d) their relationship to layout grids;
- e) foundation beams;
- f) basement walls.

Location drawings for foundation and other underground structures shall be represented on the assumption that the ground is transparent.

4.2.3 In the title of the location drawing for a prefabricated floor, reference should be made to the number of the floor or to the level of an intermediate floor or a stair landing, in accordance with ISO 4157-1.

4.2.4 In draughting the location drawings for prefabricated panel wall structures, the outlines of the component shall be shown with thick lines (see Figure 6).

4.3 Detail drawings

4.3.1 Details may be shown on separate drawings or may be included as additional information on the location drawings.

The preferred scales for details are 1 : 20, 1 : 10 and 1 : 5.

Details shall be properly annotated on the relevant location drawings. Details should be given in the same sequence of the order of the respective section on the drawing.

4.3.2 Representations of joints will be the main part of the detail drawing. Joints are usually shown on separate sheets.

A representation of joints shows the relationship between prefabricated structural components, where they come together, and shall show

- a) layout grid lines,
- b) joint dimensions with an indication of the necessary tolerances,

c) the designations of components shown on the location drawing and, if required, additional marks to identify the surfaces that are to come together at the joint,

d) methods of connection, e.g. welding, bolted connections or the use of continuity reinforcement, in conjunction with site-poured concrete, and

e) built-in parts and connection details, including the products to be used.

Two joints, the one being a mirror image of the other, shall be shown as two independent joints, and have independent designations.

If it is necessary to differentiate between the graphical representation of joints required for erection and assembly and those representations that describe the finishing of the joint (i.e. corrosion protection, thermal movement, etc.), or between supporting joints, sealing joints and open joints, this shall be done by using separate designations, or symbols that are explained on the drawing.

Examples of the graphical representation of joints are given in Figure 7 and Figure 8.

NOTE 1 Where necessary, the graphical representation of joints should be supplemented by text covering such matters as erection procedures, assembly and corrosion protection.

4.4 Component schedules

4.4.1 A component schedule is a document listing components of prefabricated structures.

4.4.2 A component schedule shall contain the following information in the sequence listed:

- a) designation of the components (unique reference);
- b) denomination of the components;
- c) number of components.

4.4.3 The component schedule should also contain the following information in the sequence listed:

- a) mass, in kilograms or tonnes;
- b) sizes;
- c) total mass, in kilograms or tonnes;
- d) special references;
- e) remarks.

If the component schedule is prepared on one or several separate sheets, each sheet shall have its own title block, placed below the schedule.

5 Designation of prefabricated structural components

On the location drawing the prefabricated components shall be denoted by designations.


Components that are identical should have identical designations.


Structural components which are located manually shall be designated with independent designations.


The designations of components on the location drawings and detail drawings shall be shown adjacent to the graphical representation of a component [see Figure 9 a) and Figure 9 b)], or with leader lines [see Figure 9 c)].


The designations given in Figure 1 to Figure 10 are only examples.


NOTE 2 Figure 1 to Figure 10 relate to a single typical structure and are for illustrative purposes only.






















Annex ZA (normative)**Normative references to international publications with their relevant European publications**

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN</u>	<u>Year</u>
ISO 2553	1984	<i>Welded, brazed and soldered joints — Symbolic representation on drawings</i>	EN 22553	1994
ISO 5455	1979	<i>Technical drawings — Scales</i>	EN ISO 5455	1994

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.