

Soft soldering fluxes — Test methods —

Part 13: Determination of flux spattering

The European Standard EN ISO 9455-13:1999 has the status of a
British Standard

ICS 25.160.50

National foreword

This British Standard is the official English language version of EN ISO 9455-13:1999. It is identical with ISO 9455-13:1996. It partially supersedes BS 5625:1980 which will be withdrawn following publication of other European Standards in this series.

The UK participation in its preparation was entrusted by Technical Committee NFE/27, Tin and tin alloys, to Subcommittee NFE/27/4, Solders and soldering fluxes, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Cross-references

Attention is drawn to the fact that CEN and CENELEC Standards normally include an annex which lists normative references to international publications with their corresponding European publications. The British Standards which implement these international or European publications may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN ISO title page, the EN ISO foreword page, the ISO title page, pages ii and iii, a blank page, pages 1 to 4, an inside back cover and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Engineering Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 May 2000

Amendments issued since publication

Amd. No.	Date	Text affected

English version

Soft soldering fluxes - Test methods - Part 13: Determination of
flux spattering (ISO 9455-13:1996)

Flux de brasage tendre - Méthodes d'essai - Partie 13:
Détermination de projections de flux (ISO 9455-13:1996)

Flußmittel zum Weichlöten - Prüfverfahren - Teil 13:
Bestimmung von Flußmittelspritzern (ISO 9455-13:1996)

This European Standard was approved by CEN on 22 March 1999.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Foreword

The text of the International Standard from Technical Committee ISO/TC 44 "Welding and allied processes" of the International Organization for Standardization (ISO) has been taken over as an European Standard by Technical Committee CEN/TC 121 "Welding", the secretariat of which is held by DS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 1999, and conflicting national standards shall be withdrawn at the latest by October 1999.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 9455-13:1996 has been approved by CEN as a European Standard without any modification.

NOTE: Normative references to International Standards are listed in annex ZA (normative).

INTERNATIONAL
STANDARD

ISO
9455-13

First edition
1996-12-15

Soft soldering fluxes — Test methods —

Part 13:

Determination of flux spattering

Flux de brasage tendre — Méthodes d'essai —

Partie 13: Détermination des projections de flux



Reference number
ISO 9455-13:1996(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 9455-13 was prepared by Technical Committee ISO/TC 44, *Welding and allied processes*, Subcommittee SC 12, *Soldering and brazing materials*.

ISO 9455 consists of the following parts under the general title *Soft soldering fluxes — Test methods*:

- *Part 1: Determination of non-volatile matter, gravimetric method*
- *Part 2: Determination of non-volatile matter, ebulliometric method*
- *Part 3: Determination of acid value, potentiometric and visual titration methods*
- *Part 5: Copper mirror test*
- *Part 6: Determination and detection of halide (excluding fluoride) content*
- *Part 8: Determination of zinc content*
- *Part 9: Determination of ammonia content*
- *Part 10: Flux efficacy tests, solder spread method*

- *Part 11: Solubility of flux residues*
- *Part 12: Steel tube corrosion test*
- *Part 13: Determination of flux spattering*
- *Part 14: Assessment of tackiness of flux residues*
- *Part 15: Copper corrosion test*
- *Part 16: Flux efficacy tests, wetting balance method*
- *Part 17: Surface insulation resistance, comb test and electrochemical migration test of flux residues.*

This page intentionally left blank

Soft soldering fluxes — Test methods —

Part 13:

Determination of flux spattering

1 Scope

This part of ISO 9455 describes a method for estimating the tendency of a flux to spatter in use. It is a qualitative (comparative) method and is only applicable to liquid fluxes, as defined in ISO 9454-1.

The method is not applicable to flux cored solder wire, or to solder pastes.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 9455. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 9455 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 3574:1986, *Cold-reduced carbon steel sheet of commercial and drawing qualities.*

ISO 9453:1990, *Soft solder alloys — Chemical compositions and forms.*

ISO 9454-1:1990, *Soft soldering fluxes — Classification and requirements — Part 1: Classification, labelling and packaging.*

3 Principle

A measured amount of the liquid flux under test is placed on a specimen plate of sheet steel. The plate is heated on a solder bath and the plate examined visually for evidence of spattering of the flux.

4 Apparatus and materials

Usual laboratory apparatus and, in particular, the following.

4.1 Solder bath, of rectangular cross-section, approximately 150 mm × 100 mm, containing at least 4 kg of tin-lead solder (such as ISO 9453, grade S-Sn63Pb37) having a liquidus less than 200 °C. The depth of the solder shall be such that the liquid surface of the solder is not greater than 5 mm from the bath rim. The bath shall be capable of being maintained at a temperature of (400 ± 10) °C.

4.2 Specimen plates, cut from 1 mm thick unalloyed steel sheet, deep drawing quality, conforming to ISO 3574. The plates are to be cut to size, such that the length and width are 10 mm larger than the corresponding dimensions of the solder bath (4.1).

4.3 Silicon carbide cloth, 180 grade.

5 Procedure

Adjust the temperature of the solder in the solder bath (4.1) to (400 ± 10) °C. Ensure that the level of the solder in the bath is $4 \text{ mm} \pm 1 \text{ mm}$ below the level of the rim of the bath.

Carry out the following procedure on three specimen plates (4.2).

Using the silicon carbide cloth (4.3), clean the surface of each specimen plate immediately before testing in order to remove all oxidation and contamination from the steel.

By means of a fine graduated pipette, transfer $(0,1 \pm 0,01)$ ml of the liquid test flux to the centre of one of the specimen plates.

Immediately after application of the flux, carefully place the specimen plate, flux upwards, on the rim of the solder bath, such that it covers the rim completely. During these operations, ensure that the solder bath is located in still air conditions.

Remove the plate after 3 min and examine it visually for evidence of spattering.

Repeat this procedure for each of the two remaining specimen plates, whilst maintaining the solder bath temperature at (400 ± 10) °C.


6 Expression of results

The average result obtained from the three tests is assessed, compared with figure 1, and reported as either "no spattering" or "spattering occurs". Alternatively, a reference flux of known satisfactory performance may be subjected to the same procedure as described in clause 5, and the average spattering rating of the test flux reported as "equal to", "better than" or "worse than" the average for the reference flux.


7 Test report

The test report shall include the following information:

- a) the identification of the flux test sample;
- b) the test method used (i.e. reference to this part of ISO 9455);
- c) the results obtained from the test, either in absolute terms, or by comparison with a reference flux, the details of which should be given;
- d) any unusual features noted in the test;
- e) details of any operation not specified in the method, or any optional operation which may have influenced the result.



No spattering of flux



Flux spattering occurs

Figure 1 — Spattering of soldering flux

Annex ZA (normative)**Normative references to international publications
with their relevant European publications**

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN</u>	<u>Year</u>
ISO 9453	1990	Soft soldering fluxes - Chemical compositions and forms	EN 29453	1993
ISO 9454-1	1990	Soft soldering fluxes - Classification and requirements - Part 1: Classification, labelling and packaging	EN 29454-1	1993

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000.

Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111.

Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002.

Fax: 020 8996 7001.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager.

Tel: 020 8996 7070.