

# Textile machinery — Noise test code —

## Part 4: Yarn processing, cordage and rope manufacturing machinery

ICS 17.140.20; 59.120.01

## National foreword

This British Standard is the UK implementation of EN ISO 9902-4:2001+A2:2014. It is identical to ISO 9902-4:2001, incorporating amendments 1:2009 and 2:2014. It supersedes BS EN ISO 9902-4:2001+A1:2009 which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to ISO text carry the number of the ISO amendment. For example, text altered by ISO amendment 1 is indicated by **A1** **A1**.

The UK participation in its preparation was entrusted to Technical Committee TCI/33, Textile machinery.

A list of organizations represented on this committee can be obtained on request to its secretary.

The publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Committee and comes into effect on 15 July 2001

© The British Standards Institution 2014.  
Published by BSI Standards Limited 2014

### Amendments/corrigenda issued since publication

Date	Comments
30 November 2009	Implementation of ISO amendment 1:2009 with CEN endorsement A1:2009
31 July 2014	Implementation of ISO amendment 2:2014 with CEN endorsement A2:2014. Annex ZA replaced

ISBN 978 0 580 80778 7

## Annex ZA (informative)

### Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 2006/42/EC.

Once this standard is cited in the Official Journal of the European Union under that Directive and has been implemented as a national standard in at least one Member State, compliance with the normative clauses of this standard and of Part 1 of the series confers, within the limits of the scope of this standard, a presumption of conformity with Essential Requirement 1.7.4.2 (u) of that directive and associated EFTA regulations.

**WARNING:** Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

**Annex ZB**  
(informative)

**Clauses of this European Standard addressing Essential Requirements or other provisions  
of EU Directives**

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association and supports essential requirements of following EU directive(s).

Machinery Directive 98/37/EC, amended by Directive 98/79/EC.

**WARNING:** Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

Compliance with this standard provides one means of conforming with specific essential requirements of the Directive(s) concerned and associated EFTA regulations.

ICS 17.140.20; 59.120.01

English version

Textile machinery - Noise test code - Part 4: Yarn processing,  
cordage and rope manufacturing machinery (ISO 9902-4:2001)

Matériel pour l'industrie textile - Code d'essai acoustique -  
Partie 4: Machines de transformation du fil et machines de  
production de cordages et articles de corderie (ISO  
9904:2001)

Textilmaschinen - Geräuschmessverfahren - Teil 4:  
Garnverarbeitungs-, Seilereiwaren- und Seilereimaschinen  
(ISO 9902-4:2001)

This European Standard was approved by CEN on 15 March 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

## Foreword

The text of the International Standard ISO 9902-4:2001 has been prepared by Technical Committee ISO/TC 72 "Textile machinery and machinery for dry-cleaning and industrial laundering" in collaboration with Technical Committee CEN/TC 214 "Textile machinery and machinery for dry-cleaning and industrial laundry", the secretariat of which is held by SNV.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2001, and conflicting national standards shall be withdrawn at the latest by September 2001.

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZB, which is an integral part of this standard.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

### Endorsement notice

The text of the International Standard ISO 9902-4:2001 was approved by CEN as a European Standard without any modification.

NOTE: Normative references to International Standards are listed in annex ZA (normative).

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

This first edition of ISO 9902-4, together with ISO 9902-1, ISO 9902-2, ISO 9902-3, ISO 9902-5, ISO 9902-6 and ISO 9902-7, cancels and replaces ISO 9902:1993, which has been technically revised.

ISO 9902 consists of the following parts, under the general title *Textile machinery - Noise test code*:

- *Part 1: Common requirements*
- *Part 2: Spinning preparatory and spinning machinery*
- *Part 3: Nonwoven machinery*
- *Part 4: Yarn processing, cordage and rope manufacturing machinery*
- *Part 5: Weaving and knitting preparatory machinery*
- *Part 6: Fabric manufacturing machinery*
- *Part 7: Dyeing and finishing machinery*

Annex ZA of this part of ISO 9902 is for information only.

## Foreword to amendment A1

This document (EN ISO 9902-4:2001/A1:2009) has been prepared by Technical Committee ISO/TC 72 "Textile machinery and machinery for dry-cleaning and industrial laundering" in collaboration with Technical Committee CEN/TC 214 "Textile machinery and accessories", the secretariat of which is held by SNV.

This Amendment to the European Standard EN ISO 9902-4:2001 shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2009, and conflicting national standards shall be withdrawn at the latest by December 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EC Directive(s).

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

### Endorsement notice

The text of ISO 9902-4:2001/Amd 1:2009 has been approved by CEN as a EN ISO 9902-4:2001/A1:2009 without any modification.

## **Foreword to amendment A2**

This document (EN ISO 9902-4:2001/A2:2014) has been prepared by Technical Committee ISO/TC 72 "Textile machinery and accessories" in collaboration with Technical Committee CEN/TC 214 "Textile machinery and accessories" the secretariat of which is held by SNV.

This Amendment to the European Standard EN ISO 9902-4:2001 shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2014, and conflicting national standards shall be withdrawn at the latest by December 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **Endorsement notice**

The text of ISO 9902-4:2001/Amd 2:2014 has been approved by CEN as EN ISO 9902-4:2001/A2:2014 without any modification.





INTERNATIONAL  
STANDARD

ISO  
9902-4

First edition  
2001-03-15

---

---

**Textile machinery — Noise test code —**

Part 4:

**Yarn processing, cordage and rope  
manufacturing machinery**

*Matériel pour l'industrie textile — Code d'essai acoustique —*

*Partie 4: Machines de transformation du fil et machines de production de  
cordages et articles de corderie*



Reference number  
ISO 9902-4:2001(E)



## Contents

Page

Foreword.....	iv
1 Scope .....	1
2 Normative references .....	1
3 Terms and definitions .....	2
4 Defining the test object .....	2
5 Sound power level determination .....	2
6 Emission sound pressure level determination.....	3
7 Installation and mounting conditions.....	4
8 Operating conditions.....	4
9 Measurement uncertainties .....	4
10 Information to be recorded .....	4
11 Information to be reported.....	4
12 Declaration and verification of noise emission values.....	4

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 9902 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 9902-4 was prepared by Technical Committee ISO/TC 72, *Textile machinery and machinery for dry-cleaning and industrial laundering*, Subcommittee SC 8, *Safety requirements for textile machinery*.

This first edition of ISO 9902-4, together with ISO 9902-1, ISO 9902-2, ISO 9902-3, ISO 9902-5, ISO 9902-6 and ISO 9902-7, cancels and replaces ISO 9902:1993, which has been technically revised.

ISO 9902 consists of the following parts, under the general title *Textile machinery — Noise test code*:

- *Part 1: Common requirements*
- *Part 2: Spinning preparatory and spinning machinery*
- *Part 3: Nonwoven machinery*
- *Part 4: Yarn processing, cordage and rope manufacturing machinery*
- *Part 5: Weaving and knitting preparatory machinery*
- *Part 6: Fabric manufacturing machinery*
- *Part 7: Dyeing and finishing machinery*

# Textile machinery — Noise test code —

## Part 4:

## Yarn processing, cordage and rope manufacturing machinery

### 1 Scope

This part of ISO 9902, taken together with ISO 9902-1, specifies the mounting, operating and measuring conditions required for the measurement, declaration and verification of noise emitted by yarn processing, cordage and rope manufacturing machinery.

This part of ISO 9902 is applicable to engineering (grade 2) and survey (grade 3) test methods, in accordance with the International Standards to which it makes normative reference, and to machines of different types used for

- yarn processing (e.g. doubling, twisting and texturing machines, reeling and winding machines, ball winding machines),
- cordage and rope manufacturing (e.g. goods machines or spreaders, breakers, draw frames and finishers),
- combined stranding and closing, strand-plaited rope-making, and
- braiding.

**A<sub>2</sub>** NOTE Because of the high requirements on measurement conditions, grade 1 methods are normally not feasible for textile machinery. **A<sub>2</sub>**

### 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 9902. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 9902 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

**A<sub>1</sub>** ISO 3743-1, *Acoustics — Determination of sound power levels of noise sources — Engineering methods for small, movable sources in reverberant fields — Part 1: Comparison method for hard-walled test rooms.*

ISO 3744, *Acoustics — Determination of sound power levels of noise sources using sound pressure — Engineering method in an essentially free field over a reflecting plane.*

ISO 3746, *Acoustics — Determination of sound power levels of noise sources using sound pressure — Survey method using an enveloping measurement surface over a reflecting plane.*

ISO 3747, *Acoustics — Determination of sound power levels of noise sources using sound pressure — Comparison method in situ.*

ISO 9614-1, *Acoustics — Determination of sound power levels of noise sources using sound intensity — Part 1: Measurement at discrete points.* **A<sub>1</sub>**

ISO 9614-2, *Acoustics — Determination of sound power levels of noise sources using sound intensity — Part 2: Measurement by scanning.*

ISO 9902-1:2001/Amd.1:2009, *Textile machinery — Noise test code — Part 1: Common requirements.*

ISO 11111:1995, *Safety requirements for textile machinery.*

ISO 11111-1:2005/Amd.1:—, *Textile machinery — Safety requirements — Part 1: Common requirements*

ISO 11201, *Acoustics — Noise emitted by machinery and equipment — Measurement of emission sound pressure levels at a work station and at other specified positions — Engineering method in an essentially free field over a reflecting plane.*

ISO 11202, *Acoustics — Noise emitted by machinery and equipment — Measurement of emission sound pressure levels at a work station and at other specified positions — Survey method in situ.*

ISO 11203, *Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions from the sound power level.*

ISO 11204, *Acoustics — Noise emitted by machinery and equipment — Measurement of emission sound pressure levels at a work station and at other specified positions — Method requiring environmental corrections.* A1

### 3 Terms and definitions

For the purposes of this part of ISO 9902, the terms and definitions given in ISO 9902-1 and the following apply.

#### 3.1

##### **wind helix angle**

helix angle of the yarn as it is wound on a package

NOTE It is equal to half the crossing angle of a layer of yarn on the previous layer and is determined as the ratio of traverse speed to yarn process (throughput) speed.

### 4 Defining the test object

See Table 1 of this part of ISO 9902 and clause 4 of ISO 9902-1:2001.

### 5 Sound power level determination

#### 5.1 International Standards required for basic measurements

##### 5.1.1 General

See 5.1 of ISO 9902-1:2001.

##### 5.1.2 Determination by measuring sound intensity

Determination of the A-weighted sound power level,  $L_{WA}$ , using sound intensity measurements shall be in accordance with ISO 9614-1 (discrete points) or ISO 9614-2 (scanning).

##### 5.1.3 Determination using emission sound pressure levels on a measurement surface

Determination of the A-weighted sound power level,  $L_{WA}$ , by measurement of A-weighted emission sound pressure levels on a prescribed measurement surface shall be in accordance with one of the following:

— ISO 3744,

- ISO 3747, or
- ISO 3746, but only where use of ISO 3744 or ISO 3747 is not practicable.

Where its conditions are met (e.g. in the case of small braiding machines), ISO 3743-1 provides an alternative method which may be used.

## 5.2 Very large machines

See 5.2 of ISO 9902-1:2001 <sup>(A1)</sup>, as amended by ISO 9902-1:2001/Amd.1:2009. <sup>(A1)</sup> Very large machines are designated by the letter “L” in Table 1 of this part of ISO 9902.

## 6 Emission sound pressure level determination

### 6.1 International Standards required for basic measurements

See 6.1 of ISO 9902-1:2001.

The A-weighted emission sound pressure level,  $L_{pA}$ , shall be determined in accordance with one of the following:

- ISO 11201,
- ISO 11204, or
- ISO 11202, but only where use of ISO 11201 or 11204 is not practicable.

Where its conditions are met (e.g. in the case of small braiding machines with principally omnidirectional sound radiation) and the sound power level has already been determined, ISO 11203:1995 (6.2.3) provides an alternative method which may be used, providing the distance from the machine surface is 1 m.

### 6.2 Selection of work station and other specified positions


See 6.2 of ISO 9902-1:2001.

Two options, designated as d) and e)<sup>1)</sup>, are used to define a work station for yarn processing, cordage and rope manufacturing machinery. For each machine family, select the option indicated in Table 1.

- d) This option consists of several positions on a measurement line around the machine at a distance of 1 m from the surface of the machine and a height of 1,6 m above the floor or working platform. Where a centreline can be defined, both intersections between the centreline and the measurement line shall serve as measurement positions. In addition, sufficient further measurement positions equally spaced around the measurement line shall be used to ensure that the distance between any adjacent measurement positions does not exceed 2 m.
- e) This option consists of three measurement positions at a height of 1,6 m, as shown in Figure 1.

---

1) Continues the numeration begun in clause 4 of ISO 9902-1:2001.



A, B and C are the measurement positions.

For single-sided machines the measurements shall be made on the operating side. For double-sided machines, if the operating conditions for both sides are identical, the measurements shall be made on one side only; otherwise, they shall be made on both sides.

**Figure 1 — Option e)**

For both options,  $L_{pA}$  shall be calculated from the values measured at the defined positions (see 6.1 of ISO 9902-1:2001).

In areas where space is restricted, the measurement distance may be reduced to 0,5 m. In such cases, the distance shall be reported.

## 7 Installation and mounting conditions

See clause 7 of ISO 9902-1:2001.

## 8 Operating conditions

See clause 8 of ISO 9902-1:2001 and Table 1 of this part of ISO 9902.

## 9 Measurement uncertainties

See clause 9 of ISO 9902-1:2001.

## 10 Information to be recorded

See clause 10 of ISO 9902-1:2001.

## 11 Information to be reported

See clause 11 of ISO 9902-1:2001: the information required to be reported includes that contained in Table 1 of this part of ISO 9902.

## 12 Declaration and verification of noise emission values

See clause 12 of ISO 9902-1:2001  $\text{A}_1$ , as amended by ISO 9902-1:2001/Amd.1:2009.  $\text{A}_1$



Table 1 — Measurement conditions for yarn processing, cordage and rope manufacturing machinery

Machine family	Test object definition (see clause 4)			Very large machine L (5.2)	Work station (see 6.2)	Operating conditions (see ISO 9902-1:2001, clause 8)		
	Equipment included for the test if applicable	Equipment excluded from the test <sup>a</sup>	Machine configuration (see ISO 9902-1:2001, clause 4)			Design features to be reported	Prescribed parameters	Variable parameters
Doubling and twisting machines	—	remote creel travelling cleaning device	a)	L	e)	yarn running	spindle speed in revolutions per minute	yarn data delivery speed in metres per minute take-up traverse speed in cycles per minute turns per metre traveller speed in metres per second bobbin weight in kilograms

Table 1 (continued)

Machine family	Test object definition (see clause 4)		Very large machine L (5.2)	Work station (see 6.2)	Operating conditions (see ISO 9902-1:2001, clause 8)		
	Equipment included for the test if applicable	Equipment excluded from the test <sup>a</sup>			Machine configuration (see ISO 9902-1:2001, clause 4)	Design features to be reported	Prescribed parameters
Texturing machines	integrated fans	travelling service device remote creel	a)	e) for single position machines: mid-position in front of the machine 1,60 m height 1 m distance	without yarn (except air texturing machines) waste suction closed sliding doors closed, if applicable fume suction on	surface speed of the delivery rollers after the texturing device in metres per minute	mingling air device on/off air pressure, if appropriate yarn data, if appropriate for friction texturing: rotational speed of the friction device in revolutions per minute or surface speed in metres per minute for belt type draw ratio contraction set traverse stroke in millimetres traverse speed in cycles per minute speed of fans during the test in revolutions per minute

Table 1 (continued)

Machine family	Test object definition (see clause 4)			Very large machine L (5.2)	Work station (see 6.2)	Operating conditions (see ISO 9902-1:2001, clause 8)		
	Equipment included for the test if applicable	Equipment excluded from the test <sup>a</sup>	Machine configuration (see ISO 9902-1:2001, clause 4)			Design features to be reported	Prescribed parameters	Variable parameters
Reeling and winding machines	device for cop preparation and cop feed integrated fan	external means of bobbin transportation in case of compound machines without the spinning machine travelling cleaning device	a)	L for machines with a length of more than 7 m	e) for single position machines: mid-position in front of the machine 1,60 m height 1 m distance	yarn running package half-full	yarn speed in metres per minute	yarn data traverse speed in cycles per minute for automatic machines: average switch frequency in switches per minute splicer pressure in pascals speed of fan during the test in revolutions per minute
Ball winding machines	creel	—	a)	—	e)	yarn running	flyer speed in revolutions per minute	yarn data
Goods machines or spreaders, breakers	—	—	b) or c)	—	—	—	—	—
Draw frames and finisher for bast fibres	—	—	a)	—	in front of the machine at control panel 1,60 m height 1 m distance	maximum no of deliveries doubling 8 fold	delivery speed in metres per minute	drafting ratio

Table 1 (continued)

Machine family	Test object definition (see clause 4)			Very large machine L (5.2)	Work station (see 6.2)	Operating conditions (see ISO 9902-1:2001, clause 8)		
	Equipment included for the test if applicable	Equipment excluded from the test <sup>a</sup>	Machine configuration (see ISO 9902-1:2001, clause 4)			Design features to be reported	Prescribed parameters	Variable parameters
Combined stranding and closing machines	enclosure	—	a)	L	d)	without material	pretwister flyer speed in revolutions per minute	pretwister ratio take-up flyer speed in revolutions per minute
Strand-plaited rope machines	enclosure take-up unit	—	a)	L	d)	without material	bobbin carrier speed in revolutions per minute	—
Maypole braiding machines, horn gear diameter $d \leq 120$ mm and $120 < d \leq 180$ mm (according to ISO 11111)	—	—	a)	—	d)	without material <sup>b</sup>	machine speed in revolutions per minute	—
Maypole braiding machines, horn gear diameter $d > 180$ mm	enclosure	—	a)	L	d)	without material <sup>b</sup>	machine speed in revolutions per minute	—
Rotational braiding machine	enclosure	—	a)	—	d)	carrier bobbins half-full	rotor speed in revolutions per minute	material data bobbin weight in kilograms

<sup>a</sup> However, such equipment may be necessary for running the machine with material.

<sup>b</sup> The effect of carrier loading and material tension on noise emission is being investigated to determine whether these parameters need to be considered in the noise test code.



---

## **BSI - British Standards Institution**

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

### **Revisions**

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

### **Buying standards**

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001 Email: [orders@bsigroup.com](mailto:orders@bsigroup.com) You may also buy directly using a debit/credit card from the BSI Shop on the Website <http://www.bsigroup.com/shop>

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

### **Information on standards**

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact Information Centre. Tel: +44 (0)20 8996 7111 Fax: +44 (0)20 8996 7048 Email: [info@bsigroup.com](mailto:info@bsigroup.com)

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: +44 (0)20 8996 7002 Fax: +44 (0)20 8996 7001 Email: [membership@bsigroup.com](mailto:membership@bsigroup.com)

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsigroup.com/BSOL>

Further information about BSI is available on the BSI website at <http://www.bsigroup.com>

### **Copyright**

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright and Licensing Manager. Tel: +44 (0)20 8996 7070 Email: [copyright@bsigroup.com](mailto:copyright@bsigroup.com)