

BS EN ISO 10734:2016



BSI Standards Publication

Footwear — Test method for slide fasteners — Strength of slide fastener pullers (ISO 10734:2016)

National foreword

This British Standard is the UK implementation of EN ISO 10734:2016.

The UK participation in its preparation was entrusted to Technical Committee TCI/69, Footwear, leather and coated fabrics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.
Published by BSI Standards Limited 2016

ISBN 978 0 580 80864 7

ICS 61.060

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2016.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD

EN ISO 10734

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2016

ICS 61.060

English Version

Footwear - Test method for slide fasteners - Strength of slide fastener pullers (ISO 10734:2016)

Chaussures - Méthodes d'essai des fermetures à
glissière - Résistance des tirettes des fermetures à
glissière (ISO 10734:2016)

Schuhe - Prüfverfahren für Reißverschlüsse - Festigkeit
der Reißverschluss-Schiebergriffe (ISO 10734:2016)

This European Standard was approved by CEN on 15 April 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN ISO 10734:2016) has been prepared by Technical Committee CEN/TC 309 "Footwear", the secretariat of which is held by AENOR, in collaboration with Technical Committee ISO/TC 216 "Footwear".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2016, and conflicting national standards shall be withdrawn at the latest by November 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 10734:2016 has been approved by CEN as EN ISO 10734:2016 without any modification.

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	3
5 Apparatus and materials	3
5.1 Method 1 — Tension.....	3
5.2 Method 2 — Torsion.....	3
5.3 Minimum number of fasteners required.....	3
6 Procedure	4
6.1 Conditioning.....	4
6.2 Method 1 — Tension.....	4
6.3 Method 2 — Torsion.....	5
7 Test report	6

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

ISO 10734 was prepared by the European Committee Standardization (CEN) Technical Committee CEN/TC 309, *Footwear*, in collaboration with ISO Technical Committee TC 216, *Footwear*, in accordance with the agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Footwear — Test method for slide fasteners — Strength of slide fastener pullers

1 Scope

This International Standard specifies a test method intended to assess the strength of slide fastener pullers for footwear. The method is applicable to all types of footwear slide fastener.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7500-1, *Metallic materials — Calibration and verification of static uniaxial testing machines — Part 1: Tension/compression testing machines — Calibration and verification of the force-measuring system*

ISO 18454, *Footwear — Standard atmospheres for conditioning and testing of footwear and components for footwear*

ISO 19952, *Footwear — Vocabulary*

3 Terms and definitions


For the purposes of this document, the terms and definitions given in ISO 19952 and the following apply.

3.1

slide fastener

means of securing two flexible materials consisting of interlockable teeth each attached to one of the opposing edges of two *tapes* (3.2) and movable slider that spans the interlocking teeth which when moved in one direction causes the *teeth* (3.5) of one tape to interlock with the teeth of the other tape

Note 1 to entry: When the *slider* (3.3) is moved in the opposite direction, it causes the teeth to disengage (see [Figure 1](#)).



Key

- | | | | |
|---|----------|---|-------------|
| 1 | top stop | 4 | puller |
| 2 | teeth | 5 | tape |
| 3 | slider | 6 | bottom stop |

Figure 1 — Slide fastener

3.2

tape

fabric panels to support other *teeth* (3.5) of the *slide fastener* (3.1)

3.3

slider

means of drawing the two interlocking teeth together or apart as it traverses the length of the *teeth* (3.5)

3.4

puller

piece of plastic or metal attached to the *slider* (3.3) as a means of manual grip for the user to operate

3.5

teeth

individual component of the *slide fastener* (3.1) or continuous plastic spiral which interlocks with an opposing element

3.6

end stop

top stop

terminal components of the *teeth* (3.5) to prevent the *slider* (3.3) from disengaging from the teeth and *tape* (3.2)

3.7

stringer

textile tape with an attached row of *teeth* (3.5) designed to interact with a row attached to another *tape* (3.2)

4 Principle

The slider and puller of a test fastener are clamped so that the puller is perpendicular to the slider body. This International Standard describes the following methods:

Method 1: Tension — The force required to pull the puller from the slider in a direction parallel to the longitudinal centre line of the puller is measured;

Method 2: Torsion — The torque required to twist the puller from the slider about the longitudinal centre line of the puller is measured.

5 Apparatus and materials

5.1 Method 1 — Tension

A **tensile testing machine** with the following characteristics shall be used.

5.1.1 A jaw separation rate of (100 ± 10) mm/min.

5.1.2 The capability of measuring forces up to 1 kN to an accuracy of 2 % as specified by Class 2 in ISO 7500-1.

5.1.3 A means of recording either the force at all times during the test or the maximum force.

5.1.4 A jig, in one jaw, for holding the test fastener slider. A flat plate of thickness at least 1 mm, which fits between the slider and the puller and has a tapered slot to engage the slider body, is suitable. An arm attached to the plate is clamped into the jaw [see [Figure 2 a](#)].

5.1.5 A device, fixed in the other jaw, for clamping the puller of the test fastener. A small rigid hook is suitable for pullers with a hole.

5.2 Method 2 — Torsion

A **test device** [see [Figure 2 b](#)] with the following characteristics shall be used.

5.2.1 A pair of clamps, one capable of holding the test fastener slider and the other capable of gripping the puller so that it is perpendicular to the slider.

5.2.2 A method of rotating the two clamps ([5.2.1](#)) relative to one another at a rate of (9 ± 3) degree per second ($^{\circ}/s$).

5.2.3 The capability of measuring the torque between the two clamps to the nearest 0,5 Nm.

5.2.4 Protractor capable of measuring angles of twist to the nearest 1° .

5.3 Minimum number of fasteners required

The minimum number of fasteners required for each version of the test are the following:

- Method 1 - Three;
- Method 2 - Six.

6 Procedure

6.1 Conditioning

The samples should be conditioned for at least 24 h according to ISO 18454 before the test is carried out and the test should be carried out in this environment.

6.2 Method 1 — Tension


6.2.1 Remove the slider from the stringers of the test fastener. Clamp the main body of the slider in the jig (5.1.4) so that it is at 90° to the axis of the tensile testing machine (5.1).

6.2.2 Attach the puller of the test fastener to the device (5.1.5) so that it is parallel to the axis of the tensile testing machine (5.1). Try to grip the puller in such a way that the device (5.1.5) will not cause an unnatural failure of the puller during the test. For example, if using a hook with a two hole puller which looks weak around its top hole, insert the hook through the bottom hole in the puller where it is fixed to the slider body.

6.2.3 Operate the tensile testing machine with a jaw separation rate of (100 ± 10) mm/min until either the puller breaks or pulls off the slider.

6.2.4 Record the maximum force obtained in newtons to the nearest 5 N and the type of failure such as the following:

- slider broke at the point of attachment to the puller;
- puller broke at the point of attachment to the slider;
- slider broke at a point away from the attachment to the puller;
- puller broke at a point away from the attachment to the slider.



Key

- | | | | |
|---|---------------|---|------------------------|
| 1 | hook (5.1.5) | 5 | axis of tensile tester |
| 2 | puller | 6 | axis of rotation |
| 3 | slider | 7 | clamp (5.2.1) |
| 4 | plate (5.1.4) | | |

Figure 2 — Test device

6.2.5 If the puller failed at the point of contact with the device (5.1.5), or it appears that the device contributed to the failure, then ignore this result and repeat the test with a fresh fastener.

6.2.6 Repeat the procedure in 6.2.1 to 6.2.5 with the other two test fasteners.

6.2.7 Calculate the arithmetic mean of the three maximum forces (6.2.4).

6.3 Method 2 — Torsion

6.3.1 Remove the slider from the stringers of the test fastener. Clamp the slider in one of the clamps (5.2.1) and the puller in the other, so that the puller is perpendicular to the slider and the longitudinal centre line of the puller is aligned with the axis of rotation between the two clamps [see Figure 2 b)].

6.3.2 Operate the testing device (5.2) so that the two jaws rotate relative to each other in a clockwise direction, when looking from the puller side of the slider, at a rate of (9 ± 3) degree per second ($^{\circ}/s$) until either

- the puller breaks or twists off the slider, or

— the jaws have rotated through a total of 180°.

6.3.3 Record the maximum torque in Nm to the nearest 0,5 Nm and the type of failure such as the following:

- slider broke at the point of attachment to the puller;
- puller broke at the point of attachment to the slider;
- slider broke at a point away from the attachment to the puller;
- puller broke at a point away from the attachment to the slider;
- puller twisted, but did not break.

6.3.4 If the puller is permanently twisted, estimate the amount of twist to the nearest 5° using the protractor (5.2.4).

6.3.5 Repeat the procedure in 6.3.1 to 6.3.4 for another two test fasteners.

6.3.6 Calculate the arithmetic mean of the three maximum torques (6.3.3).

6.3.7 Repeat the procedure in 6.3.1 to 6.3.6 for another three test fasteners, this time rotating the clamps (5.2.1) in an anticlockwise direction.

7 Test report

The test report shall include the following information:

- a) a reference to this International Standard, i.e ISO 10734;
- b) a full description of the samples tested;
- c) the date of testing;
- d) the version of the test used: either method 1 or method 2;
 - method 1 — the arithmetic mean maximum force as calculated in 6.2.7;
 - method 2 — the arithmetic mean maximum torque for each direction of rotation as calculated in 6.3.6;
- e) a description of the type(s) of failure;
- f) any deviations from this test method.

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK