BS EN ISO 16119-1:2013

BSI Standards Publication

Agricultural and forestry machinery - Environmental requirements for sprayers

Part 1: General (ISO 16119-1:2013)

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN ISO 16119-1:2013. It supersedes BS EN 12761-1:2001 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee AGE/15, Equipment for crop protection and application of liquid fertilizer.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Published by BSI Standards Limited 2013

ISBN 978 0 580 72832 7

ICS 65.060.40

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2013.

Amendments issued since publication

Date	Text affected

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 16119-1

March 2013

ICS 65.060.40

Supersedes EN 12761-1:2001

English Version

Agricultural and forestry machinery - Environmental requirements for sprayers - Part 1: General (ISO 16119-1:2013)

Matériel agricole et forestier - Exigences environnementales pour les pulvérisateurs - Partie 1: Généralités (ISO 16119-1:2013)

Land- und Forstmaschinen - Pflanzenschutzgeräte zum Ausbringen von Pflanzenschutzmitteln und flüssigen Düngemitteln - Umweltschutz - Teil 1: Allgemeines (ISO 16119-1:2013)

This European Standard was approved by CEN on 5 January 2013.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 16119-1:2013) has been prepared by Technical Committee CEN/TC 144 “Tractors and machinery for agriculture and forestry", the secretariat of which is held by AFNOR, in collaboration with Technical Committee ISO/TC 23 "Tractors and machinery for agriculture and forestry".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2013, and conflicting national standards shall be withdrawn at the latest by September 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12761-1:2001.

The following major changes were introduced:

— extension of the scope;

— updating of the normative references;

— revision of the definitions;

— addition of requirements on losses, indication of pesticide in use, filling, cleaning and servicing;

— modification and addition of new instructions;

addition of Annexes A and ZA.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Annex ZA
(informative)

Relationship between this European Standard and the Essential Requirements of EC Directive 2009/127/EC amending 2006/42/EC

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 2009/127/EC amending 2006/42/EC.

Once this standard is cited in the Official Journal of the European Union under that Directive and has been implemented as a national standard in at least one Member State, compliance with the normative clauses of this standard confers, within the limits of the scope of this standard, a presumption of conformity with the relevant Essential Requirements of that Directive and associated EFTA regulations.

WARNING — Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

NOTE Unless used with a specific part of ISO 16119, this part of ISO 16119 does not give presumption of conformity.

Contents

Page

Foreword ..... **iv**
Introduction ..... **v**
1 Scope **1**
2 Normative references **1**
3 Terms and definitions **1**
4 Requirements **1**
4.1 General 1
4.2 Inspections 2
4.3 Adjustment of the volume application rate 2
4.4 Distribution and deposition 2
4.5 Losses 2
4.6 Indication of pesticide in use 2
4.7 Filling 2
4.8 Emptying, cleaning and service 3
5 Marking **3**
5.1 General 3
5.2 Nozzles 3
5.3 Filters 3
6 Instruction handbook **3**
Annex A (informative) **Parts of ISO 16119 dealing with specific sprayer types** **5**
Bibliography **7**

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16119-1 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 144, *Tractors and machinery for agriculture and forestry*, in collaboration with ISO Technical Committee TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 6, *Equipment for crop protection*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 16119 consists of the following parts, under the general title *Agricultural and forestry machinery — Environmental requirements for sprayers*:

— *Part 1: General*

— *Part 2: Horizontal boom sprayers*

— *Part 3: Sprayers for bush and tree crops*

— *Part 4: Fixed and semi-mobile sprayers*

Other parts are planned (see Annex A).

Introduction

It is important that biological, ecological and economic considerations are taken into account when carrying out plant protection by spraying. For this, a comprehensive knowledge of liquids for spraying — including the limitations of their use — and suitable sprayers are necessary.

ISO 16119 gives the minimum requirements for sprayers, with particular emphasis on minimizing environmental damage, focusing on

— the deposition of liquid on the target and distribution,

— a minimization of the unintentional spreading of plant protection products into the surrounding environment, and

— an improvement in the use and operation of plant protection equipment.

INTERNATIONAL STANDARD ISO 16119-1:2013(E)

Agricultural and forestry machinery — Environmental requirements for sprayers —

Part 1: General

1 Scope

This part of ISO 16119 specifies general requirements for the design and performance of sprayers, as defined in ISO 5681, with regard to minimizing the potential risk of environmental contamination during use, including misuse foreseeable by the manufacturer. It also specifies the requirements for identification of the sprayer and certain of its components, and the minimum content of the instruction handbook.

It is intended to be used with each of the other parts of ISO 16119, which give requirements specific to particular types of sprayers (see Annex A). This part of ISO 16119 is applicable to all types of sprayers used in agriculture, horticulture, forestry and other areas, except knapsack sprayers. It does not cover safety aspects (see ISO 4254-6).

NOTE Knapsack sprayers are covered by ISO 19932, which deals with safety as well as environmental aspects.

This part of ISO 16119 is not applicable to sprayers manufactured before the date of its publication.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4254-6:2009, *Agricultural machinery — Safety — Part 6: Sprayers and liquid fertilizer distributors*

ISO 5681:1992, *Equipment for crop protection — Vocabulary*

ISO 10625, *Equipment for crop protection — Sprayer nozzles — Colour coding for identification*

ISO 19732:2007, *Equipment for crop protection — Sprayer filters — Colour coding for identification*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5681 apply.

4 Requirements

4.1 General

Sprayers and their components shall be reliable and so designed that they can be used in accordance with their intended use as described in the instruction handbook, in order to minimize the potential risk of environmental contamination.

They shall be designed so that they can be operated safely, with adequate control of the processes carried out. It shall be possible to stop the application of pesticide immediately from the operator's position.

4.2 Inspections

It shall be possible to connect the necessary measuring instruments to the sprayer to check its correct functioning, e.g. by providing adapters for the connection of test instruments.

4.3 Adjustment of the volume application rate

The adjustment of the volume application rate shall be easy, accurate and repeatable. Adjusting and controlling the intended rate requires

a) means of calibration of the equipment,

b) means of adjustment and control of the volume application rate,

c) adequate and accurate measuring systems,

d) readability of instruments, and

e) instructions for adjusting the volume application rate (see Clause 6).

4.4 Distribution and deposition

Sprayers shall be designed so that a suitable distribution and deposition can be achieved. This shall be characterized, when appropriate, by

a) evenness in concentration of the spray liquid,

b) evenness in flow rate to the means of distribution,

c) evenness in distribution across to the driving direction (transversal distribution),

d) evenness in distribution in the driving direction (longitudinal distribution),

e) evenness in distribution in the vertical direction (vertical distribution), and

f) minimizing losses to non-target areas (see 4.5).

4.5 Losses

The sprayer shall be designed and constructed so as to minimize losses of plant protection products during application and after the application function has been switched off.

4.6 Indication of pesticide in use

Where appropriate, the sprayer shall be fitted with a specific mounting on which the operator can place the name of the plant protection products in use. See Clause 6.

4.7 Filling

The sprayer shall be designed to allow filling with the necessary quantity of plant protection products and water such that

— unintentional dispersal of liquid, and

— contamination of the water source

are avoided.

Filling levels and limits shall be visible. There shall be sufficient difference between the nominal and total volume to prevent overfilling and discharge to the environment.

4.8 Emptying, cleaning and service

The sprayer shall be designed and constructed to allow its complete emptying and easy and thorough cleaning without contaminating the environment.

The sprayer shall be designed and constructed to facilitate the changing of worn parts without contaminating the environment.

5 Marking

5.1 General

In addition to the marking required by ISO 4254-6:2009, 7.2, nozzles (5.2) and filters (5.3) shall be marked. This marking shall be explained in the instruction handbook.

5.2 Nozzles

Nozzles shall be marked in such a way they can be identified. That identification shall include

— the manufacturer's name or sign,

— type, and

— size, identified by a sign and a colour code complying with ISO 10625 or by a specific sign on the nozzle and with corresponding information in the instruction handbook.

5.3 Filters

Filters shall be marked such that they can be identified. This identification shall include the mesh size indicated by a sign and a colour code complying with ISO 19732 or by a specific sign on the filter and corresponding information given in the instruction handbook.

6 Instruction handbook

The manufacturer/supplier of the sprayer shall supply an instruction handbook with the sprayer. In addition to the instructions and information required by ISO 4254-6:2009, 7.1, the instruction handbook shall, at least, provide the following information:

a) necessary preparations for different conditions of use;

b) conditions of use and appropriate adjustment of the sprayer;

c) procedures for checking the volume application rate;

d) recommended procedure and intervals (e.g. time units, sprayed area or sprayed volume) for checking the sprayer by the user (e.g. pump, transmission, filters, hoses, joints);

e) the criteria and method for the replacement of parts subject to wear that affect the correct functioning of the equipment, e.g. nozzles, filters;

f) the need to ensure that the correct filters, complying with the nozzle manufacturer's recommendations, are used with replacement nozzles;

g) indication that national or regional laws may require regular inspection of the sprayers in use;

h) operating limits of the sprayer, e.g. maximum operating speed, pressure and minimum/maximum flow rate;

i) additional equipment or attachments for the sprayer according to the intended use;

j) possibilities of connecting to other equipment and the necessary precautions;

k) the range of types and sizes of nozzles, strainers and filters that can be used;

l) regarding the health and safety instructions, the need to follow the recommendations given by the pesticide manufacturers on the label of the product;

m) regarding the application, the need to take into account the recommendations provided on the label of the product, as well as any other relevant documentation, e.g. local and/or national regulations or code of practice;

n) restriction on the use of plant protection products that may cause incorrect functioning of the sprayer;

o) use of any devices provided and the precautions to be taken during mixing and filling to avoid contamination of the environment;

p) how to use the specific mounting, if provided, on which the operator can place the name of the plant protection products in use;

q) minimizing drift and other off-target deposition, taking into account different parameters such as nozzles, pressure, boom height, wind speed and operating speed;

r) adequate procedures for emptying and cleaning;

s) the volume of total residual.

Annex A
(informative)

Parts of ISO 16119 dealing with specific sprayer types

Table A.1 sets out the subject of each of the other parts of ISO 16119.

Table A.1 — Parts of ISO 16119 dealing with specific sprayer types

Criteria	Part 2	Part 3	Part 4[a]	Subject of a future part of ISO 16119			
	Horizontal boom sprayers	Sprayers for bush and tree crops	Fixed and semi-mobile sprayers	Portable[b] sprayers	Foggers	Train-mounted sprayers	Aerial sprayers
Types of sprayers/driving power							
Tractor-mounted	X	X			X		
Tractor-trailed	X	X			X		
Self-propelled	X	X			X		
Truck/all-terrain vehicle	X	X			X		
Quad-mounted	X	X			X		
Quad-trailed	X	X			X		
Aerial-mounted							X
Train-mounted						X	
Semi-mobile (stationary unit + moving part, e.g. for greenhouses)			X		X		
Carried by the sprayer operator				X	X		
Trailed by the sprayer operator	X	X					
Animal-mounted							
Animal-trailed							
Type of outlet							
Boom horizontal	X		X	X		X	X
Boom vertical		X	X	X		X	
Boom circular		X					
Gun and lance	X	X	X	X	X		
Canon		X	X	X	X		
Droplet production							
Pneumatic	X	X	X	X			
Centrifugal	X	X	X	X			X
Hydraulic nozzle	X	X	X	X	X	X	X

[a] Under preparation.

[b] Except knapsack sprayers (see ISO 19932).

Table A.1 *(continued)*

Criteria	Part 2	Part 3	Part 4[a]	Subject of a future part of ISO 16119			
	Horizontal boom sprayers	**Sprayers for bush and tree crops**	**Fixed and semi-mobile sprayers**	**Portable[b] sprayers**	**Foggers**	**Train-mounted sprayers**	**Aerial sprayers**
Thermal			X		X		
Ultrasonic							
Transportation							
Non-assisted	X	X	X	X	X	X	X
Air-assisted	X	X	X	X			
Electrostatic	X	X					X
Form of application							
Liquid droplets	X	X	X	X	X	X	X
Liquid contact							
Solid							
Gas							
Injection							
Indirect	X	X	X	X	X	X	X
Direct (specific sprayer)	X	X	X			X	
Direct (additional device on conventional sprayer)	X	X	X			X	
No injection (pure liquid)	X			X			
Tunnel							
Without recycling	X	X	X				
With recycling		X	X				
Application targeting							
Full spraying	X	X	X		X	X	X
Localized without sensors (e.g. band sprayers)	X	X	X				
Targeted spraying with sensors	X	X					
Target							
Field crop and low plants (including weed control and non-ag. applications)	X		X		X	X	X
Bush		X	X		X		X
Trees		X			X		X

[a] Under preparation.

[b] Except knapsack sprayers (see ISO 19932).

Bibliography

[1] ISO 16119-2, *Agricultural and forestry machinery — Environmental requirements for sprayers — Part 2: Horizontal boom sprayers*

[2] ISO 16119-3, *Agricultural and forestry machinery — Environmental requirements for sprayers — Part 3: Sprayers for bush and tree crops*

[3] ISO 19932-1, *Equipment for crop protection — Knapsack sprayers — Part 1: Safety and environmental requirements*

[4] ISO 19932-2, *Equipment for crop protection — Knapsack sprayers — Part 2: Test methods*

This page deliberately left blank

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

Useful Contacts:

Customer Services
Tel: +44 845 086 9001
Email (orders): orders@bsigroup.com
Email (enquiries): cservices@bsigroup.com

Subscriptions
Tel: +44 845 086 9001
Email: subscriptions@bsigroup.com

Knowledge Centre
Tel: +44 20 8996 7004
Email: knowledgecentre@bsigroup.com

Copyright & Licensing
Tel: +44 20 8996 7070
Email: copyright@bsigroup.com

bsi.

...making excellence a habit.™