

BS EN ISO 16946:2017



BSI Standards Publication

**Non-destructive testing
— Ultrasonic testing —
Specification for step wedge
calibration block (ISO
16946:2017)**

National foreword

This British Standard is the UK implementation of EN ISO 16946:2017. It supersedes BS EN ISO 16946:2015 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee WEE/46, Non-destructive testing.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017.
Published by BSI Standards Limited 2017

ISBN 978 0 580 94950 0

ICS 19.100

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2017.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD

EN ISO 16946

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2017

ICS 19.100

Supersedes EN ISO 16946:2015

English Version

Non-destructive testing - Ultrasonic testing - Specification for step wedge calibration block (ISO 16946:2017)

Essais non destructifs - Essais par ultrasons -
Spécifications relatives aux blocs d'étalonnage à
gradins (ISO 16946:2017)

Zerstörungsfreie Prüfung - Ultraschallprüfung -
Beschreibung des Stufenkeil-Kalibrierkörpers (ISO
16946:2017)

This European Standard was approved by CEN on 5 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN ISO 16946:2017) has been prepared by Technical Committee ISO/TC 135 “Non-destructive testing” in collaboration with Technical Committee CEN/TC 138 “Non-destructive testing” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2017, and conflicting national standards shall be withdrawn at the latest by September 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 16946:2015.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 16946:2017 has been approved by CEN as EN ISO 16946:2017 without any modification.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Dimensions	1
5 Alternative dimensions	2
6 Material	2
7 Preparation	2
8 Marking	3
9 Declaration of conformity	3
Bibliography	4

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html

This document was prepared by Technical Committee ISO/TC 135, *Non-destructive testing*, Subcommittee SC 3, *Ultrasonic testing*.

This second edition cancels and replaces the first edition (ISO 16946:2015), of which it constitutes a minor revision with the following changes:

- a) the normative references have been updated;
- b) [Figure 1](#) has been updated in respect of the tolerances for length and width.

Introduction

A step wedge calibration block is not meant to check an ultrasonic instrument. A step wedge calibration block makes it possible, during practical testing, to check simply, from time to time, the setting of the time base and the sensitivity of the ultrasonic equipment.

Calibration block No. 1 is specified in ISO 2400.

Calibration block No. 2 is specified in ISO 7963.

Requests for official interpretations of any aspect of this document are to be directed to the Secretariat of ISO/TC 135/SC 3 via your national standards body, a complete listing of which can be found at www.iso.org.

Non-destructive testing — Ultrasonic testing — Specification for step wedge calibration block

1 Scope

This document specifies the dimensions, material, and manufacture of a step wedge steel block for the calibration of ultrasonic instruments.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5577, *Non-destructive testing — Ultrasonic inspection — Vocabulary*

EN 1330-4, *Non-destructive testing — Terminology — Part 4: Terms used in ultrasonic testing*

EN 10025-2, *Hot rolled products of structural steels — Part 2: Technical delivery conditions for non-alloy structural steels*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5577 and EN 1330-4 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:


- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Dimensions

The dimensions of the block are given in [Figure 1](#).

The tolerances are $\pm 0,1$ mm for the length and the width of the block and $-0,02$ mm for the step thickness.

All external surfaces shall be machined to an Ra value not greater than $0,8 \mu\text{m}$.



Key

- 1 manufacturer's trademark
- 2 International Standard number, serial number

Figure 1 — Step wedge calibration block

5 Alternative dimensions

In the event of a different size of calibration block being required which is not described in this document, the principles embodied in the design and manufacture of a calibration block to the requirements of this document shall be applied to such a block.

The tolerances are $\pm 0,1$ mm for the length and the width of the block and $-0,02$ mm for the step thickness up to 12,5 mm and $-0,1$ mm for larger thickness.

6 Material

The calibration block shall be made from steel of grade S355J0 in accordance with EN 10025-2 or from an equivalent steel grade.

7 Preparation

Blocks shall be rough-machined to a plan parallel plate which is at least 3 mm larger at all sides than the dimensions of the finalized step block.

In order to obtain a fine grain structure and good homogeneity, the block shall be heat treated as follows:

- a) maintain at 920 °C for 30 min;
- b) rapid cooling (quenching) in water;
- c) tempering by heating to 650 °C for at least 3 h;
- d) cooling in still air.

After heat treatment, at least 2 mm shall be removed from all surfaces.

Prior to final machining, the block shall undergo ultrasonic testing to prove that the block is free from internal discontinuities.

For this purpose, an ultrasonic test shall be performed with a longitudinal wave normal-beam probe of at least 10 MHz nominal centre frequency and having a transducer size of 10 mm to 15 mm. The block shall be checked from at least two long surfaces to cover the complete volume. The following two acceptance criteria apply:

- 1) with the probe scanning as shown in [Figure 2](#), the noise level produced by the grain structure shall always be at least 50 dB lower than the amplitude of the fourth back wall echo;
- 2) no echo arising from any discontinuity in the material shall have an amplitude greater than the grain scatter noise level.




Figure 2 — Scan pattern

The velocity of longitudinal waves shall be verified as being $5\,920\text{ m/s} \pm 30\text{ m/s}$.

8 Marking

The block shall be permanently marked with

- a) the manufacturer's trademark,
- b) the number of this document, i.e. ISO 16946, and
- c) a unique serial number.

9 Declaration of conformity

For each block, a declaration shall be issued by the manufacturer stating

- a) that the block complies with this document, and
- b) the mean value of the measured longitudinal wave velocities, v_l .

Bibliography

- [1] ISO 2400, *Non-destructive testing — Ultrasonic testing — Specification for calibration block No. 1*
- [2] ISO 4287, *Geometrical Product Specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters*
- [3] ISO 7963, *Non-destructive testing — Ultrasonic testing — Specification for calibration block No. 2*
- [4] ISO 16809, *Non-destructive testing — Ultrasonic thickness measurement*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK