

BS EN ISO 17502:2013



BSI Standards Publication

Leather — Determination of surface reflectance

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

raising standards worldwide™



National foreword

This British Standard is the UK implementation of EN ISO 17502:2013.

The UK participation in its preparation was entrusted to Technical Committee TCI/69, Footwear, leather and coated fabrics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 77302 0

ICS 59.140.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2013.

Amendments issued since publication

Date	Text affected
------	---------------

ICS 59.140.30

English Version

Leather - Determination of surface reflectance (ISO 17502:2013)Cuir - Détermination du facteur de réflexion en surface (ISO
17502:2013)Leder - Bestimmung der Oberflächenreflexion (ISO
17502:2012)

This European Standard was approved by CEN on 25 April 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 17502:2013) has been prepared by IULTCS "International Union of Leather Technologists and Chemists Societies" in collaboration with Technical Committee CEN/TC 289 "Leather" the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2013, and conflicting national standards shall be withdrawn at the latest by November 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 17502:2013 has been approved by CEN as EN ISO 17502:2013 without any modification.

Contents

	Page
Foreword	iv
1 Scope	1
2 Terms and definitions	1
3 Principle	1
4 Apparatus and materials	1
5 Test specimens	1
6 Procedure	2
7 Test report	4
Annex A (informative) Precision	5
Annex B (informative) Apparatus and materials	6

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 17502 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 289, *Leather*, in collaboration with the Fastness Tests Commission of the International Union of Leather Technologists and Chemists Societies (IUF Commission, IULTCS), in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

IULTCS, originally formed in 1897, is a worldwide organization of professional leather societies to further the advancement of leather science and technology. IULTCS has three Commissions, which are responsible for establishing international methods for the sampling and testing of leather. ISO recognizes IULTCS as an international standardizing body for the preparation of test methods for leather.

Leather — Determination of surface reflectance

1 Scope

This International Standard specifies a method for determining the reflectance properties of a leather surface for visible and near infrared radiation. The reflection value in the near infrared determines if a leather may be classified as solar reflective.

The method is applicable to all types of leather, in particular for coloured leather.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

solar reflective leather

leather that reflects at least 55 % of the radiation when the diffuse reflectance of the surface is measured at 900 nm

3 Principle

The reflective properties of leathers exposed to solar radiation, especially automotive, motorcycle and shoe leather, have an influence on the comfort of the user. Leathers with good near infrared reflective characteristics have a lower temperature when exposed to direct solar radiation.

The solar reflective properties of leather may be determined by measuring the diffuse reflectance with an Ulbricht integrating sphere in the near infrared wavelength range of 700 nm to 1 100 nm. If the measured % reflection at 900 nm is 55 % or higher, then the leather is classified as solar reflective.

4 Apparatus and materials

4.1 Spectrophotometer, capable of measuring the diffuse reflection at 900 nm wavelength. A suitable spectrophotometer is one with an Ulbricht integrating sphere with a 90° and 8° geometry for the spectrophotometer and light ports, respectively, as well as a suitable light source and detector for determining the diffuse reflectance of the leather surface.

Spectrophotometer systems with fibre-optic cables to link the light source, integrating sphere and spectrophotometer, as well as suitable software to measure the % reflection at specific wavelengths and to record the reflectance spectrum over the visible and near infrared wavelengths, 400 nm to 1 100 nm, are recommended.

NOTE An example of a suitable spectrophotometer system is given in [Annex B](#).

4.2 White diffuse reflectance standard, a white reference material with > 98 % reflection in the wavelength range 250 nm to 1 500 nm, for calibrating the integrating sphere spectrophotometer.

NOTE An example of a suitable standard is given in [Annex B](#).

5 Test specimens

A dry leather specimen, measuring approximately 300 mm × 200 mm.

6 Procedure

6.1 Check that the spectrophotometer system (4.1) is set up to measure reflectance. Check that in the wavelength range 400 nm to 1 100 nm the white and black references are reading 100 % and 0 %, respectively. If necessary, re-set the spectrophotometer calibration so that the references have these reflectance values.

It is important for accurate reflectance measurements that the spectrophotometer calibration is checked each time it is started or if the last measurement was more than one hour before. The white reference tile (4.2) is used to set the 100 % reflectance limit. The 0 % reflectance limit is set by the black reference, which is made by either completely blocking the light source at the lamp or switching the light source off.

6.2 Place the test specimen on a flat surface with the surface to be tested uppermost.

NOTE Normally, the surface tested is the outer surface exposed to solar radiation. For finish coated leathers with a low reflectance value, it may be useful to determine if the uncoated side also has a low reflectance. This indicates if the pigments in the coating or dyes in the leather are responsible for the low reflectance.


6.3 To measure the reflectance, place the integrating sphere flat on the surface of the leather sample. Check that the sphere opening is flat on the sample and no stray light may enter. Record the % reflectance value at 900 nm (to the nearest 1 %).

6.4 Repeat the reflectance measurement (6.3) at least three times in different locations on the test specimen. Record the average % reflectance value at 900 nm in the test report (to the nearest 1 %).

If the variation in % reflectance value is more than 10 %, then this should be noted on the test report.

NOTE Variations in % reflectance can be caused by non-uniform application of dyes and pigments or by the use of absorbing components on the leather surface prior to the finish coat application.


If required, the reflectance spectrum in the visible and near infrared wavelengths may be recorded, as shown in [Figure 1](#) and [Figure 2](#).



Key

- X Wavelength, in nm
- Y % reflectance

Figure 1 — Spectrum of a black leather with solar reflective properties



Key

- X Wavelength, in nm
- Y % reflectance

Figure 2 — Spectrum of a black leather without solar reflective properties

7 Test report

The test report shall include the following information:

- a) a reference to this International Standard, i.e. ISO 17502;
- b) a description of the type of leather and which surface has been tested;
- c) the % reflectance value at 900 nm (to the nearest 1 %) and if the specimen tested may be classified as solar reflective;
- d) details of any deviations from the procedure specified;
- e) the date of the test.

Annex A **(informative)**

Precision

At the 55 % reflectance level, the measurement precision at 95 % confidence is:

- repeat measurements ± 2 in the % reflectance value;
- between laboratory measurements ± 4 in the % reflectance value.

Annex B (informative)

Apparatus and materials

B.1 General

Examples of suitable products are given below. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of these products.

B.2 Spectrophotometer

A suitable spectrophotometer system (4.1) may be obtained using the compact, “user-configured” type of equipment available from scientific suppliers of spectrophotometers. Components for a suitable system are:

- Ulbricht integrating sphere, diameter 30 mm, port diameter 6 mm;
- halogen light source for the 360 nm to 1 700 nm range;
- visible – near infrared spectrophotometer for the 400 nm to 1 100 nm range;
- optical fibre cables (400 µm core diameter), suitable for near infrared light transmission, to link the light source, integrating sphere and spectrophotometer;
- white reference tile;
- spectrophotometer operating software and computer.

Other spectrophotometers may be used, provided that they are capable of measuring the diffuse reflection of a surface in the near infrared and in particular at 900 nm.

B.3 White diffuse reflectance standard

Any white diffuse reflectance standard (4.2) may be used, provided that it complies with the specification of being more than 98 % reflective from 250 nm to 1 500 nm. Typically, the standard will be encased in a metal housing to protect the surface from damage.

A suitable white diffuse reflectance standard may be obtained from scientific suppliers of spectrophotometers.

British Standards Institution (BSI)

BSI is the independent national body responsible for preparing British Standards and other standards-related publications, information and services. It presents the UK view on standards in Europe and at the international level.

BSI is incorporated by Royal Charter. British Standards and other standardisation products are published by BSI Standards Limited.

Revisions

British Standards and PASs are periodically updated by amendment or revision. Users of British Standards and PASs should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using British Standards would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Similar for PASs, please notify BSI Customer Services.

Tel: +44 (0)20 8996 9001 Fax: +44 (0)20 8996 7001

BSI offers BSI Subscribing Members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of British Standards and PASs.

Tel: +44 (0)20 8996 7669 Fax: +44 (0)20 8996 7001

Email: plus@bsigroup.com

Buying standards

You may buy PDF and hard copy versions of standards directly using a credit card from the BSI Shop on the website www.bsigroup.com/shop. In addition all orders for BSI, international and foreign standards publications can be addressed to BSI Customer Services.

Tel: +44 (0)20 8996 9001 Fax: +44 (0)20 8996 7001

Email: orders@bsigroup.com

In response to orders for international standards, BSI will supply the British Standard implementation of the relevant international standard, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Knowledge Centre.

Tel: +44 (0)20 8996 7004 Fax: +44 (0)20 8996 7005

Email: knowledgecentre@bsigroup.com

BSI Subscribing Members are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.

Tel: +44 (0)20 8996 7002 Fax: +44 (0)20 8996 7001

Email: membership@bsigroup.com

Information regarding online access to British Standards and PASs via British Standards Online can be found at www.bsigroup.com/BSOL

Further information about British Standards is available on the BSI website at www.bsi-group.com/standards

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that own copyright in the information used (such as the international standardisation bodies) has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained. Details and advice can be obtained from the Copyright & Licensing Department.

Tel: +44 (0)20 8996 7070

Email: copyright@bsigroup.com

BSI

389 Chiswick High Road London W4 4AL UK

Tel +44 (0)20 8996 9001

Fax +44 (0)20 8996 7001

www.bsigroup.com/standards