

BS EN ISO 25239-2:2011



BSI Standards Publication

Friction stir welding — Aluminium

Part 2: Design of weld joints (ISO
25239-2:2011)

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN ISO 25239-2:2011.

The UK participation in its preparation was entrusted to Technical Committee WEE/41, Friction welding.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012

ISBN 978 0 580 60293 1

ICS 25.160.10; 25.160.40

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2012.

Amendments issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD

EN ISO 25239-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2011

ICS 25.160.10; 25.160.40

English Version

Friction stir welding - Aluminium - Part 2: Design of weld joints (ISO 25239-2:2011)

Soudage par friction-malaxage - Aluminium - Partie 2:
Conception des assemblages soudés (ISO 25239-2:2011)

Rührreißschweißen - Aluminium - Teil 2: Ausführung der
Schweißverbindungen (ISO 25239-2:2011)

This European Standard was approved by CEN on 4 June 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 25239-2:2011) has been prepared by the International Institute of Welding in collaboration with Technical Committee CEN/TC 121 "Welding" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2012, and conflicting national standards shall be withdrawn at the latest by June 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 25239-2:2011 has been approved by CEN as a EN ISO 25239-2:2011 without any modification.

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Design requirements	1
4.1 Documentation	1
4.2 Joint design	2
4.3 Additional information	5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 25239-2 was prepared by the International Institute of Welding, which has been approved as an international standardizing body in the field of welding by the ISO Council.

ISO 25239 consists of the following parts, under the general title *Friction stir welding — Aluminium*:

- *Part 1: Vocabulary*
- *Part 2: Design of weld joints*
- *Part 3: Qualification of welding operators*
- *Part 4: Specification and qualification of welding procedures*
- *Part 5: Quality and inspection requirements*

Requests for official interpretations of any aspect of this part of ISO 25239 should be directed to the ISO Central Secretariat, who will forward them to the IIW Secretariat for an official response.

Introduction

Welding processes are widely used in the fabrication of engineered structures. During the second half of the twentieth century, fusion welding processes, wherein fusion is obtained by the melting of parent material and usually a filler metal, dominated the welding of large structures. Then, in 1991, Wayne Thomas at TWI invented friction stir welding (FSW), which is carried out entirely in the solid phase (no melting).

The increasing use of FSW has created the need for this International Standard in order to ensure that welding is carried out in the most effective way and that appropriate control is exercised over all aspects of the operation. This International Standard focuses on the FSW of aluminium because, at the time of publication, the majority of commercial applications for FSW involved aluminium. Examples include railway carriages, consumer products, food processing equipment, aerospace structures, and marine vessels.

The parts of this International Standard are listed in the foreword.

Part 1 defines terms specific to FSW.

Part 2 specifies design requirements for FSW joints in aluminium.

Part 3 specifies requirements for the qualification of an operator for the FSW of aluminium.

Part 4 specifies requirements for the specification and qualification of welding procedures for the FSW of aluminium. A welding procedure specification (WPS) is needed to provide a basis for planning welding operations and for quality control during welding. Welding is considered a special process in the terminology of standards for quality systems. Standards for quality systems usually require that special processes be carried out in accordance with written procedure specifications. Metallurgical deviations constitute a special problem. Because non-destructive testing of the mechanical properties is impossible at the present level of technology, this has resulted in the establishment of a set of rules for qualification of the welding procedure prior to the release of the WPS to actual production. ISO 25239-4 defines these rules.

Part 5 specifies a method for determining the capability of a manufacturer to use the FSW process for the production of aluminium products of the specified quality. It defines specific quality requirements, but does not assign those requirements to any specific product group. To be effective, welded structures should be free from serious problems in production and in service. To achieve that goal, it is necessary to provide controls from the design phase through material selection, fabrication, and inspection. For example, poor design may create serious and costly difficulties in the workshop, on site or in service. Incorrect material selection can result in welding problems, such as cracking. Welding procedures have to be correctly formulated and qualified to avoid imperfections. To ensure the fabrication of a quality product, management should understand the sources of potential trouble and introduce appropriate quality and inspection procedures. Supervision should be implemented to ensure that the specified quality is achieved.

Friction stir welding — Aluminium —

Part 2: Design of weld joints

1 Scope

This part of ISO 25239 specifies design requirements for friction stir weld joints. In this part of ISO 25239, the term “aluminium” refers to aluminium and its alloys.

This part of ISO 25239 does not apply to friction stir spot welding.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2553, *Welded, brazed and soldered joints — Symbolic representation on drawings*

ISO 25239-1, *Friction stir welding — Aluminium — Part 1: Vocabulary*

ISO 25239-3, *Friction stir welding — Aluminium — Part 3: Qualification of welding operators*

ISO 25239-4, *Friction stir welding — Aluminium — Part 4: Specification and qualification of welding procedures*

ISO 25239-5, *Friction stir welding — Aluminium — Part 5: Quality and inspection requirements*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 25239-1 apply.

4 Design requirements

4.1 Documentation

















The weldment shall be designed in accordance with defined requirements that support the end use of the product. Documentation shall clearly define the essential information of the weld and any special requirements, e.g. fracture critical, durability critical, mission critical, or safety critical, that are imposed over and above the general requirements. Essential process controls shall be defined to substantiate that all design requirements can be met by the welds that were produced in accordance with the welding procedure specification (WPS) and inspection requirements.

Weld symbols shall be those shown in ISO 2553.

4.2 Joint design

The weld joint design shall take into account the necessary material property data. Some examples of weld joints are shown in Table 1.

Table 1 — Various weld joints shown before and after friction stir welding

Joint design	Before welding	After welding
Combination of a lap joint and butt joint		
Butt joint		
Combination of a lap joint and butt joint		
T-joint		
Corner joint		
Lap joint		
Corner joint		
Butt joint		


4.2.1 Butt joints

The depth of penetration of butt joints shall be specified in the WPS.

4.2.2 Lap joints

The distance from the centreline of the tool to the edge of each overlapping member shall be specified in the WPS. The depth of penetration of the probe into the lap joint shall be specified in the WPS.


A friction stir lap weld needs to be differentiated from all other lap welds to avoid any misunderstanding of its uniqueness. Conventional FSW is an asymmetric process. For example, one side of the weld is heated more than the other side. Another example of its asymmetry is the difference in strength between the advancing side and the retreating side of the weld. Depending on whether the advancing side or the retreating side of the weld is near the edge of the sheet (see Figure 1), the stronger or weaker side of the joint can be placed on the stressed side of the weld, as shown in Figure 2. This is critically important and depends on the advancing near edge or retreating near edge configuration, as shown in Figure 1.



Key

- 1 retreating side
- 2 advancing side near the weld face sheet edge (ANE)
- 3 tool
- 4 workpiece
- 5 retreating side near the weld face sheet edge (RNE)
- 6 advancing side
- a Axial force.
- b Direction of tool rotation.
- c Direction of welding.

Figure 1 — Advancing side and retreating side placement in lap joints



Key

- 1 retreating side
- 2 advancing side
- 3 lower workpiece
- 4 tool
- 5 upper workpiece
- 6 tensile-stressed side of upper workpiece
- 7 tensile-stressed side of lower workpiece
- a Direction of tool rotation.
- b Direction of welding.
- c Axial force.
- d Tensile force.
- e Joint rotation.

Figure 2 — Load paths in lap joints

4.3 Additional information

4.3.1 Essential information

The following shall be specified for each weld:

- a) parent material specification, alloy, and temper;
- b) pre-weld surface condition, including any coating;
- c) weld location and extent of welding;
- d) final weld contour and weld finishing requirements (as-welded or subsequently finished);
- e) postweld heat treatment.

4.3.2 Weldment dimensions

The dimensions of the weldment on the drawing shall be the final dimensions and shall not include allowances for shrinkage.

4.3.3 Welding operator qualification

All production friction stir welds shall be made by a welding operator qualified in accordance with ISO 25239-3.

4.3.4 Welding procedure qualification

All production friction stir welds shall be made in accordance with a welding procedure qualified in accordance with ISO 25239-4.

4.3.5 Inspection

The documentation shall define the weld inspection requirements, inspection methods, and acceptance level. Welds shall be inspected and tested in accordance with ISO 25239-5.

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™