Thermal spraying — Acceptance inspection of thermal spraying equipment —

Part 3: Arc spraying

The European Standard EN 1395-3:2007 has the status of a British Standard

ICS 25.220.20



National foreword

This British Standard was published by BSI. It is the UK implementation of EN 1395-3:2007. This standard together with BS EN 1395-1, BS EN 1395-2, BS EN 1395-4, BS EN 1395-5, BS EN 1395-6 and BS EN 1395-7 supersedes BS EN 1395:1996.

The UK participation in its preparation was entrusted to Technical Committee STI/40, Thermally sprayed inorganic finishes.

A list of organizations represented on $\mathrm{STI}/40$ can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2007

© BSI 2007

ISBN 978 0 580 50279 8

Amendments issued since publication

Amd. No.	Date	Comments

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 1395-3

January 2007

ICS 25.220.20

Supersedes EN 1395:1996

English Version

Thermal spraying - Acceptance inspection of thermal spraying equipment - Part 3: Arc spraying

Projection thermique - Contrôle d'acceptation du matériel de projection thermique - Partie 3: Projection à l'arc

Thermisches Spritzen - Abnahmeprüfungen für Anlagen zum thermischen Spritzen - Teil 3: Lichtbogenspritzen

This European Standard was approved by CEN on 23 December 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Co	ntents	Page
Fore	eword	3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Principles of acceptance inspection	4
5	Procedure of acceptance inspection	5
6	Designation	5
7	Inspection report	5
Ann	ex A (informative) Inspection report for arc spraying equipment (initial test/retest)	6
Bibli	iography	8

Foreword

This document (EN 1395-3:2007) has been prepared by Technical Committee CEN/TC 240 "Thermal spraying and thermally sprayed coatings", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2007, and conflicting national standards shall be withdrawn at the latest by July 2007.

This document together with EN 1395-1, 1395-2, 1395-4, 1395-5, 1395-6 and 1395-7 supersedes EN 1395:1996.

EN 1395 consists of the following Parts, under the general title *Thermal spraying — Acceptance inspection of thermal spraying equipment*:

- Part 1: General requirements;
- Part 2: Flame spraying including HVOF;
- Part 3: Arc spraying;
- Part 4: Plasma spraying;
- Part 5: Plasma spraying in chambers;
- Part 6: Manipulator systems;
- Part 7: Powder feed systems.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

1 Scope

This European Standard specifies requirements for the acceptance inspection of thermal spraying equipment, in this case arc spraying, used to produce thermally sprayed coatings of reproducible quality.

This part should be used in conjunction with EN 1395-1, which includes general requirements and explanations of procedures.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 657:2005, Thermal spraying — Terminology, classification

EN ISO 14919:2001, Thermal spraying — Wires, rods and cords for flame and arc spraying — Classification — Technical supply conditions (ISO 14919:2001)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 657:2005 apply.

4 Principles of acceptance inspection

4.1 General

The following clauses reveal state of the art technology in thermal spraying equipment and the minimum requirements concerning a stable parameter setting and maintenance as given in Annex A.

4.2 Atomising gas

The atomising gas hoses and the control device shall be designed in such a manner that an undisturbed operation is ensured.

4.3 Arc spraying nozzle

The nozzle system (contact tubes and air nozzle) shall permit a constant arc to be maintained and provide atomisation without causing deposits that might disturb the operation.

4.4 Spraying wire feed unit

A continuously controllable and reproducible feed of the wires shall be provided. A precondition for this is an adequate constant air pressure and supply of electrical power.

5 Procedure of acceptance inspection

5.1 General

Spraying equipment shall be deemed to have been properly supplied for all suitable spraying applications and for use with all suitable spraying materials required for the spraying process if it complies with the following requirements:

5.2 Electrical power and wire feed unit

Proof of the power rating required for continuous operation and of compliance of the feed unit with the requirements as specified in 4.4 shall be deemed to have been provided if:

- no deviations of the adjusted electrical values of more than \pm 5 % or other disturbances due to an increased thermal loading occur; and
- system is operating at a maximum capacity for 10 min with a coating material with a suitable diameter:
 - 1) anti-corrosion arc spraying system: zinc aluminium alloy, thermal spray material according to EN ISO 14919:2001, 2.3, or
 - 2) engineering application arc spraying system: pure copper, thermal spray material according to EN ISO 14919:2001, 4.1.

5.3 Atomising gas

The equipment shall be deemed to comply with the requirements of 4.2 if the atomising gas pressure indication does not deviate by more than \pm 5 % from the set point over a 10 min period of spraying.

5.4 Arc spraying nozzle

The nozzle system shall be deemed to comply with the requirements given in 4.3 if, after testing according to 4.4, no disturbances occur in the arc and no disturbing deposits have been built up on the nozzle system by more or less molten spraying material.

6 Designation

Acceptance inspection of the thermal spraying equipment for arc spraying shall be designated as follows:

Acceptance inspection according to EN 1395-3.

7 Inspection report

An example for the inspection report is given in Annex A.

Annex A (informative)

Inspection report for arc spraying equipment (initial test/retest)

The initial te	st/retest fulfi	ls the requ	irements o	f the accep	tance ins	pection a	ccording to	EN 1395-3		
User:										
Manufacture	er:									
Year of man	ufacture:									
Type of equi	pment:									
Type of spra	ying gun:									
Spraying wir		esting								
					Chan	ge after 10	minute			
						ntinuous tes			Evalua	ation
Item tested, where applicable		Full scale	Set point	actual value		maximum deviation	Limit in %	passed	failed	
					min.	max.	in %			
Electrical	Current	А						± 5		
power	Voltage	V						± 5		
Atomising gas	Pressure	bar						± 5		
	Flow	NI/min ¹⁾						± 5		
Wire feed	Speed	m/min						± 5		
	Flow	l/min						± 10		
Cooling water	temperature to spraying gun	°C						10 °C		

6

¹⁾ Referred to temperature 0 °C and normal pressure (1 013,25 hPa).

Deposits:		yes / r	10
Nozzle disturbance:		yes / r	no
Time needed for stabilisation:			
Automatic energy shutdown:	- Lack of gas:	yes / r	no
	- Lack of cooling water:	yes / r	no
	- Excessive variations in feed:	yes / r	no
Limits of error of measuring instrumen	ts: % of set point	(max. 5	%)
	– Class 2,5 ²⁾ :	yes / r	10
Comments:			
The thermal spraying equipment has b	peen accepted:	yes / r	no
Date:	Inspector's signature:		
Date:	Customer's signature:		
Date:	Supplier's signature:		

²⁾ Maximum permissible error expressed by percentage of measuring span.

Bibliography

[1] EN 1395-1, Thermal spraying — Acceptance inspection of thermal spraying equipment — Part 1: General requirements



BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001. Email: orders@bsi-global.com. Standards are also available from the BSI website at http://www.bsi-global.com.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: info@bsi-global.com.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.

Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001.

Email: membership@bsi-global.com.

Information regarding online access to British Standards via British Standards Online can be found at http://www.bsi-global.com/bsonline.

Further information about BSI is available on the BSI website at http://www.bsi-global.com.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means — electronic, photocopying, recording or otherwise — without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager. Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553. Email: copyright@bsi-global.com.

BSI 389 Chiswick High Road London W4 4AL