

BS EN 1972:2015



BSI Standards Publication

# Diving equipment — Snorkels — Requirements and test methods

**bsi.**

...making excellence a habit.™

**National foreword**

This British Standard is the UK implementation of EN 1972:2015. It supersedes BS 4532:1969 and BS EN 1972:1997 which are withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PH/4/7, Underwater breathing apparatus.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.  
Published by BSI Standards Limited 2016

ISBN 978 0 580 85395 1

ICS 97.220.40

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 29 February 2016.

**Amendments/corrigenda issued since publication**

Date	Text affected
------	---------------

---

EUROPEAN STANDARD

**EN 1972**

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2015

ICS 97.220.40

Supersedes EN 1972:1997

English Version

## Diving equipment - Snorkels - Requirements and test methods

Équipement de plongée - Tubas - Exigences et méthodes d'essais

Tauch-Zubehör - Schnorchel - Sicherheitstechnische Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 7 November 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>		Page
<b>European foreword</b> .....		<b>3</b>
<b>Introduction</b> .....		<b>4</b>
<b>1</b>	<b>Scope</b> .....	<b>5</b>
<b>2</b>	<b>Terms and definitions</b> .....	<b>5</b>
<b>3</b>	<b>Requirements</b> .....	<b>5</b>
<b>3.1</b>	<b>General</b> .....	<b>5</b>
<b>3.2</b>	<b>Dimensions</b> .....	<b>5</b>
<b>3.3</b>	<b>Mouthpiece</b> .....	<b>6</b>
<b>3.4</b>	<b>Resistance to air flow</b> .....	<b>6</b>
<b>3.5</b>	<b>Joints</b> .....	<b>6</b>
<b>3.6</b>	<b>Optional devices</b> .....	<b>6</b>
<b>3.6.1</b>	<b>Snorkel keeping device</b> .....	<b>6</b>
<b>3.6.2</b>	<b>Shut-off valves</b> .....	<b>6</b>
<b>4</b>	<b>Test methods</b> .....	<b>6</b>
<b>4.1</b>	<b>Visual inspection</b> .....	<b>6</b>
<b>4.2</b>	<b>Testing of dimensions</b> .....	<b>6</b>
<b>4.3</b>	<b>Resistance to air flow test</b> .....	<b>7</b>
<b>4.4</b>	<b>Joint strength test</b> .....	<b>7</b>
<b>4.5</b>	<b>Practical performance test</b> .....	<b>7</b>
<b>4.5.1</b>	<b>General</b> .....	<b>7</b>
<b>4.5.2</b>	<b>Test subjects</b> .....	<b>7</b>
<b>4.5.3</b>	<b>Basic testing</b> .....	<b>7</b>
<b>4.5.4</b>	<b>Report</b> .....	<b>7</b>
<b>5</b>	<b>Marking</b> .....	<b>8</b>
<b>6</b>	<b>Information supplied by the manufacturer</b> .....	<b>8</b>

## European foreword

This document (EN 1972:2015) has been prepared by Technical Committee CEN/TC 136 “Sports, playground and other recreational facilities and equipment”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2016 and conflicting national standards shall be withdrawn at the latest by June 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1972:1997.

In comparison with the previous edition EN 1972:1997, the following significant changes have been made:

- a) updating of definition of snorkel and mouthpiece;
- b) definition of two class A and B for the dimension of snorkel;
- c) addition of requirements for shut-off valves;
- d) introduction or updating of new test methods such as visual inspection, tests for dimensions, resistance to air flow, joint strength and practical performance;
- e) requirements on marking;
- f) requirements on information supplied by the manufacturer.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## **Introduction**

A snorkel allows the user to breathe, when swimming in a prone position, without having to raise the mouth out of the water.

## 1 Scope

This European Standard specifies safety requirements in order to increase the safety in the use of snorkels for swimmers and divers.

This European Standard is applicable to snorkels, which allow users to breathe at the water surface whilst floating with the face submerged. It covers snorkels used by swimmers and divers.

This European Standard is not applicable to combined face masks and snorkels, in which the snorkel tube opens into face mask.

## 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 2.1

#### **snorkel**

device composed of a hose and/or tube with a mouthpiece, allowing a user to breathe while swimming in a prone position; it may also include optional devices such as valves and water deflectors

### 2.2

#### **mouthpiece**

part of the snorkel, usually held by the teeth, sealing against the lips and through which air is inhaled and exhaled

## 3 Requirements

### 3.1 General

The snorkel shall not have any projecting parts, or corners and edges, which can cause injury.

Test in accordance with 4.1 and 4.5.

### 3.2 Dimensions

The dimensions of a snorkel shall comply with Table 1.

**Table 1 — Dimensions**

Class	Application	Total inner volume <sup>a</sup>	<i>L</i> <sup>b</sup>
		ml max.	mm max.
A	people with large lung capacities	230	380
B	people with small lung capacity (e.g. children)	150	350
<sup>a</sup> The total inner volume representing the dead space of the snorkel for respiratory exchange. <sup>b</sup> Linear distance between the centre of the mouthpiece opening and the lowest part of the air intake opening.			

Test in accordance with 4.1 and 4.2.

### **3.3 Mouthpiece**

The mouthpiece material shall not be known to be likely to cause irritation or any other adverse effects to health.

The mouthpiece shall be designed so that it is easily retained in the mouth, e.g. using lug(s) for gripping between the teeth.

All parts of the mouthpiece coming in contact with the oral mucosa shall be smoothly finished.

The end of the tube shall not extend beyond the mouthpiece into the mouth.

Test in accordance with 4.1 and 4.5.

### **3.4 Resistance to air flow**

When tested in accordance with 4.3, the peak respiratory pressure of the snorkel during inhalation and exhalation shall be within the range of  $\pm 10$  mbar.

### **3.5 Joints**

When tested in accordance with 4.4 with an axial force of 30 N for 10 s, joints shall show no signs of disengagement.

### **3.6 Optional devices**

#### **3.6.1 Snorkel keeping device**

Any snorkel keeping device affixed to the tube to prevent loss of the snorkel in use, shall be arranged in such a way that the position of the snorkel can be adjusted.

The snorkel keeping device shall enable the snorkel to be displaced from the mouth and replaced without having to displace the face mask.

Test in accordance with 4.1 and 4.5.

#### **3.6.2 Shut-off valves**

If a shut-off valve to prevent the ingress of water is fitted, it shall only shut off when submerged. After being submerged the valve shall easily open on the first exhalation.

Test in accordance with 4.5.

## **4 Test methods**

### **4.1 Visual inspection**

Visual inspection shall be conducted at normal visual acuity.

The visual inspection shall include the assessment of the device marking, information supplied by the manufacturer and any safety data sheet.

### **4.2 Testing of dimensions**

The inner volume of the snorkel may be determined either by dimensional measurement and calculation or by filling the snorkel with water.

Put the snorkel with its mouthpiece in a position that it would be during normal use.



Determine the linear distance  $L$  between the centre of the mouthpiece opening and the lowest part of the air intake opening.

### **4.3 Resistance to air flow test**

Connect the mouthpiece to a breathing simulator.

Set the breathing simulator to a sinusoidal operation of 25 strokes/min with 2,5 l/stroke at ambient pressure and temperature.

The deviation between frequency and amplitude shall not be more than  $\pm 3\%$ .

Take the pressure recording at the mouthpiece.

Continue the measurement until steady-state is achieved.

### **4.4 Joint strength test**

A tensile testing machine or a dead weight arrangement with means for measuring with accuracy of  $\pm 2$  N over the whole measuring range shall be used.

Apply a load of  $(30 \pm 2)$  N across the joint at a uniform rate over 5 s.

Maintain the force for 10 s and examine the joint for any damage.

### **4.5 Practical performance test**

#### **4.5.1 General**

For reasons of safety, practical performance tests should be carried out only after all laboratory tests, according to 4.1 to 4.4, have been satisfactorily completed.

#### **4.5.2 Test subjects**

The snorkel shall be tested by subjects who are practicing regularly with snorkels.

#### **4.5.3 Basic testing**

Each test subject shall make a test swim which include at least two submersions to a depth of at least 1 m.

During the test the snorkel will be subjectively assessed by the user and the user's comments on the following points shall be recorded after the test:

- a) snorkel comfort;
- b) security of any joints and attachments;
- c) adjustment of the mouthpiece and any snorkel keeping device;
- d) ease of breathing and of opening of any shut-off valve on the first exhalation;
- e) any other comments reported by the user on request.

#### **4.5.4 Report**

A record with a final report of the tests performed with the test persons shall be kept.

## **5 Marking**

Each snorkel shall be marked with the following information:

- a) the name, trademark or other means of identification of the manufacturer;
- b) the number of this European Standard, EN 1972;
- c) class designation;
- d) type designation.

## **6 Information supplied by the manufacturer**

Instructions showing at least the following information shall be:

- a) how to use the snorkel, e.g. use the snorkel only in water;
- b) indication of possible misuse, e.g. warning that there are two classes of snorkels for users of different lung capacities;
- c) instructions concerning maintenance and storage.



# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [bsmusales@bsigroup.com](mailto:bsmusales@bsigroup.com).

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

## Useful Contacts:

### Customer Services

**Tel:** +44 845 086 9001

**Email (orders):** [orders@bsigroup.com](mailto:orders@bsigroup.com)

**Email (enquiries):** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 845 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

