BS EN 3014:2015



BSI Standards Publication

Aerospace series — Shank nuts, self-locking, serrated, in heat resisting steel FE-PA2601 (A286) — Classification: 1 100 MPa (at ambient temperature) / 650 °C



BS EN 3014:2015 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of EN 3014:2015. It supersedes BS EN 3014:2001 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee ACE/12, Aerospace fasteners and fastening systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 87964 7 ICS 49.030.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2015.

Amendments/corrigenda issued since publication

Date Text affected

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2015

EN 3014

ICS 49.030.30

Supersedes EN 3014:2001

English Version

Aerospace series - Shank nuts, self-locking, serrated, in heat resisting steel FE-PA2601 (A286) - Classification: 1 100 MPa (at ambient temperature) / 650 °C

Série aérospatiale - Ecrous à sertir, dentelés, à freinage interne, en acier résistant à chaud FE-PA2601 (A286) -Classification: 1 100 MPa (à température ambiante) / 650

Luft- und Raumfahrt - Einnietmuttern, selbstsichernd, verzahnt, aus hochwarmfestem Stahl FE-PA2601 (A286) -Klasse: 1 100 MPa (bei Raumtemperatur) / 650 °C

This European Standard was approved by CEN on 5 December 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

		Page
Europ	pean foreword	3
1	Scope	4
2	Normative references	4
3 3.1 3.2	Required characteristicsConfiguration – Dimensions – Tolerances — Masses	5
4	Designation	
5	Marking	6
6	Technical specification	6
7	Installation	6
Anne	ex A (informative) Standard evolution form	7

European foreword

This document (EN 3014:2015) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2015, and conflicting national standards shall be withdrawn at the latest by December 2015.

This document supersedes EN 3014:2001.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies the characteristics of self-locking serrated shank nuts in FE-PA2601, for aerospace applications.

Classification: 1 100 MPa 1) / 650 °C 2).

NOTE FE-PA2601 is the new designation for FE-PA92HT, see TR 3900.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2399, Aerospace series — Heat resisting steel FE-PA2601 (X4NiCrTiMoV26-15) — $R_m \ge 900$ MPa — Bars for forged bolts — $D \le 25$ mm

EN 2424, Aerospace series — Marking of aerospace products

EN 3004, Aerospace series — Nuts, self-locking, MJ threads, in heat resisting steel FE-PA2601 (A286) — Classification: 1 100 MPa (at ambient temperature) / 650 °C — Technical specification

EN 3064, Aerospace series — Shank nuts, self-locking, serrated — Installation procedure

EN 3065, Aerospace series — Installation holes for self-locking, serrated shank nuts — Design standard

EN 3639, Aerospace series — Heat resisting alloy FE-PA2601 — Softened and cold worked — Wire for forged fasteners — $D \le 15$ mm — 900 MPa $\le R_m \le 1$ 100 MPa 3)

ISO 5855-2, Aerospace — MJ threads — Part 2: Limit dimensions for bolts and nuts

TR 3900, Metallic materials — Relationship between AECMA designation systems 4)

¹⁾ Corresponds to the minimum tensile stress which the nut is able to withstand at ambient temperature without breaking or cracking when tested with a bolt of a higher strength class.

²⁾ Maximum test temperature of the parts.

³⁾ Published as ASD-STAN Prestandard at the date of publication of this standard (http://www.asd-stan.org/).

⁴⁾ Published as ASD-STAN Technical Report at the date of publication of this standard (http://www.asd-stan.org/).

3 Required characteristics

3.1 Configuration – Dimensions – Tolerances — Masses

Figure 1 and Table 1.

Dimensions and tolerances are in millimetres.


3.2 Materials

EN 2399 or EN 3639.

 3,2 Thread surface will be as achieved by normal methods of manufacture.

Remove sharp edges 0,1 to 0,4.

Details of form not stated as well as style 1 or style 2, are at the manufacturer's discretion.



Key

- 1 Thread
- 2 Form out-of-round in this area to achieve the self-locking requirement (tooling marks permissible)
- 3 Marking
- 4 Pitch diameter

Figure 1

_	٠.	_	-	-


7	A	D_1^{b}	D_2	D_3	D_4	D_5	D_6	W	ire	
Code	Designation	0 - 0,7	min.	min.	0 - 0,3	max.	0 - 0,23	+ 0,26 0	No.	D_7
050	MJ5×0,8-4H6H	6,8	6,3	5,12	10,1	7,7	7,38	6,36	3	1,0
060	MJ6×1-4H5H	8,6	7,7	6,56	11,5	8,7	8,98	7,91	2	1,2
070	MJ7×1-4H5H	9,7	8,4	8,10	12.7	9,8	10,28	9,18	3	1.5
080	MJ8×1-4H5H	10	9,5	0,10	12,7	10,9	10,20	9,10	3	1,5

Thread	ad D ₈		D_{9}	F	Н	J	R_1	$lpha^{\circ}$	Mass		
code								kg/1 000 p		0 parts	
	max.	min.	max.	min.	max.	Number of teeth	± 0,4	± 0,1°	max.	min.	
050	8,730	8,639	7,75	0,9	3,3	17	2,0	86°30'	1,97	1,71	
060	10,638	10,547	9,15		3,6	20			3,02	2,73	
070	12,536	12,445	10.4	1,4	5	23		102°	3,84	3,46	
080	12,556	12,030	12,445	10,4	i	7	23	2,5	2,5	4,21	3,58

In accordance with ISO 5855-2. In the self-locking zone, the tolerances apply before forming out-of-round.

4 Designation

EXAMPLE



NOTE If necessary, the code I9005 shall be placed between the description block and the identity block.

5 Marking

EN 2424, style A, as indicated on Figure 1.

6 Technical specification

EN 3004.

7 Installation

The nuts shall be installed according to the procedure specified in EN 3064 in installation holes to EN 3065. Careful attention shall be paid to notch sensitivity of the materials in which they are to be installed.

b Dimensions apply before forming out-of-round.

Annex A (informative)

Standard evolution form

MODIFICATION	REASON AND VALIDATION
Figure 1 Before: D_2 is external diameter of the shank After: D_2 is internal diameter of the shank	Error during EN 3014 transforming
Figure 1 Before: Length of serration = 14,5 min. After: Length of serration = 1,45 min.	The previous value is not compatible with the length of the shank (2,3)
Figure 1 Before: Length of $nut = D$ After: Length of $nut = A$	Error during EN 3014 transforming
Table 1 Before: D_2 max. After: D_2 min.	Error during EN 3014 transforming
Table 1 Before: "Number" + all values except for code 080. After: "Number of teeth" + values for all codes.	Error during EN 3014 transforming





British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com
Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

