

BS EN 12816:2010



BSI Standards Publication

LPG equipment and accessories — Transportable refillable LPG cylinders — Disposal

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN 12816:2010. It supersedes BS EN 12816:2001 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PVE/19, LPG containers and their associated fittings.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© BSI 2011

ISBN 978 0 580 67235 4

ICS 13.030.50; 23.020.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2011.

Amendments issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD

EN 12816

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2010

ICS 13.030.50; 23.020.30

Supersedes EN 12816:2001

English Version

LPG equipment and accessories - Transportable refillable LPG cylinders - Disposal

Équipements et accessoires pour GPL - Bouteilles transportables et rechargeables pour GPL - Élimination

Flüssiggas-Geräte und Ausrüstungsteile - Ortsbewegliche wiederbefüllbare Flaschen für Flüssiggas (LPG) - Entsorgung

This European Standard was approved by CEN on 20 November 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
Foreword.....		3
Introduction		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Gas freeing of cylinders	6
5	Disposal of cylinders	6
Annex A (informative) Environmental checklist.....		8
Bibliography		9

Foreword

This document (EN 12816:2010) has been prepared by Technical Committee CEN/TC 286 “Liquefied petroleum gas equipment and accessories”, the secretariat of which is held by NSAI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2011, and conflicting national standards shall be withdrawn at the latest by June 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12816:2001.

The main technical changes in this revision are the:

- inclusion of cylinders manufactured from composite materials and aluminium;
- addition of an environmental checklist Annex A.

Users of this standard, prepared in the field of application of Article 118A of the EC Treaty, should be aware that standards have no formal legal relationship with Directives that may have been made under Article 118A of the Treaty. In addition, national legislation in the Member states may contain more stringent requirements than the minimum requirements of a Directive based on Article 118A. Information on the relationship between the national legislation implementing Directives based on Article 118A and this EN may be given in a national foreword of the national standard implementing this standard EN.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

This European Standard specifies a method for safe handling and disposal of refillable LPG cylinders, of water capacity 0,5 litres up to and including 150 litres, that have been received into filling/maintenance/requalification plants from customers, waste collection depots, etc.

This European Standard calls for the use of substances and procedures that may be injurious to health and/or environment if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations relating to health, safety and environmental protection at any stage.

Protection of the environment is a key political issue in Europe and elsewhere. Protection of the environment is taken in a very broad sense. The standard takes into consideration the total lifecycle aspects of the activities involved in complying with the standard. These activities include all phases such as scrapping, recycling of materials, etc.

It has been assumed in the drafting of this European Standard that execution of its provisions is entrusted to appropriately qualified and experienced people.

1 Scope

This European Standard specifies methods for the safe gas freeing and disposal of refillable LPG cylinders manufactured from steel, composite materials and aluminium, of water capacity 0,5 litres up to and including 150 litres.

This European Standard is applicable to the following:

- welded and brazed steel LPG cylinders with a specified minimum wall thickness (see EN 1442 and EN 12807 or equivalent standard);
- welded steel LPG cylinders without specified minimum wall thickness (see EN 14140 or equivalent standard);
- welded aluminium LPG cylinders (see EN 13110 or equivalent standard);
- composite LPG cylinders (see EN 14427 or equivalent standard).

This European Standard is intended to be applied to cylinders complying with ADR (including pi marked cylinders) and also to existing non ADR cylinder populations.

2 Normative references

The following referenced documents are indispensable for the application of this European Standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14912, *LPG equipment and accessories — Inspection and maintenance of LPG cylinder valves at time of periodic inspection of cylinders*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

liquefied petroleum gas LPG

mixture of predominantly butane or propane with traces of other hydrocarbon gases classified in accordance with UN number 1965, hydrocarbon gases mixture, liquefied, NOS or UN number 1075, petroleum gases, liquefied

NOTE In some countries, UN numbers 1011 and 1978 may also be designated LPG.

3.2

gas free

with an LPG concentration in air less than 20 % of the lower explosive limit

3.3

disposal

discarding of LPG cylinders in the form of scrap material after gas freeing

3.4

cylinder disposer

organisation responsible for disposal of an LPG cylinder

3.5

purging

displacing LPG with a non-flammable gas, steam or water

3.6

evacuation

removal of the LPG from the cylinder by the use of a vacuum

4 Gas freeing of cylinders

4.1 Cylinder disposers shall remove LPG from cylinders by:

- returning to an LPG storage tank via a suitably designed pump/compressor system, or
- flaring through a purpose designed flare stack fitted with a flame arrestor as required, or
- venting through a purpose designed high level vent, in a controlled manner, that ensures that the vented gas is diluted to less than 20 % of the lower explosive limit before it reaches ground level, or any potential source of ignition, or
- a combination of any of these options.

For safety and environmental protection reasons the first option is preferable. However it is recommended that, at a minimum, the liquid contents of cylinders should always be returned to an LPG storage tank.

4.2 Equipment used for removal of LPG shall be capable of removing liquid LPG from any cylinder however full. It should also be capable of removing LPG vapour so that the internal pressure is reduced to atmospheric.

4.3 Cylinders shall be made gas free by a safe means, for example:

- evacuation, or
- purging.

NOTE 1 Where water is the purging fluid, waste water should be recycled where possible for further purging applications.

NOTE 2 Where possible, the recovery of the gas should be maximised in a closed loop system and stored for re-use.

4.4 Any flammable liquids remaining in the cylinder (e.g. oily residues) shall be removed and disposed of in a suitable manner before the cylinder can be considered gas free.

4.5 Cylinders shall be checked to ensure that they are depressurised and gas free prior to disposal.

4.6 Valves and other fittings shall be:

- scrapped and recycled, or
- inspected/reconditioned in accordance with EN 14912 for re-use.

5 Disposal of cylinders

5.1 Disposal shall only take place after a cylinder is made gas free and the cylinder valve has been removed.

5.2 Cylinders shall be made unserviceable for storing LPG by any of the following methods:

- mechanical crushing;
- mechanical shredding;
- piercing holes of 50 mm diameter or more, in at least two places;
- irregular cutting of the neck of the cylinder;
- irregular cutting of the body of the cylinder, into two or more pieces.

NOTE Noise levels from the above methods should be evaluated and measures put in place to minimise the impact upon the external environment.

5.3 Cylinders made unserviceable in accordance with 5.2 shall be considered as scrap material for disposal and recycled in order to maximise the re-use of scrap material and minimise the total energy life cycle of the cylinders. The cylinder disposer shall endeavour to minimise wastage of material by selecting the most appropriate scrapping method.

NOTE Any coatings on cylinders may affect recycling methods and should be taken into account.

5.4 Composite cylinders shall be disposed of in accordance with the manufacturers' instructions, e.g. the recycling of thermoplastic parts and metallic liners, the grinding of thermoset parts.

Annex A (informative)

Environmental checklist

Environmental Aspect	Stages of the life cycle										All stages
	Acquisition		Production		Use			End-of-Life			
	Raw materials and energy	Pre-manufactured materials and components	Production	Packaging	Use	Maintenance and repair	Use of additional products	Reuse / Material and Energy Recovery	Incineration without energy recovery	Deposition	Transportation
Inputs											
Materials								4.6 5.3 5.4			
Water								4.3			
Energy								4.1 4.3		5.3 5.4	
Land											
Outputs											
Emissions to air								4.1 4.2 4.5	4.1		
Discharges to water											
Discharges to soil											
Waste								4.1 4.4 4.6		5.2 5.3 5.4	
Noise, vibration, radiation, heat losses										5.2	
Other relevant aspects											
Risk to the environment from accidents or unintended use								Intro			
Customer information										5.4	
Comments:											

Bibliography

- [1] EN 1442, *LPG equipment and accessories — Transportable refillable welded steel cylinders for LPG — Design and construction*
- [2] EN 12807, *LPG equipment and accessories — Transportable refillable brazed steel cylinders for liquefied petroleum gas (LPG) — Design and construction*
- [3] EN 13110, *Transportable refillable welded aluminium cylinders for liquefied petroleum gas (LPG) — Design and construction*
- [4] EN 14140, *LPG equipment and accessories — Transportable refillable welded steel cylinders for LPG — Alternative design and construction*
- [5] EN 14427, *Transportable refillable fully wrapped composite cylinders for Liquefied Petroleum Gases (LPG) — Design and Construction*
- [6] ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™