

BS EN 13146-7:2012



BSI Standards Publication

Railway applications — Track — Test methods for fastening systems

Part 7: Determination of clamping force

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN 13146-7:2012. It supersedes BS EN 13146-7:2002 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee RAE/2, Railway Applications - Track.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012. Published by BSI Standards Limited 2012

ISBN 978 0 580 68152 3

ICS 45.080

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 April 2012.

Amendments issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD

EN 13146-7

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2012

ICS 93.100

Supersedes EN 13146-7:2002

English Version

Railway applications - Track - Test methods for fastening systems - Part 7: Determination of clamping force

Applications ferroviaires - Voies - Méthodes d'essai pour les systèmes de fixation - Partie 7: Détermination de l'effort d'application au patin de rail

Bahnanwendungen - Oberbau - Prüfverfahren für Schienenbefestigungssysteme - Teil 7: Bestimmung der Spannkraft

This European Standard was approved by CEN on 26 November 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword	3
1 Scope.....	4
2 Normative references	4
3 Terms and definitions, symbols and abbreviations	4
3.1 Terms and definitions.....	4
3.2 Symbols and abbreviations	4
4 Principle	4
5 Apparatus	5
5.1 Rail.....	5
5.2 Loading device	5
5.3 Measuring and recording instruments	5
5.4 Calibration	5
5.5 Steel shims	5
6 Test specimens	5
6.1 Sleeper, bearer or concrete block.....	5
6.2 Fastening components.....	5
7 Test procedure	5
7.1 Preparation for test.....	5
7.2 Loading and measurement for assemblies incorporating a rail pad.....	6
7.3 Loading and measurement for assemblies not incorporating a rail pad.....	6
8 Test report	8

Foreword

This document (EN 13146-7:2012) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2012, and conflicting national standards shall be withdrawn at the latest by October 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13146-7:2002.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

In this revision of EN 13146-7:2002, the alternative test procedure has been omitted. No other major changes have been made.

This European Standard is one of the series EN 13146 "*Railway applications — Track — Test methods for fastening systems*" which consists of the following parts:

- *Part 1: Determination of longitudinal rail restraint;*
- *Part 2: Determination of torsional resistance;*
- *Part 3: Determination of attenuation of impact loads;*
- *Part 4: Effect of repeated loading;*
- *Part 5: Determination of electrical resistance;*
- *Part 6: Effect of severe environmental conditions;*
- *Part 7: Determination of clamping force;*
- *Part 8: In service testing;*
- *Part 9: Determination of stiffness.*

These support the requirements in the series EN 13481 "*Railway applications — Track — Performance requirements for fastening systems*".

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies a laboratory test procedure for determining the clamping force exerted by the fastening system on the foot of a rail by measuring the force to separate the rail foot from its immediate support. It is applicable to systems with and without baseplates on all types of sleepers, bearers and elements of slab track. The test does not determine the security of fastening components fixed into the sleeper or other fastening system support.

This test procedure applies to a complete fastening assembly. It is not applicable to fastening systems for embedded rail.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13481-1:2012, *Railway applications — Track — Performance requirements for fastening systems — Part 1: Definitions*

EN ISO 7500-1:2004, *Metallic materials — Verification of static uniaxial testing machines — Part 1: Tension/compression testing machines — Verification and calibration of the force-measuring system (ISO 7500-1:2004)*

3 Terms and definitions, symbols and abbreviations

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 13481-1:2012 apply.

3.2 Symbols and abbreviations

For the purposes of this document, the following symbols apply.

d	for direct fastening systems - vertical displacement of the rail relative to the sleeper, in mm; for indirect fastening systems – vertical displacement of the rail relative to the baseplate, in mm;
m_S	mass of sleeper or part sleeper and fastening components fixed to it, used in the test, in kg;
m_f	mass of loading frame supported by the sleeper, in kg;
P	vertical load applied to the rail, in kN;
P_0	vertical load at zero rail displacement which just counteracts the clamping force, in kN.

4 Principle

The clamping force for a complete rail fastening assembly is determined by measuring the force necessary to separate the rail from the surface on which it is supported.

5 Apparatus

5.1 Rail

A short length (approximately 0,5 m or the length of the test specimen for embedded rail) of rail, of the section for which the fastening assembly under test is designed. The rail shall be unlaminated and have neither loose rust on the surface nor be polished on the foot by repeated testing.

5.2 Loading device

A device to apply a vertical load to the rail at a controlled rate of approximately 10 kN/m.

5.3 Measuring and recording instruments

Instruments which measure the vertical displacement of the rail support (baseplate or sleeper) relative to the rail with an accuracy of $\pm 0,1$ mm and instruments conforming to EN ISO 7500-1:2004, Class 1 which measure the applied force. The recording instruments shall be capable of plotting load-displacement diagrams.

5.4 Calibration

The calibration of actuators and measuring instruments shall be verified periodically with equipment having certified traceability to European or International Standards using the International System of Units (SI).

5.5 Steel shims

Steel shims 25 mm \times 25 mm \times 0,25 mm, maximum thickness 0,30 mm.

6 Test specimens

6.1 Sleeper, bearer or concrete block

A portion of a sleeper, bearer or a concrete block whose centroid is approximately at the centre line of the rail seat or baseplate support area. This is described as a sleeper in the test procedure.

6.2 Fastening components

All fastening components, as used in track, including baseplates where incorporated.

7 Test procedure

7.1 Preparation for test

Fix the rail to the sleeper, with the baseplate if part of the assembly, using the fastening components assembled as in track. If the test is to be conducted on an indirect fastening system, the clamps may be fixed over the baseplate providing that movement of the rail relative to the baseplate is not constrained.

NOTE 1 If a rail pad is used which is shaped to provide positive location in the assembly, the edges of the pad can be cut off to simplify removal of the pad as described in 7.2. The portion of the pad under the rail should not be cut.

NOTE 2 For fastening assemblies for switches and crossings which incorporate long baseplates additional fixings may be made into the supporting bearer or slab to minimize bending of the baseplate during this test.

Clamp the portion of sleeper to the base of the test fixture. Set up the test arrangement as shown in Figure 1 to permit a load P to be applied to the rail normal to the rail seat. Locate one displacement transducer at each of the four corners of the rail seat to measure d . Zero the displacement transducers.

7.2 Loading and measurement for assemblies incorporating a rail pad

Apply an increasing tensile load P to the rail, ensuring that the rail base is kept parallel to the rail seat without tilting, until the pad can just be moved. Remove the pad and decrease the load until the average of the displacement transducers is zero. Record the load P and then reduce the load to approximately $0,9 P$. Whilst recording d (the average of the four transducers) increase the load P at a rate not exceeding 10 kN/min until the load is $1,1 P$. From the load-displacement diagram (Figure 2) read off the value of P_0 at $d = 0$ which is taken as the clamping force. Repeat the procedure twice more and calculate the mean clamping force.

7.3 Loading and measurement for assemblies not incorporating a rail pad

Apply an increasing tensile load P to the rail until there is a clear space under the rail which is just sufficient to allow insertion of four steel shims under the rail, one at each corner of the rail seat. Reduce the load P to zero and then reapply an increasing load until a value is reached at which it is just possible to move all the shims by hand. This load is P_0 which is taken as the clamping force. Repeat the procedure twice more and calculate the mean clamping force.





Figure 1 — Test arrangement



Key

- 1 displacement d , in mm
- 2 load P , in kN

Figure 2 — Load/displacement diagram

8 Test report

The test report shall include at least the following information:

- a) number, date of issue and title of this European Standard;
- b) name and address of laboratory performing the test;
- c) date test performed;
- d) name, designation and description of fastening assembly, including individual components, tested;
- e) origin of test specimens;
- f) rail section used in test;
- g) load/displacement diagram;
- h) mean clamping force.

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™