

Packaging — Specification for edge protectors

The European Standard EN 13393:2001 has the status of a
British Standard

ICS 55.040

National foreword

This British Standard is the official English language version of EN 13393:2001.

The UK participation in its preparation was entrusted by Technical Committee PKW/5, Primary and transport packaging, to Subcommittee PKW/5/33, Tensional strapping, taping and accessories, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

This British Standard, having been prepared under the direction of the Consumer Products and Services Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 June 2001

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 7 and a back cover.

The BSI copyright date displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

ICS 55.040

English version

Packaging — Specification for edge protectors

Emballage — Spécifications relatives aux cornières

Verpackung — Spezifikation für Kantenschutzmittel

This European Standard was approved by CEN on 18 January 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	Page
Foreword	3
1 Scope	4
2 Normative references	4
3 Product description	4

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 261, Packaging, the Secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2001, and conflicting national standards shall be withdrawn at the latest by October 2001.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard specifies the dimensions and physical properties of a range of edge protectors which are used in conjunction with tensional strapping.

2 Normative references

The following normative document contains provisions which, through reference in this text, constitute provisions of this European Standard. For dated references, subsequent amendments to, or revisions of, this publication, do not apply. However, parties to agreements based on this European Standard are encouraged to investigate the possibility of applying the most recent edition of the normative document indicated below. For undated references, the latest edition of the publication referred to applies (including amendments).

EN ISO 2233, *Packaging — Complete, filled transport packages — Conditioning for testing (ISO 2233:1994)*.

3 Product description

3.1 Shape

Edge protectors are manufactured in a wide variety of forms and sizes, which are categorized as follows.

3.1.1 Flat

Flat or strip form used for product protection, normally folded or wrapped around the edge during application.

3.1.2 Corner protectors

Small moulded, cut or formed pieces (up to 100 mm in length) used as edge protection where no additional packaging strength is provided.

3.1.3 Profiles

Pre-formed lengths (greater than 100 mm in length) used for edge protection or reinforcement.

3.2 Material

Edge protectors are normally (but not exclusively) manufactured from recycled materials: metal, plastic, paper, composite, miscellaneous.

3.3 General

Because they are manufactured from recycled materials, edge protectors themselves may be subject to minor irregularities.

Edge protectors shall not delaminate.

For multiple ply protectors, different colours may be visible.

3.4 Mechanical properties of profiles

Edge protectors are required to perform in a wide range of environments, some of which may affect performance. Edge protectors shall not delaminate under these conditions.

For this reason, test pieces shall be conditioned for 72 h according to EN ISO 2233.

Because the mechanical properties of profiles may be variable, five test pieces are measured.

3.4.1 Three-point bending strength test


A sample of 230 mm (± 10 mm) is prepared in which the ends are smooth, free of burrs and parallel to one another.

The sample rests on two supports which are separated by 200 mm (see Figure 1).

The force is applied at a rate of 400 mm per minute ($\pm 2,5$ mm per minute).

The maximum force in newtons (N) to failure is recorded (measure to 10 N accuracy).

Dimensions in millimeters



Key

- 1 Support
- 2 Moving part
- 3 Sample
- 4 Support


Figure 1 — Three-point bend

3.4.2 Column crush strength test

A sample of 230 mm (± 5 mm) is prepared in which the ends are smooth and free of burrs (see Figure 2).

The force is applied perpendicular to the length of the test piece in newtons (N) at a rate of 10 mm per minute ($\pm 2,5$ mm per minute).

The maximum force in newtons (N) to failure is recorded (measure to 10 N accuracy).



Key

- 1 Moving platen
- 2 Sample
- 3 Fixed platen

Figure 2 — Compression

3.5 Dimensions of profiles

3.5.1 Length

Profiles are available in any length between 100 mm and 6 000 mm. Length shall be determined between supplier and customer.

Length tolerance for pieces up to 500 mm ± 5 mm.

Length tolerance for pieces up to 2 500 mm ± 10 mm.

Length tolerance for pieces $> 2 500$ mm ± 20 mm.

The length is measured parallel to the axis on the inside of the profile.

3.5.2 Thickness

Profiles are available in various thicknesses from 1,5 mm to 6 mm.

Thickness tolerance	Nominal	1,5 mm to 2 mm	+0,4/-0,3 mm
		> 2 mm	+0,4/-0,4 mm

3.5.3 Width

Leg widths shall be as Table 1.

Table 1 — Leg widths

Leg widths (mm)	Tolerance (mm)
35 × 35	± 3
45 × 45	± 3
50 × 50	± 3
60 × 60	± 3
75 × 75	± 3
100 × 100	± 3
NOTE Leg widths are measured on the outside of the legs.	

3.5.4 Angle

The leg angle of the profile shall be $90^\circ \pm 10^\circ$. The angle is measured on the outside of the profile.

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001. Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001. Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.