

BS EN 14296:2015



BSI Standards Publication

# Sanitary appliances — Communal washing troughs

**bsi.**

...making excellence a habit.™

**National foreword**

This British Standard is the UK implementation of EN 14296:2015. It supersedes BS EN 14296:2005 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee B/503, Sanitary appliances.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 87733 9

ICS 91.140.70

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2015.

**Amendments issued since publication**

Date	Text affected
------	---------------

---

English Version

**Sanitary appliances - Communal washing troughs**

Appareils sanitaires - Lavabos collectifs

Sanitärausstattungsgegenstände - Reihenwaschanlagen

This European Standard was approved by CEN on 28 May 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

	Page
European foreword .....	3
1 Scope .....	4
2 Normative references .....	4
3 Terms and definitions .....	4
4 Requirements .....	4
4.1 General.....	4
4.2 Cleanability.....	5
4.3 Load resistance.....	5
4.4 Durability .....	5
5 Test methods.....	5
5.1 Cleanability.....	5
5.2 Determination of load resistance .....	5
5.2.1 General.....	5
5.2.2 Load evenly distributed on the rim .....	6
5.2.3 Localized load on the rim.....	7
5.2.4 Test on the bottom.....	8
6 Dangerous substances .....	9
7 Marking .....	9
8 Assessment and verification of constancy of performance – AVCP .....	10
8.1 General.....	10
8.2 Type testing.....	10
8.2.1 General.....	10
8.2.2 Test samples, testing and compliance criteria.....	11
8.3 Factory production control (FPC) .....	12
8.3.1 General.....	12
8.3.2 Equipment .....	12
8.3.3 Raw materials and components.....	12
8.3.4 Product testing and assessment .....	12
8.3.5 Non-complying products .....	12
8.3.6 Corrective action.....	13
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation .....	14
ZA.1 Scope and relevant characteristics .....	14
ZA.2 Procedure for assessment and verification of constancy of performance (AVCP) of communal washing troughs .....	15
ZA.2.1 System of AVCP.....	15
ZA.2.2 Declaration of performance (DoP) .....	15
ZA.2.2.1 General .....	15
ZA.2.2.2 Content.....	16
ZA.2.2.3 Examples of DoP .....	16
ZA.3 CE marking and labelling.....	21
Bibliography .....	23

## European foreword

This document (EN 14296:2015) has been prepared by Technical Committee CEN/TC 163 “Sanitary appliances”, the secretariat of which is held by UNI.

This document supersedes EN 14296:2005.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2016, and conflicting national standards shall be withdrawn at the latest by April 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of the EU Construction Products Regulation.

For relationship with EU Construction Products Regulation, see informative Annex ZA, which is an integral part of this document.

Since the latest edition of EN 14296, the most significant technical changes are the following:

- a) introduction of the term “product type”;
- b) introduction of the clause “Dangerous substances”;
- c) modification of the marking of products;
- d) replacement of the clause “Evaluation of conformity” by “Assessment and verification of constancy of performance – AVCP” and replacement of Annex ZA by a new one in accordance with provisions of Regulation 305/2011.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This European Standard specifies requirements for the cleanability, load resistance and durability of communal washing troughs used for domestic purposes.

NOTE For the purposes of this document, the term “domestic purposes” includes use in factory changing-rooms, sportsclubs, accommodation for students, hospitals and similar buildings, except when special medical provisions are required.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 695, *Kitchen sinks - Connecting dimensions*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

**3.1 communal washing trough**  
single bowl sanitary appliance at which more than one person can wash at the same time, which is designed to be installed with (a) permanently open waste fitting(s) capable of accepting the flow from more than one tap and which can be installed standing alone (free standing (pedestal)) or wall mounted

**3.2 cleanability**  
characteristics which allow surfaces intended to come into contact with water to be visibly smooth, non-absorbent and free from unacceptable internal corners, such that they can be kept visibly free from dirt and/or stains when subject to a regular maintenance routine, which may include, when appropriate, the specific instructions for use and care as specified by the manufacturer

**3.3 product type**  
construction product with a set of representative performance levels or classes in relation to its Essential Characteristics, produced using a given combination of raw materials or other elements in a specific production process

## 4 Requirements

### 4.1 General

The manufacturer shall supply instructions on installation, use and care.

The waste outlet hole shall comply with the dimensions as specified in EN 695, unless the manufacturer provides the waste fitting with the washing trough.

## **4.2 Cleanability**

When tested as described in 5.1, communal washing troughs shall have smooth and readily cleansed non-absorbent functional surfaces which are free from acute internal corners, i.e. surfaces intended to or likely to come into contact with water during use.

Experience has shown that communal washing troughs manufactured from plastics, enamelled steel/cast iron, stainless steel, glazed ceramics, glass and anodized aluminium, designed and constructed without acute internal corners, satisfy these requirements.

## **4.3 Load resistance**

Communal washing troughs shall not crack, collapse or show permanent distortion which prevents water from draining through the waste hole when tested as specified in 5.2.2 and 5.2.4.

Communal washing troughs shall not crack, or collapse when tested as specified in 5.2.3.

## **4.4 Durability**

Communal washing troughs shall be manufactured from materials that will satisfy the requirements of 4.2 and 4.3.

# **5 Test methods**

## **5.1 Cleanability**

Visually examine the functional surface of the communal washing trough using a suitable light source. Record the material of construction and any failure to comply with the requirements of 4.2.

Imperfections that do not affect the functionality of the surface shall not constitute a failure.


## **5.2 Determination of load resistance**

### **5.2.1 General**

Install the communal washing trough to be tested according to the manufacturer's installation instructions.


**5.2.2 Load evenly distributed on the rim**

Apply an evenly distributed load of  $25^{+0,5}_0$  kg every 50 cm on the rim, as shown in Figures 1 a), 1 b), 1 c) and 1 d). Reinforced cloth bags filled with lead shot, iron shot or sand shall be used. The load shall remain in position for a minimum period of 1 h.




**a) Wall mounted trough, viewed from the side**


Dimensions in millimetres



**b) Wall mounted trough, viewed from above**



**c) Free standing trough, viewed from the side**



**d) Free standing trough, viewed from above**

**Key**

1 one bag of  $25^{+0,5}_0$  kg or two bags of  $12,5^{+0,25}_0$  kg


**Figure 1 — Installation for load test - Test on the rim**

Note any crack, collapse or permanent distortion preventing water from draining through the waste hole.




### 5.2.3 Localized load on the rim


Apply a load of  $75^{+1,5}_0$  kg in the middle of the rim, as shown in Figures 2 a), 2 b), 2 c) and 2 d). Reinforced cloth bags filled with lead shot, iron shot or sand shall be used. The load shall remain in position for a minimum period of 1 h.




**a) Wall mounted trough, viewed from the side**



**b) Wall mounted trough, viewed from above**



**c) Free standing trough, viewed from the side**



**d) Free standing trough, viewed from above**

**Key**


1 three bags of  $25^{+0,5}_0$  kg or six bags of  $12,5^{+0,25}_0$  kg

**Figure 2 — Installation for load test - Test on the rim**

Note any crack, or collapse of the trough.


**5.2.4 Test on the bottom**

Apply an evenly distributed load of  $25^{+0,5}_0$  kg every 50 cm on the bottom, as shown in Figures 3 a), b), c) and d) with a minimum total loading of 75 kg. Reinforced cloth bags filled with lead shot, iron shot or sand shall be used. The load shall remain in position for a minimum period of 1 h.




**a) Wall mounted trough, viewed from the side**


Dimensions in millimetres



**b) Wall mounted trough - Viewed from above**



**c) Free standing trough, viewed from the side**



**d) Free standing trough, viewed from above**

**Key**

1 one bag of  $25^{+0,5}_0$  kg or two bags of  $12,5^{+0,25}_0$  kg

**Figure 3 — Installation for load test - Test on the bottom**

Note any crack, collapse or permanent distortion of the trough preventing water from draining through the waste hole.

## 6 Dangerous substances

National regulations on dangerous substances may require verification and declaration on release, and sometimes content, when construction products covered by this standard are placed on those markets.

In the absence of European harmonized test methods, verification and declaration on release/content should be done taking into account national provisions in the place of use.

NOTE An informative database covering European and national provisions on dangerous substances is available at the Construction website on EUROPA.

## 7 Marking

The intended use of communal washing troughs is personal hygiene in accordance with the scope of this standard.

NOTE The intended use is also mentioned in Annex ZA, Table ZA.1. The abbreviation "PH" for the intended use personal hygiene might be used for CE marking.

A schematic drawing of the product may optionally follow the abbreviation for personal hygiene.

EXAMPLE 1 Use of full text: Personal hygiene.

EXAMPLE 2 Use of abbreviation: PH.


For communal washing troughs a set of requirements to be tested (see 8.2.2) is defined. Due to this, a communal washing trough can be described with a designation code which includes all fulfilled essential requirements.

The relevant product characteristics and the Essential Characteristics for communal washing troughs including their abbreviations are given in Table 1.

**Table 1 — Characteristics and abbreviations**

Abbreviation	Characteristics
EN 14296	Number of European Standard for communal washing troughs for product description
CA	Cleanability
LR	Load resistance
DA	Durability

All communal washing troughs shall be designated in accordance with the following system:



The declaration of the characteristics of the second line is considered being covered by the declaration of the relevant class. However, the characteristics should be listed when one of those characteristics is not declared.

EXAMPLE 3 Communal washing trough for which all Essential Characteristics in accordance with Annex ZA are satisfied:

EN 14296

EXAMPLE 4 Communal washing trough for which the manufacturer has exercised the NPD option for load resistance:

EN 14296 — LR/NPD

## 8 Assessment and verification of constancy of performance – AVCP

### 8.1 General

The compliance of communal washing troughs with the requirements of this standard and with the performances declared by the manufacturer in the DoP shall be demonstrated by:

- Determination of the product type (see 8.2);
- Factory production control by the manufacturer (FPC), including product assessment (see 8.3).

### 8.2 Type testing

#### 8.2.1 General

All performances related to characteristics included in this standard shall be determined when the manufacturer intends to declare the respective performances unless the standard gives provisions for declaring them without performing tests. (e.g. use of previously existing data, CWFT and conventionally accepted performance).

Assessment previously performed in accordance with the provisions of this standard, may be taken into account provided that they were made to the same or a more rigorous test method, under the same AVCP system on the same product or products of similar design, construction and functionality, such that the results are applicable to the product in question.

For the purposes of assessment, the manufacturer's products may be grouped into families, where it is considered that the results for one or more characteristics from any one product within the family are representative for that same characteristics for all products within that same family.

Products may be grouped in different families for different characteristics.

Reference to the assessment method standards should be made to allow the selection of a suitable representative sample.

In addition, the determination of the product type shall be performed for all characteristics included in the standard for which the manufacturer declares the performance:

- at the beginning of the production of a new or modified communal washing troughs (unless a member of the same product range), or
- at the beginning of a new or modified method of production (where this may affect the stated properties); or
- they shall be repeated for the appropriate characteristic(s), whenever a change occurs in the modified communal washing trough design, in the raw material or in the supplier of the components, or in the method of production (subject to the definition of a family), which would affect significantly one or more of the characteristics.

Where components are used whose characteristics have already been determined, by the component manufacturer, on the basis of assessment methods of other product standards, these characteristics need not be re-assessed. The specifications of these components shall be documented.

Products bearing regulatory marking in accordance with appropriate harmonized European specifications may be presumed to have the performances declared in the DoP, although this does not replace the responsibility on the communal washing trough manufacturer to ensure that the communal washing trough as a whole is correctly manufactured and its component products have the declared performance values.

### 8.2.2 Test samples, testing and compliance criteria

The number of samples of communal washing troughs to be tested/assessed shall be in accordance with Table 2.

**Table 2 — Type testing for communal washing troughs**

<b>Characteristic to be tested</b>	<b>Assessment method according to clauses of this standard</b>	<b>Number of samples</b>	<b>Requirement and Compliance criteria</b>
Cleanability	5.1	1	4.2
Load resistance	5.2	1	4.3
Durability	5.1 5.2	1	4.4

### **8.3 Factory production control (FPC)**

#### **8.3.1 General**

The manufacturer shall establish, document and maintain an FPC system to ensure that the products placed on the market comply with the declared performance of the essential characteristics.

The FPC system shall consist of procedures, regular inspections and tests and/or assessments and the use of the results to control raw and other incoming materials or components, equipment, the production process and the product.

The results of inspections, tests or assessments requiring action shall be recorded. The action to be taken when control values or criteria are not met shall be recorded.

NOTE Manufacturers having an FPC system which complies with EN ISO 9001 and which addresses the provisions of the present European Standard are considered as satisfying the FPC requirements of the Regulation (EU) No. 305/2011.

#### **8.3.2 Equipment**

##### **8.3.2.1 Testing**

All weighing, measuring and testing equipment shall be calibrated and regularly inspected in accordance with documented procedures, frequencies and criteria.

##### **8.3.2.2 Manufacturing**

All equipment used in the manufacturing process shall be regularly inspected and maintained to ensure use; wear or failure does not cause inconsistency in the manufacturing process. Inspections and maintenance shall be carried out and recorded in accordance with the manufacturer's written procedures and the records retained for the period defined in the manufacturer's FPC procedures.

#### **8.3.3 Raw materials and components**

The specifications of all incoming raw materials and components shall be documented, as shall the inspection scheme for ensuring their compliance. In case supplied kit components are used, the constancy of performance system of the component shall be that given in the appropriate harmonized technical specification for that component.

#### **8.3.4 Product testing and assessment**

The manufacturer shall establish and document procedures to ensure that the stated values of all of the characteristics are maintained.

#### **8.3.5 Non-complying products**

The manufacturer shall have written procedures which specify how non-complying products shall be dealt with. Any such events shall be recorded as they occur and these records shall be kept for the period defined in the manufacturer's written procedures.

Where the product fails to satisfy the acceptance criteria, the provisions for non-complying products shall apply, the necessary corrective action(s) shall immediately be taken and the products or batches not complying shall be isolated and properly identified.

Once the fault has been corrected, the test or verification in question shall be repeated.

The results of controls and tests shall be properly recorded. The product description, date of manufacture, test method adopted, test results and acceptance criteria shall be entered in the records under the signature of the person responsible for the control/test.

With regard to any control result not meeting the requirements of this European Standard, the corrective measures taken to rectify the situation (e.g. a further test carried out, modification of manufacturing process, throwing away or putting right of product) shall be indicated in the records.

#### **8.3.6 Corrective action**

The manufacturer shall have documented procedures that instigate action to eliminate the cause of non-conformities in order to prevent recurrence.

## Annex ZA (informative)

### Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation

#### ZA.1 Scope and relevant characteristics

This European Standard has been prepared under Mandate M/110 “Sanitary Appliances” as amended by M/139 given to CEN by the European Commission and the European Free Trade Association.

If this European Standard is cited in the Official Journal of the European Union (OJEU), the clauses of this standard, shown in this annex, are considered to meet the provisions of the relevant mandate, under the Regulation (EU) No. 305/2011.

This annex deals with the CE marking of the close-coupled communal washing troughs intended for the uses indicated in Table ZA.1 and shows the relevant clauses applicable.

This annex has the same scope as in Clause 1 of this standard related to the aspects covered by the mandate and is defined by Table ZA.1.

Table ZA.1 — Relevant clauses

<b>Construction product:</b>	<b>Communal washing trough</b>		
<b>Intended use:</b>	<b>Personal hygiene</b>		
<b>Essential Characteristics</b>	<b>Requirement clauses in this European Standard</b>	<b>Regulatory classes</b>	<b>Notes</b>
Cleanability	4.2	—	Pass/Fail
Load resistance	4.3	—	Pass/Fail
Durability	4.4	—	Pass/Fail

The declaration of the product performance related to certain Essential Characteristics is not required in those Member States (MS) where there are no regulatory requirements on these Essential Characteristics for the intended use of the product.

In this case, manufacturers placing their products on the market of these MS are not obliged to determine nor declare the performance of their products with regard to these Essential Characteristics and the option “No performance determined” (NPD) in the information accompanying the CE marking and in the declaration of performance (see ZA.3) may be used for those Essential Characteristics.



## ZA.2 Procedure for assessment and verification of constancy of performance (AVCP) of communal washing troughs

### ZA.2.1 System of AVCP

The AVCP system of Wall-hung urinals indicated in Tables ZA.1, established by EC Decision 96/578/EC (OJ L254 of 8.10.1996 p.49) amended by EC Decision(s) 2001/596/EC (OJ L209 page 33 of 2.8.2001) and 2002/592/EC (OJ L 192 page 57 of 20.7.2002) is shown in Table ZA.2 for the indicated intended use(s) and relevant level(s) or class(es) of performance.

**Table ZA.2 — System of AVCP**

Product	Intended use	Level(s) or class(es)	AVCP system(s)
Communal troughs	Personal hygiene	—	4
System 4: See Regulation (EU) No. 305/2011 (CPR) Annex V, 1.5			

The AVCP of the communal washing troughs in Table ZA.1 shall be according to the AVCP procedures indicated in Table ZA.3 resulting from application of the clauses of this or other European Standard indicated therein. The content of tasks of the notified body shall be limited to those Essential Characteristics as provided for, if any, in Annex III of the relevant mandate and to those that the manufacturer intends to declare.

**Table ZA.3 — Assignment of AVCP tanks for communal washing troughs used under system 4**

Tasks		Content of task	AVCP clauses to apply
Task for the manufacturer	Determination of the product type on the basis of type testing, type calculation, tabulated values or descriptive documentation of the product	Essential Characteristics of relevant Table ZA.1 relevant for the intended use which are declared	8.2
	Factory production control (FPC)	Parameters related to Essential Characteristics of relevant Table ZA.1 relevant for the intended use	8.3

### ZA.2.2 Declaration of performance (DoP)

#### ZA.2.2.1 General

The manufacturer draws up the DoP and affixes the CE marking on the basis of the different AVCP systems set out in Annex V of the Regulation (EU) No. 305/2011:

- the factory production control carried out by the manufacturer;
- the determination by the manufacturer of the product type on the basis of type testing, type calculation, tabulated values or descriptive documentation of the product.

### **ZA.2.2.2 Content**

The model of the DoP is provided in Annex III of the Regulation (EU) No. 305/2011.

In accordance with this Regulation, the DoP shall contain, in particular, the following information:

- the reference of the product type for which the declaration of performance has been drawn up;
- the AVCP system or systems of the construction product, as set out in Annex V of the CPR;
- the reference number and date of issue of the harmonized standard which has been used for the assessment of each Essential Characteristic;
- where applicable, the reference number of the Specific Technical Documentation used and the requirements with which the manufacturer claims the product complies.

The DoP shall in addition contain:

- a) the intended use or uses for the construction product, in accordance with the applicable harmonized technical specification;
- b) the list of Essential Characteristics, as determined in the harmonized technical specification for the declared intended use or uses;
- c) the performance of at least one of the Essential Characteristics of the construction product, relevant for the declared intended use or uses;
- d) where applicable, the performance of the construction product, by levels or classes, or in a description, if necessary based on a calculation in relation to its Essential Characteristics determined in accordance with the Commission determination regarding those Essential Characteristics for which the manufacturer shall declare the performance of the product when it is placed on the market or the Commission determination regarding threshold levels for the performance in relation to the Essential Characteristics to be declared;
- e) the performance of those Essential Characteristics of the construction product which are related to the intended use or uses, taking into consideration the provisions in relation to the intended use or uses where the manufacturer intends the product to be made available on the market;
- f) for the listed Essential Characteristics for which no performance is declared, the letters "NPD" (No Performance Determined).

Regarding the supply of the DoP, Article 7 of the Regulation (EU) No. 305/2011 applies.

The information referred to in Article 31 or, as the case may be, in Article 33 of Regulation (EC) No. 1907/2006 (REACH) shall be provided together with the DoP.

### **ZA.2.2.3 Examples of DoP**

The following gives examples of a filled-in DoP for close-coupled suites, one-piece and independent WC pans with integral trap.

EXAMPLE 1 Full-text version of DoP with attached list of product numbers (identification codes) for this DoP:

**DECLARATION OF PERFORMANCE**

**No. ABC1234**

1. Unique identification code of the product type:

**For product number(s) see list attached**

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

**Communal washing trough(s)**

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**Personal hygiene (PH)**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**AnyCo SA,**

**PO Box 21**

**B-1050 Brussels, Belgium**

**Tel. +32987654321**

**Fax: +32123456789**

**Email: [anyco.sa@provider.be](mailto:anyco.sa@provider.be)**

5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):

**Anyone Ltd**

**Flower Str. 24**

**West Hamfordshire**

**UK-589645 United Kingdom**

**Tel. +44987654321**

**Fax: +44123456789**

**e-mail: [anyone.ltd@provider.uk](mailto:anyone.ltd@provider.uk)**

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR (305/2011/EU), Annex V:

**System 4**

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

**Determination of product type and factory production control by the manufacturer**

8. Declared performance

Essential Characteristics <sup>a</sup>	Performance	Harmonized technical specification
Cleanability (CA)	Pass	EN 14296:2015
Load resistance (LR)	Pass	
Durability (DA)	Pass	
<sup>a</sup> Specific performance of Essential Characteristics are given by the designation code as cited in the attachment.		

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

.....  
(Name and function)

.....  
(place and date of issue)

.....  
(signature)

**Attachment to Declaration of Performance**

**No. ABC1234**

<b>Product no.</b>	<b>Collection (Optional)</b>	<b>Description (Optional)</b>	<b>CE marking (Optional)</b>	<b>Digits (Optional)</b>
6620 01	Amadea	Communal washing trough	EN 14296	11
.....				

.....  
(Name and function)

.....  
(place and date of issue)

.....  
(signature)

(Page/Pages)

EXAMPLE 2 Short-text version of DoP with attached list of product numbers (identification codes) for this DoP.

**Declaration of Performance**

**No. ABC1234**

1. **For product number (identification code) see list attached**
2. **Communal washing trough**
3. **Personal hygiene (PH)**
4. **Ceramic sanitary ware Manufacturer**

**Any Street 1**

**12345 Example City**

**Country**

**Ph.: +49 987-8654-0**

**Fax: +49 987-8654-1**

**info@sanitary-plant.com**

5. **n.a.**

6. **System 4**

**Determination of product type and factory production control by the manufacturer**

7.

<b>Essential Characteristics<sup>a</sup></b>	<b>Performance</b>	<b>Harmonized technical specification</b>
CA	Pass	EN 14296:2015
LR	Pass	
DA	Pass	
<sup>a</sup> Specific performance of Essential Characteristics are given by the designation code as cited in the attachment.		

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

.....  
(Name and function)

.....  
(place and date of issue)

.....  
(signature)

(Page/Pages)

**Attachment to Declaration of Performance**

**No. ABC1234**

<b>Product no.</b>	<b>Collection (Optional)</b>	<b>Description (Optional)</b>	<b>CE marking (Optional)</b>	<b>Digits (Optional)</b>
6620 01	Amadea	Communal washing trough	EN 14296	11
.....				

.....  
 (Name and function)

.....  
 (place and date of issue)

.....  
 (signature)

(Page/Pages)

**ZA.3 CE marking and labelling**

The CE marking symbol shall be in accordance with the general principles set out in Article 30 of Regulation (EC) No. 765/2008 and shall be affixed visibly, legibly and indelibly:

— to the communal washing trough

or

— to a label attached to it.

Where this is not possible or not warranted on account of the nature of the product, it shall be affixed:

— to the packaging

or

— to the accompanying documents.

The CE marking shall be followed by:

— the last two digits of the year in which it was first affixed;

— the name and the registered address of the manufacturer, or the identifying mark allowing identification of the name and address of the manufacturer easily and without any ambiguity;

— the unique identification code of the product type;

— the reference number of the declaration of performance;


— the level or class of the performance declared;

— the reference to the harmonized technical specification applied;

— the intended use as laid down in the harmonized technical specification applied.

The CE marking shall be affixed before the construction product is placed on the market. It may be followed by a pictogram or any other mark notably indicating a special risk or use.

Figure ZA.1 gives an example of the information related to products subject to AVCP under system 4 to be given on the label.

	<i>CE marking, consisting of the “CE”-symbol</i>
AnyCo Ltd, PO Box 21, B-1050	<i>Name and the registered address of the manufacturer, or identifying mark</i>
<p><b>15</b></p> <p><b>ABC1234</b></p> <p><b>6620 01</b></p> <p><b><i>Personal hygiene</i></b></p> <p><b>EN 14296 — CA — DA</b></p>	<p><i>Last two digits of the year in which the marking was first affixed</i></p> <p><i>Reference number of the DoP</i></p> <p><i>Unique identification code of the product-type</i></p> <p><i>Intended use of the product as laid down in the European standard applied</i></p> <p><i>No. of European standard applied, as referenced in OJEU and level or class of the performance declared</i></p>

**Figure ZA.1 — Example CE marking information of communal washing troughs with limited set of declared characteristics**



## Bibliography

EN ISO 9001, *Quality management systems - Requirements (ISO 9001)*





# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [bsmusales@bsigroup.com](mailto:bsmusales@bsigroup.com).

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

## Useful Contacts:

### Customer Services

**Tel:** +44 845 086 9001

**Email (orders):** [orders@bsigroup.com](mailto:orders@bsigroup.com)

**Email (enquiries):** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 845 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)



...making excellence a habit.™