

BS EN 14389-2:2015



BSI Standards Publication

Road traffic noise reducing devices — Procedures for assessing long term performance

Part 2: Non-acoustical characteristics

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN 14389-2:2015. It supersedes BS EN 14389-2:2004 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee B/509/6, Fences for the attenuation of noise.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 81707 6
ICS 17.140.30; 93.080.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2015.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD

EN 14389-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2015

ICS 93.080.30

Supersedes EN 14389-2:2004

English Version

Road traffic noise reducing devices - Procedures for assessing long term performance - Part 2: Non-acoustical characteristics

Dispositifs de réduction du bruit du trafic routier - Méthodes d'évaluation des performances à long terme - Partie 2: Caractéristiques non acoustiques

Lärmschutzvorrichtungen an Straßen - Verfahren zur Bewertung der Langzeitwirksamkeit - Teil 2: Nichtakustische Eigenschaften

This European Standard was approved by CEN on 16 April 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

page

Foreword.....	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Requirements	6
5 Report	8
Annex A (normative) Road side exposure - Classification of environmental conditions	9
A.1 General.....	9
A.2 Environmental classifications* appropriate to road traffic noise reducing devices selected from EN 60721-3-4.....	10
Annex B (informative) Material standards	12
B.1 General.....	12
B.2 References.....	12
Bibliography.....	12

Foreword

This document (EN 14389-2:2015) has been prepared by Technical Committee CEN/TC 226 "Road equipment", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2015, and conflicting national standards shall be withdrawn at the latest by November 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14389-2:2004.

The main change compared to the previous edition is a new presentation of the requirement in order to be coherent with the new EN 14389-1. In the new version, the manufacturer has to declare in Table 1 the working life of non-acoustic performances in function of exposure classes.

This part is concerned with long-term durability. It should be read in conjunction with:

EN 1793, *Road traffic noise reducing devices – Test method for determining the acoustical performance*

— *Part 1: Intrinsic characteristics of sound absorption*

— *Part 2: Intrinsic characteristics of airborne sound insulation under diffuse sound field conditions*

— *Part 6: Intrinsic characteristics – In situ values of airborne sound insulation under direct sound field conditions*

CEN/TS 1793-5, *Road traffic noise reducing devices – Test method for determining the acoustical performance*

— *Part 5: Intrinsic characteristics - In situ values of sound reflection and airborne sound insulation (CEN/TS)*

EN 1794, *Road traffic noise reducing devices - Non-acoustic performance*

— *Part 1: Mechanical performance and stability requirements*

— *Part 2: General safety and environmental requirements*

— *Part 3: Reaction to fire. Burning behaviour of noise reducing devices based on assessment of their components.*

EN 14389, *Road traffic noise reducing devices - Procedures for assessing long-term performance*

— *Part 1: Acoustical characteristics*

EN 60721-3-4, *Classification of environmental conditions*

— *Part 3: Classification of groups of environmental parameters and their severities – Section 4: Stationary use at non-weatherprotected locations*

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Noise reducing devices alongside roads should not only fulfil their acoustic function and structural design requirements in accordance with appropriate documents, but also maintain their performance during the required working life. The structural elements need to retain acceptable minimum safety factors at the end of their working life and the acoustic elements not only have to remain effective structurally but provide the specified acoustic performance.

All elements in the construction of noise reducing devices should be resistant to electrolytic or/and chemical corrosion and embrittlement, be dimensionally stable and have generally a high ageing resistance in many differing conditions.

1 Scope

This European Standard specifies requirements for assessing the working life and provides the relevant exposure conditions.

Standards of construction and any material tests conducted should provide evidence of resistance to specified conditions selected from the following:

I.	Chemical Agents	Location dependent
II.	De-icing salt	Location/climate dependent
III.	Dirty water/dust	Location/climate dependent
IV.	Dew	Climate dependent
V.	Freeze/thaw	Climate dependent
VI.	Cold	Climate dependent
VII.	Heat	Climate dependent
VIII.	UV Radiation	Climate dependent
IX.	Traffic Vibration	Location dependent
X.	Biological Process	Climate dependent
XI.	Ozone	Location dependent
XII.	Water	Climate dependent
XIII.	Water spray (Wet/dry)	Location dependent

NOTE Special care is taken for combinations of different materials, whether inside a single device or in combination with other devices (for example: a combination of different acoustic elements or another combination of acoustic and structural elements).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 60721-3-4, *Classification of environmental conditions — Part 3: Classification of groups of environmental parameters and their severities — Section 4: Stationary use at non-weatherprotected locations (IEC 60721-3-4)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

noise reducing device (NRD)

device that is designed to reduce the propagation of traffic noise away from the road environment

Note 1 to entry: This may be a noise barrier, cladding, a road cover or an added device. These devices may include both acoustic and structural elements.

3.2

noise barrier

noise reducing device, which obstructs the direct transmission of airborne sound emanating from road traffic

3.3

acoustic element

element whose primary function is to provide the acoustic performance of the device

3.4

structural element

element whose primary function is to support or hold in place acoustic elements

3.5

cladding

noise reducing device, which is attached to a wall or other structure and reduces the amount of sound reflected

3.6

cover

noise-reducing device, which either spans or overhangs the highway

3.7

added device

added component that influences the acoustic performance of the original noise-reducing device (acting primarily on the diffracted energy)

3.8

working life

period of time during which the performance of the device will be sustained which enables it to fulfil the performance characteristics as identified in EN 1794 parts 1, 2 and 3

3.9

roadside exposure

conditions experienced by the noise reducing devices installed alongside a road

4 Requirements

The structural design shall comply with the requirements of the appropriate European code.

Standard environmental categories selected for road traffic noise reducing devices with possible variations are given in Annex A of this document.

The manufacturer shall list the measures taken to limit the effects of ageing on his product following the list of ageing agents I to XIII and the adverse effects of combining different materials.

Where material standards exist, durability shall be assessed using them (see Annex B). The manufacturer shall define the working life under the exposure classes, listed in the Table 1, adapted to the intended use of the noise reducing device. In any cases, the working life of the noise reducing device is the minimum of the working lives of its components.

Adverse effects on long-term performance of contact with the ground shall be taken into account.

If retention of water is likely to degrade the working life, the design shall ensure that water is not retained.

The working life of structural and acoustic elements may be different, therefore they have to be assessed under the same exposure conditions when installed on the same site.

If a change in humidity and/or temperature and/or UV affects the dimensional stability of materials used in the construction, then the design shall allow for such changes and ensure that the performance continues to fulfil the performance characteristics.

Where different materials are used in the construction, all appropriate measures shall be taken to avoid electrolytic and chemical corrosion or interaction that could adversely affect working life.

Table 1 — Declared working life of non-acoustic performances in function of exposure classes

Environmental class of exposure	Declared working life in years
4B1	
4B2	
4C2	
4C3	
4C4	
4K2	
4K3	
4M3	
4M4	
4S2	
4Z6	
4Z7	

NOTE This European Standard permits specifying authorities to indicate where there is no requirement for assessment under any particular exposure classes.

The supplier shall provide for both structural and acoustic elements:

- a) the list of measures taken to limit the effects of ageing on his product;
- b) the working life corresponding to the specific environmental exposure classes;
- c) a statement of the design codes used, appropriate Eurocodes etc., and evidence of evaluation of working life.

Installation instructions shall describe how the product (acoustic element, full noise barrier, etc.) shall be installed in order to be able to achieve the declared working life.

A maintenance manual shall specify measures which are necessary, or to be avoided, in order to achieve the declared working life.

5 Report

The report shall include a full description of the geometry of the product evaluated, including details of procedures required by all appropriate material documents.

It shall also include:

- a) reference to this document;
- b) name and address of the approved independent evaluating body with a dated signature of the person responsible;
- c) exact identification of evaluated product, name and address of the manufacturer;
- d) full description of the materials, their thickness' and densities of sound absorptive elements;
- e) drawing showing the cross-section of the evaluated element with permitted manufacturing tolerances;
- f) the list of measures taken to limit the effects of ageing on his product;
- g) the table of declared working lives;
- h) installation and maintenance manuals for the achieving the declared working life.

Annex A (normative)

Road side exposure - Classification of environmental conditions

A.1 General

Noise reducing devices placed alongside roads are exposed to agents as well as climatic changes which can limit working life. It is essential that the environmental classifications are identified so that the long-term performance life can be properly assessed.

This annex lists typical environmental conditions selected for road traffic noise reducing devices from EN 60721-3-4.

The conditions selected do not take into account the effects of contact with the ground.

The environmental conditions specified in EN 60721-3-4 do not explicitly take into account the effects of contact with the ground. However, for the design of noise reducing devices that could be in contact with the ground, these effects shall be taken into account.

A.2 Environmental classifications* appropriate to road traffic noise reducing devices selected from EN 60721-3-4

	Classifications	Identified Exposures List 1.	Location variation (Distance from carriageway)			Additional possible Climatic variations	
			< 5 m	5 m to 10 m	> 10 m	HOT	COLD
Table 1 (K)	Climatic conditions	IV. Dew V. Freeze/thaw VI. Cold VII. Heat VIII UV Radiation XII. Water	4K2	4K2	4K2		4K3 ^c
Table 2 (Z)	Special Climatic Conditions	XIII. Water spray	4Z7	4Z7	4Z6		
Table 3 (B)	Biological conditions		4B1	4B1	4B1	4B2 ^d	
Table 4 (C)	Chemically Active substances	I. Chemical agents II. De-Icing salts ^a XI Ozone ^b	4C2 4C3 ^a 4C4 ^b	4C2 4C3 ^a 4C4 ^b	4C2 4C2 4C4 ^b		
Table 5 (S)	Mechanically Active Substances	III. Dirty water/ Dust	4S2	4S2	4S2		
Table 6 (M)	Mechanical Conditions	IX. Traffic Vibration	4M4	4M4	4M3		

Selection of more severe categories:

- a Applicable only if de-icing salts used.
- b Applicable only if in marine/coastal environment.
- c Extreme cold climate.
- d Hot humid conditions.
- * Detailed classification may be selected according to the local conditions.

Annex B (informative)

Material standards

B.1 General

This annex includes material standards which can be used to evaluate long-term performance of components of noise reducing devices. It is neither definitive nor complete and in particular makes no provision for interaction between materials which may cause deterioration. Suitable other standards may be used for other materials.

B.2 References

Some parts of the references listed hereafter can conflict with this document. If that occurs, the explicit requirements of this document classifying exposure near to roads should prevail.

For these undated references, the latest edition of the publication applies.

EN 460, *Durability of wood and wood-based products — Natural durability of solid wood — Guide to the durability requirements for wood to be used in hazard classes*

EN 350-2, *Durability of wood and wood-based products — Natural durability of solid wood — Part 2: Guide to natural durability and treatability of selected wood species of importance in Europe*

EN 351-1, *Durability of wood and wood-based products — Preservative-treated solid wood — Part 1: Classification of preservative penetration and retention*

EN 335, *Durability of wood and wood-based products — Use classes: definitions, application to solid wood and wood-based products*

EN 599-1, *Durability of wood and wood-based products — Performance of preventive wood preservatives as determined by biological tests — Part 1: Specification according to hazard class*

EN 771-1, *Specification for masonry units — Part 1: Clay masonry units.*

EN 771-3, *Specification for masonry units — Part 3: Aggregate concrete masonry units (Dense and light-weight aggregates).*

EN 13369, *Common rules for precast concrete products.*

EN 10025, *Hot rolled products of non-alloy structural steels — Technical delivery conditions*

EN 10169, *Continuously organic coated (coil coated) steel flat products*

EN 60721-3-4, *Classification of environmental conditions — Part 3: Classification of groups of environmental parameters and their severities — Section 4: Stationary use at non-weatherprotected locations (IEC 60271-3-4)*

EN ISO 4892-1, *Plastics — Methods of exposure to laboratory light sources — Part 1: General guidance (ISO 4892-1)*

EN ISO 4892-2, *Plastics — Methods of exposure to laboratory light sources — Part 2: Xenon-arc sources (ISO 4892-2)*

EN ISO 11403-3, *Plastics — Acquisition and presentation of comparable multipoint data — Part 3: Environmental influences on properties (ISO 11403-3)*

EN ISO 527, *Plastics — Determination of tensile properties (ISO 527)*

EN ISO 8256, *Plastics — Determination of tensile-impact strength (ISO 8256)*

EN ISO 898-1:2013, *Mechanical properties of fasteners made of carbon steel and alloy steel — Part 1: Bolts, screws and studs (ISO 898-1:2013)*

EN ISO 898-2:2012, *Mechanical properties of fasteners — Part 2: Nuts with specified proof load values — Coarse thread (ISO 898-2:2012)*

EN ISO 898-5:2012 *Mechanical properties of fasteners made of carbon steel and alloy steel — Part 5: Set screws and similar threaded fasteners not under tensile stresses (ISO 898-5:2012)*

EN 20898-7:1995, *Mechanical properties of fasteners — Part 7: Torsional test and minimum torques for bolts and screws with nominal diameters 1 mm to 10 mm (ISO 898-7:1992)*

EN ISO 4628-1, *Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 1: General introduction and designation system (ISO 4628-1)*

EN ISO 4628-2, *Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 2: Assessment of degree of blistering (ISO 4628-2)*

EN ISO 4628-3, *Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 3: Assessment of degree of rusting (ISO 4628-3)*

EN ISO 4628-4, *Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 4: Assessment of degree of cracking (ISO 4628-4)*

EN ISO 4628-5, *Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance —Part 5: Assessment of degree of flaking (ISO 4628-5)*

EN ISO 4628-6, *Paints and varnishes — Evaluation of degradation of paint coatings — Designation of intensity, quantity and size of common types of defect — Part 6: Rating of degree of chalking by tape method (ISO 4628-6)*

EN ISO 9227, *Corrosion tests in artificial atmospheres — Salt spray tests (ISO 9227)*

EN ISO 14713 (all parts), *Zinc coatings — Guidelines and recommendations for the protection against corrosion of iron and steel in structures (ISO 14713)*

EN ISO 12543-4, *Glass in building — Laminated glass and laminated safety glass — Test methods for durability (ISO 12543-4)*

EN 1990, *Eurocode — Basis of structural design*

EN 1991-1-1, *Eurocode 1: Actions on structures — Part 1-1: General actions — Densities, self-weight and imposed loads for buildings*

EN 1991-1-2, *Eurocode 1: Actions on structures — Part 1-2: General actions — Actions on structures exposed to fire*

EN 1991-1-3, *Eurocode 1: Actions on structures — Part 1-3: General actions — Snow loads*

- EN 1991-1-4, *Eurocode 1: Actions on structures — Part 1-4: General actions — Wind actions*
- EN 1991-1-5, *Eurocode 1: Actions on structures — Part 1-5: General actions — Thermal actions*
- EN 1991-1-6, *Eurocode 1: Actions on structures — Part 1-6: Actions during execution*
- EN 1991-1-7, *Eurocode 1 — Actions on structures — Part 1-7: General actions — Accidental actions*
- EN 1992-1-1, *Eurocode 2: Design of concrete structures — Part 1-1: General rules and rules for buildings*
- EN 1992-1-2, *Eurocode 2: Design of concrete structures — Part 1-2: General rules — Structural fire design*
- EN 1993-1-1, *Eurocode 3: Design of steel structures — Part 1-1: General rules and rules for buildings*
- EN 1993-1-2, *Eurocode 3: Design of steel structures — Part 1-2: General rules — Structural fire design*
- EN 1993-1-3, *Eurocode 3: Design of steel structures — Part 1-3: General rules — Supplementary rules for cold-formed members and sheeting*
- EN 1993-1-4, *Eurocode 3: Design of steel structures — Part 1-4: General rules — Supplementary rules for stainless steels*
- EN 1994-1-1, *Eurocode 4: Design of composite steel and concrete structures — Part 1-1: General rules and rules for buildings*
- EN 1994-1-2, *Eurocode 4: Design of composite steel and concrete structures — Part 1-2: General rules — Structural fire design*
- EN 1995-1-1, *Eurocode 5: Design of timber structures — Part 1-1: Common rules and rules for building*
- EN 1995-1-2, *Eurocode 5: Design of timber structures — Part 1-2: General — Structural fire design*
- EN 1996-1-1, *Eurocode 6: Design of masonry structures — Part 1-1: General rules for reinforced and unreinforced masonry structures*
- EN 1996-1-2, *Eurocode 6: Design of masonry structures — Part 1-2: General rules — Structural fire design*
- EN 1999-1-1, *Eurocode 9: Design of aluminium structures — Part 1-1: General rules and rules for buildings*
- EN 1999-1-2, *Eurocode 9: Design of aluminium structures — Part 1-2: General rules — Structural fire design*

Bibliography

- [1] EN 1793-1, *Road traffic noise reducing devices — Test method for determining the acoustic performance — Part 1: Intrinsic characteristics of sound absorption*
- [2] EN 1793-2, *Road traffic noise reducing devices — Test method for determining the acoustic performance — Part 2: Intrinsic characteristics of airborne sound insulation under diffuse sound field conditions*
- [3] EN 1793-6, *Road traffic noise reducing devices — Test method for determining the acoustic performance — Part 6: Intrinsic characteristics — In situ values of airborne sound insulation under direct sound field conditions*
- [4] EN 1794-1, *Road traffic noise reducing devices — Non-acoustic performance — Part 1: Mechanical performance and stability requirements*
- [5] EN 1794-2, *Road traffic noise reducing devices — Non-acoustic performance — Part 2: General safety and environmental requirements*
- [6] prEN 1794-3:2014, *Road traffic noise reducing devices — Non-acoustic performance — Part 3: Reaction to fire. Burning behaviour of noise reducing devices based on assessment of their components*
- [7] EN 14389-1, *Road traffic noise reducing devices — Procedures for assessing long term performance — Part 1: Acoustical characteristics*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™