

BS EN 50121-1:2017



BSI Standards Publication

# Railway applications — Electromagnetic compatibility

Part 1: General

**bsi.**

**National foreword**

This British Standard is the UK implementation of EN 50121-1:2017. It supersedes BS EN 50121-1:2015 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/9, Railway Electrotechnical Applications.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017.  
Published by BSI Standards Limited 2017

ISBN 978 0 580 94099 6

ICS 29.280; 33.100.01; 45.020

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2017.

**Amendments/corrigenda issued since publication**

Date	Text affected
------	---------------

---

EUROPEAN STANDARD

**EN 50121-1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2017

ICS 29.280; 45.020; 33.100.01

Supersedes EN 50121-1:2015

English Version

## Railway applications - Electromagnetic compatibility - Part 1: General

Applications ferroviaires - Compatibilité électromagnétique -  
Partie 1: GénéralitésBahnanwendungen - Elektromagnetische Verträglichkeit -  
Teil 1: Allgemeines

This European Standard was approved by CENELEC on 2016-11-07. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>	<b>Page</b>
<b>European foreword</b> .....	<b>3</b>
<b>Introduction</b> .....	<b>4</b>
<b>1 Scope</b> .....	<b>6</b>
<b>2 Normative references</b> .....	<b>6</b>
<b>3 Abbreviations</b> .....	<b>6</b>
<b>4 Performance criteria</b> .....	<b>7</b>
<b>5 Management of EMC</b> .....	<b>7</b>
<b>Annex A (informative) The railway system</b> .....	<b>8</b>
<b>A.1 Introduction</b> .....	<b>8</b>
<b>A.2 General coupling mechanisms</b> .....	<b>8</b>
<b>A.3 Principal electromagnetic phenomena for immunity</b> .....	<b>9</b>
<b>A.3.1 Conducted low frequency phenomena</b> .....	<b>9</b>
<b>A.3.2 Low frequency field phenomena</b> .....	<b>9</b>
<b>A.3.3 Conducted high frequency phenomena</b> .....	<b>9</b>
<b>A.3.4 Radiated high frequency phenomena</b> .....	<b>9</b>
<b>A.4 Principal electromagnetic phenomena for emission</b> .....	<b>9</b>
<b>A.5 Description of the different electric traction systems</b> .....	<b>9</b>
<b>A.6 Components of electric traction systems</b> .....	<b>10</b>
<b>A.7 Internal sources of electromagnetic noise</b> .....	<b>10</b>
<b>A.7.1 General</b> .....	<b>10</b>
<b>A.8 Summary of main characteristics of railway systems</b> .....	<b>12</b>
<b>A.9 External sources of disturbance</b> .....	<b>12</b>
<b>Bibliography</b> .....	<b>13</b>

## European foreword

This document (EN 50121-1:2017) has been prepared by CLC/TC 9X, “Electrical and electronic applications for railways”.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) [2017-11-07]
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) [2019-11-07]

This document supersedes EN 50121-1:2015.

EN 50121-1:2017 includes the following significant technical changes with respect to EN 50121-1:2015:

- deletion of Annex ZZ.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

EN 50121, *Railway applications — Electromagnetic compatibility*, consists of the following parts:

- *Part 1: General* [the present document];
- *Part 2: Emission of the whole railway system to the outside world;*
- *Part 3-1: Rolling stock — Train and complete vehicle;*
- *Part 3-2: Rolling stock — Apparatus;*
- *Part 4: Emission and immunity of the signalling and telecommunications apparatus;*
- *Part 5: Emission and immunity of fixed power supply installations and apparatus.*

## Introduction

The railway system EMC set of product-specific European Standards is intended, in the main, to permit compliance with the EMC Directive, but also to provide a means of prescribing compatibility between internal parts of the railway system. It consists of five parts described at the end of this Introduction.

The set of standards provides both a framework for managing the EMC for railway systems and also specifies the limits for the electromagnetic (EM) emission of the railway system as a whole to the outside world and for the EM emission and immunity for equipment operating within the railway system. The latter is intended to be compatible with the emission limits set for the railway system as a whole and also provides for establishing confidence in equipment being Fit For Purpose in the Railway environment. There are different stationary emission limits set for trams/trolleybuses and for metro/mainline railway systems. The frequency covered by the standards is in the range from DC to 400 GHz. No measurements need to be performed at frequencies where no requirement is specified. The limits for EMC phenomena are set so that the railway system as a whole satisfies the Directive on electromagnetic compatibility with the outside world, and so that EMC is achieved between the various parts of the railway system. Any specific problems in complying with the limits are intended to be addressed by the procedures given in the EMC Directive. Throughout the set of standards, the immunity levels are chosen to ensure a reasonable level of EMC with other apparatus within the local railway environment and with emissions which enter the railway system from the outside world. Limits are also placed on EM emission by railway systems into the outside world.

The compatibility between railway system emissions and their external environment is based upon emission limits from the railway systems being set by considering the results from measurements at the time that the EMC Directive became enforceable. Given that the general compatibility between railway systems and their environment was satisfactory at the time these measurements were made and subsequent experience of applying the limits has confirmed their acceptability, compliance with this Standard has been judged to give satisfactory compatibility. The immunity and emission levels do not of themselves guarantee that the railway system will have satisfactory compliance with its neighbours. In exceptional circumstances, for instance near a “special location” which has unusually high levels of EM interference, the railway system may require additional measures to be taken to ensure proper compatibility. Particular care should be taken when in proximity to equipment not covered by the EMC Directive such as radio transmission equipment, military or medical installations. Attention is particularly drawn to any magnetic imaging equipment in hospitals that may be near to urban transport. In all these cases, compatibility should be achieved with consultation and co-operation between the interested parties.

The immunity and emission levels themselves do not guarantee that integration of the apparatus within the railway system will necessarily be satisfactory. The standard cannot cover all the possible configurations of apparatus, but the test levels are sufficient to achieve satisfactory EMC in the majority of cases. In exceptional circumstances, for instance near a “special location” which has unusually high levels of EM interference, the system may require additional measures to be taken to ensure proper operation. The resolution of this is a matter for discussion between the equipment supplier and the project manager, infrastructure manager or equivalent.

The railway apparatus is assembled into large systems and installations, such as trains and signalling control centres. Details are given in Annex A. It is not, therefore, possible to establish immunity tests and limits for these large assemblies. The immunity levels for the apparatus will normally ensure reliable operation, but it is important to prepare an EMC management plan to deal with complex situations or to deal with specific circumstances; for example, the passage of the railway line close to a high power radio-transmitter which produces abnormally high field strengths. Special conditions may have to be applied for railway equipment which has to work near such a transmitter and these will be accepted as National Conditions for the specification.

The series of standards EN 50121, *Railway applications — Electromagnetic compatibility*, contains the following parts:

- **Part 1: General:** This part gives a description of the electromagnetic behaviour of a railway system; it specifies the performance criteria for the whole set. A management process to achieve EMC at the interface between the railway infrastructure and trains is referenced.
- **Part 2: Emission of the whole railway system to the outside world:** This part sets the emission limits from the railway system to the outside world at radio frequencies. It defines the applied test methods and gives information on typical field strength values at traction and radio frequency (cartography).
- **Part 3-1: Rolling stock — Train and complete vehicle:** This part specifies the emission and immunity requirements for all types of rolling stock. It covers traction rolling stock and trainsets, as well as independent hauled rolling stock. The scope of this part of the series ends at the interface of the rolling stock with its respective energy inputs and outputs.
- **Part 3-2: Rolling stock — Apparatus:** This part applies to emission and immunity aspects of EMC for electrical and electronic apparatus intended for use on railway rolling stock. It is also used as a means of dealing with the impracticality of immunity testing a complete vehicle.
- **Part 4: Emission and immunity of the signalling and telecommunications apparatus:** This part specifies limits for electromagnetic emission and immunity for signalling and telecommunications apparatus installed within a Railway system. The EMC plan needs to state, if this part is also applicable for railway operational equipment mounted trackside or at platforms.
- **Part 5: Emission and immunity of fixed power supply installations and apparatus:** This part applies to emission and immunity aspects of EMC for electrical and electronic apparatus and components intended for use in railway fixed installations associated with power supply.

EN 50121-1 and EN 50121-2 are product family standards which take precedence over generic standards.

EN 50121-3-1, EN 50121-3-2, EN 50121-4, and EN 50121-5 are product standards.

## 1 Scope

This European standard outlines the structure and the content of the whole set.

It specifies the performance criteria applicable to the whole standards series.

Clause 5 provides information about the EMC management.

This part alone is not sufficient to give presumption of conformity to the essential requirements of the EMC-Directive and is intended to be used in conjunction with other parts of this standard.

Annex A describes the characteristics of the railway system which affect electromagnetic compatibility (EMC) behaviour.

Phenomena excluded from the set are Nuclear EM pulse, abnormal operating conditions (e.g. fault conditions) and the induction effects of direct lightning strike.

Emission limits at the railway system boundary do not apply to intentional transmitters within the railway system boundaries.

Safety considerations are not covered by this set of standards.

The biological effects of non-ionizing radiation as well as apparatus for medical assistance, such as pacemakers, are not considered here.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50121 (all parts), *Railway applications — Electromagnetic compatibility*

EN 61000 (all parts), *Electromagnetic compatibility (EMC) (IEC 61000 series)*

## 3 Abbreviations

AC	alternating current
DC	direct current
E	electric (field)
EM	electromagnetic
EMC	electromagnetic compatibility
GTO	gate turnoff (transistor)
H	magnetic (field)
IGBT	insulated gate bipolar transistor
MVA	megavoltampere
RF	radio frequency

For the purpose of this document, definitions related to EMC and to relevant phenomena may be found in IEC 60050-161.

Other parts of this European Standard may contain specific definitions.



## 4 Performance criteria

NOTE This clause is based on EN 61000-6-2.

The variety and the diversity of the apparatus within the scope of this set of standards makes it difficult to define precise criteria for the evaluation of the immunity test results.

A functional description and a definition of performance criteria, during or as a consequence of the EMC testing, shall be provided by the manufacturer and noted in the test report, based on the following criteria:

- **Performance criterion A:** The apparatus shall continue to operate as intended during and after the test. No degradation of performance or loss of function is allowed below a performance level specified by the manufacturer, when the apparatus is used as intended. The performance level may be replaced by a permissible loss of performance. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, either of these may be derived from the product description and documentation, and from what the user may reasonably expect from the apparatus if used as intended.
- **Performance criterion B:** The apparatus shall continue to operate as intended after the test. No degradation of performance or loss of function is allowed below a performance level specified by the manufacturer, when the apparatus is used as intended. The performance level may be replaced by a permissible loss of performance. During the test, degradation of performance is however allowed. No change of actual operating state or stored data are allowed. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, either of these may be derived from the product description and documentation, and from what the user may reasonably expect from the apparatus if used as intended.
- **Performance criterion C:** Temporary loss of function is allowed, provided the function is self-recoverable or can be restored by the operation of the controls.

## 5 Management of EMC

The railway system is a complex installation with moving sources of electromagnetic energy and the application of the EMC standards in the EN 50121 series is not a guarantee of satisfactory performance. There may be cases where the apparatus has to be positioned in restricted spaces or added to an existing assembly, with the possible creation of environments of unusual severity. All cases shall be considered with respect to a formal plan for the management of EMC. This plan should be established at as early a stage of the project as is possible.

For any new subsystem introduced within the railway systems boundary, potential sources and victims as well the coupling mechanisms between these sources and victims shall be considered.

The EMC plan shall make reference to the basic EMC phenomena described in the EN 61000 series as applicable.

## **Annex A** (informative)

### **The railway system**

#### **A.1 Introduction**

For operating purposes, railway systems use electrical systems that require very high outputs (up to several MVA) and power electronic systems that are characterized by their nonlinearity (producing harmonics).

In an electric railway system, the trains are to be supplied by means of sliding contacts from a power supply line, called the catenary system or overhead contact line, or a trackside conductor rail, which is installed along the track. The current generally returns to the substation via the rails, a separate return conductor or via the earth. The railway system is an integrated system in which electricity has many uses in addition to train propulsion including:

- heating, air conditioning, catering and lighting of passenger coaches with converters on the vehicles. This power is fed along the train by separate conductors;
- signalling and telecommunication systems along the track and between control centres, concerned with the movement of trains;
- computer installations in control centres, linked via trackside routes;
- passenger information systems on vehicles, stations and depots;
- traction within diesel-electric locomotives and multiple units;
- battery traction vehicles.

Hence, problems of EMC arise not only within the locomotive and the power supply but also in these associated systems and their subsystems. Non-electrified traction such as diesel electric traction may also be a source of EM noise.

The normal and disturbed working of these systems may be a source of electromagnetic noise which can influence all other systems.

#### **A.2 General coupling mechanisms**

The coupling between systems is by the well-known physical phenomena and limits are expressed in terms of these phenomena.

Five modes of coupling are distinguished:

- electrostatic coupling, in which a charged body is discharged to a victim circuit;
- capacitive coupling, in which the varying voltage in one circuit produces voltage changes in a victim circuit via mutual capacitance;
- Inductive coupling, in which a varying magnetic field produced by a current in one circuit, links with a victim circuit, inducing a voltage via mutual inductance;
- conductive coupling, in which the source and victim circuits share a common conduction path;
- electric (E) and magnetic (H) radiation, in which the circuit structures act as antennas transmitting and receiving energy.

## **A.3 Principal electromagnetic phenomena for immunity**

### **A.3.1 Conducted low frequency phenomena**

Slow variations of the supply voltage including dips, surges, fluctuations, unbalance, harmonics, intermodulation products, data transfer carried on the power supply, power frequency variations, induced low frequency voltages and DC in AC networks.

### **A.3.2 Low frequency field phenomena**

Magnetic fields, both steady and transient. Electric fields.

### **A.3.3 Conducted high frequency phenomena**

Unidirectional and oscillatory transients, as single events or repetitive bursts. Induced currents. Electrostatic discharge.

### **A.3.4 Radiated high frequency phenomena**

Magnetic fields. Electric fields. Radio frequency radiated waves.

## **A.4 Principal electromagnetic phenomena for emission**

In principle, the same phenomena exist as are listed for immunity, but limits have only been applied to the following:

- magnetic fields produced by power frequency and harmonic frequency currents, up to 9 kHz;
- voltage fluctuations produced by power frequency and harmonic currents;
- radio frequency fields produced by trains.

## **A.5 Description of the different electric traction systems**

Direct current and alternating current sources are used.

DC systems include:

- High voltage: 3 000 V;
- Medium voltage: 1 500 V;
- Low voltage: from 600 V to 1 400 V, including particularly urban transit systems.

AC systems include:

- Industrial frequency: 50 Hz at 25 kV or Autotransformer System 50/25 kV or Booster;
- Transformer System 25 kV or Autotransformer System 30/15 kV;
- Low frequency: 16,7 Hz at 15 kV.

Isolated three phase lines exist with two overhead conductors.

## A.6 Components of electric traction systems

Traction power is generally supplied from the high voltage national or railway grid systems at voltages up to 400 kV. Connection points, known as substations, perform the following functions:

- protection (circuit breakers) for both public and railway system interests;
- adaptation of voltage level by transformer;
- possible rectification to provide DC supply or frequency conversion to give low frequency supply.

The power obtained by this means is transmitted to the traction vehicle via a system of flexible-suspension contact lines (known as the overhead catenary) with which a locomotive-mounted articulated device (known as the pantograph) is brought into contact. On low voltage lines, a trackside conductor rail may be provided from which power is collected by a sliding contact (known as the collector shoe).

On the traction vehicle, the power is regulated and supplied to electric motors to control the movement of the train. Auxiliary power is also regulated and, although of lower power than that supplied to the electric traction motors, can still be a significant source of electromagnetic noise.

On AC lines, circuit components may be added to the traction supply lines (auto-transformers or booster transformers) to reduce the magnetic field and hence the induced voltage in telecommunication circuits.

## A.7 Internal sources of electromagnetic noise

### A.7.1 General

There are several rail-specific components which produce electromagnetic noise. These include:

#### A.7.1.1 Static elements:

The overhead line of the railway system and the high voltage line feeding the substation can be the source of high or low frequency noise.

Among the phenomena which are involved in RF emission are:

- the corona effect, where ionization of neutral molecules in the electric field close to the conductors produces RF noise; this can exist along the whole alignment;
- brush discharges in zones of high voltage gradient on the surface of insulators;
- discharge type micro-arcs at bad contacts between energized metallic parts. These effects are local and attenuate rapidly with distance;
- partial flashovers across dry bands of polluted insulator surfaces.

Railway overhead systems differ from most high voltage overhead lines by being closer to the ground, having more insulators and having less natural cleaning of the insulators.

Low frequency noise can be significant within a wide zone, up to 3 km (or more if the ground resistivity is high). It is produced transiently at substations when high voltage switching takes place, is distributed along the overhead line when it is energized, is enhanced when nonlinear traction loads such as rectifiers are supplied, and is stimulated locally when flashover takes place. If a DC traction system is used, low frequency harmonics are produced by the rectifier substation.

### **A.7.1.2 Mobile elements:**

Motive power units (electric locomotives or multiple unit coaches) are a source of electromagnetic noise during routine working, primarily controlled by the following equipment:

- power control systems using controlled semiconductors such as thyristors, GTO's and IGBT's; these produce energy, which give either direct radiation from the vehicle components or indirect radiation via the power supply lines. An overhead line can act as an antenna;
- auxiliary apparatus on traction vehicles may have relatively high power rating and are a source of noise;
- the sliding contact between the line and the pantograph (or shoe and rail); this collection is via a series of short arcs which act as radio sources;
- special case arcing and transients which are produced when the pantograph is raised or lowered, or the vehicle circuit breaker is closed or opened.

Diesel-electric locomotives should be included since they can contain semiconductor power control which can generate noise. Such locomotives also contain auxiliary systems which may be sources.

### **A.7.1.3 Auxiliary power converters:**

Coaching rolling stock air conditioning, catering and similar systems may be supplied via a semiconductor static converter and these may be sources of noise. These converters may be on several coaches in a train and the summation of their noise is relevant.

### **A.7.1.4 Train line:**

The locomotive supplies power, generally at voltages less than or equal to 1 500 V, sometimes at 3 000 V, at powers up to 800 kW, to the electric systems of the train for lighting, heating, air-conditioning, battery charging, and converters through a conductor (termed "train line"). This current, which can be 800 A, is a source of noise to adjacent equipment.

This auxiliary current may return to the locomotive via the rails and hence have an influence on apparatus on the track. Train lengths of several hundred metres are not unusual.

### **A.7.1.5 Traction return current with respect to track circuits:**

An electrical supply (continuous, alternating or pulse) is connected across the running rails, in what is known as a track circuit. A track circuit is a system using the rails as transmission path between emitter and receiver with the aim to detect the presence of railway vehicles. When a train travels on the track, its axles short-circuit a detector from this electrical supply and the presence of the train will be detected. Electrical noise may energize the detector although the train is present, giving a false indication of clear track. Track circuits take many forms with some having frequency and time coding to reduce the risk of false energization.

Since the power supply may contain voltage components at track circuit frequencies, the input impedance of the train may have to be greater than a specified value. This prevents the passage of currents at track circuit frequencies in the running rails. The traction and auxiliary equipment on the vehicle and the substations should not be allowed to generate currents at track circuit frequencies which exceed specified values. Limits are applied for particular cases. These effects are entirely internal to the railway system and many different cases can exist.

### **A.7.1.6 Trackside equipment:**

Electricity is used in trackside equipment to drive switch motors, heating and train pre-heating as well as other apparatus. Although of relatively low power, these elements are close to the line and may affect other railway apparatus.

## **A.8 Summary of main characteristics of railway systems**

The essential differences between electric railway systems and other large electric networks are:

- a very wide variety of power supply configurations;
- a very wide variety of power use and control systems and sub-systems;
- the use of sliding contacts to convey high powers to the moving trains;
- the high speed of some trains;
- the presence of several moving sources within the same zone of influence;
- a fluctuating and imprecise system of current flow to and from the train, including the passage of current via the ground;
- high single phase loads which may cause imbalance in the three phase system;
- the possibility of simultaneous generation of disturbance from several sources;
- generation of EM noise over a wide frequency spectrum;
- the interaction of supply and vehicles to enhance or diminish the effect at any given frequency.

## **A.9 External sources of disturbance**

The railway system is distributed through the public domain and is exposed to various sources of EM noise at various places.

These include:

- neighbouring railway systems;
- radio-transmitters including portable telephones;
- adjacent overhead power lines from which power frequency induction may be experienced;
- radar sets at airports, on aircraft, in military use;
- industrial plants which disturb the electricity supply network.

## Bibliography

- [1] IEC 60050-161, *International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility*







# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

## Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

## Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com).

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Useful Contacts

### Customer Services

**Tel:** +44 345 086 9001

**Email (orders):** [orders@bsigroup.com](mailto:orders@bsigroup.com)

**Email (enquiries):** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 345 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)

### BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK