

BS EN 50632-2-1:2015



BSI Standards Publication

Electric motor-operated tools — Dust measurement procedure

Part 2-1: Particular requirements for
diamond core drills

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN 50632-2-1:2015.

The UK participation in its preparation was entrusted to Technical Committee CPL/116, Safety of motor-operated electric tools.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 87195 5

ICS 25.140.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2015.

Amendments issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD

EN 50632-2-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2015

ICS 25.140.20

English Version

**Electric motor-operated tools - Dust measurement procedure -
Part 2-1: Particular requirements for diamond core drills**

Outils électriques à moteur - Mode opératoire pour la
mesure de la poussière - Partie 2-1: Exigences particulières
pour les perceuses et les perceuses à percussion

Motorbetriebene Elektrowerkzeuge - Staubmessverfahren -
Teil 2-1: Besondere Anforderungen für Diamant-
Kernbohrmaschinen

This European Standard was approved by CENELEC on 2015-08-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

European foreword	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Test procedure	4
5 Instrumentation	5
6 Information to be reported	5
Figures	
Figure 101 – A-support.....	6
Figure 102 – Test set-up	7
Tables	
Table 101 — Operating conditions for diamond core drills	5

European foreword

This document (EN 50632-2-1:2015) has been prepared by CLC/TC 116 "Safety of motor-operated electric tools".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-08-03
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2017-08-03

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This European Standard is divided into three parts:

Part 1: General requirements for the dust measurement which are common to electric motor-operated tools (for the purpose of this standard referred to simply as tools);

Part 2 or 3: Requirements for the dust measurement for particular types of tools, which either supplement or modify the requirements given in Part 1 to account for the particular characteristics of these specific tools.

This Part 2 is to be used in conjunction with EN 50632-1:2015.

This Part 2 supplements or modifies the corresponding clauses in EN 50632-1:2015.

This Part 2 was developed to set out requirements for the measurement of the concentration for inhalable and respirable dust emitted by diamond core drills.

Where a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

Subclauses, notes, tables and figures which are additional to those in Part 1 are numbered starting from 101.

The following print types are used:

- requirements; in roman type
- *test specifications: in italic type;*
- notes: in smaller roman type.

The terms defined in Clause 3 are printed in **bold typeface**.

1 Scope

This clause of Part 1 is applicable except as follows:

Addition:

This part of EN 50632 applies to **diamond core drills**.

2 Normative references

This clause of Part 1 is applicable.

3 Terms and definitions

This clause of Part 1 is applicable except as follows:

3.101

diamond core drill

drill designed to be equipped with a diamond core drill bit with or without water supply to drill with or without percussion into materials such as concrete or brick

4 Test procedure

This clause of Part 1 is applicable except as follows:

4.3 Operating conditions

Addition:

Diamond core drills are tested under load observing the conditions shown in Table 101.

Table 101 — Operating conditions for diamond core drills

Material and set-up	<p>Blocks from calcium silicate with a density between 1 800 kg/m³ and 2 000 kg/m³ with a thickness of at least 100 mm and a compressive strength of at least 20 N/mm² and without hollow sections. The material shall be stored in a dry environment for at least 2 weeks prior to testing.</p> <p>Blocks are placed on a A-support, see Figure 101, with 15° inclination with the lower workpiece support being (500 ± 50) mm above the floor. The blocks are arranged without gaps to achieve an area of approximately 2 m², see Figure 102.</p> <p>NOTE Typical material are blocks from calcium silicate made by UNIKA Kalksandsteinwerk Nordbayern GmbH and Co. KG in Breitengüßbach, Germany. ¹⁾</p>
Orientation and operation	<p>Drilling holes into the calcium silicate blocks rectangular to their surface of approximately 2 m². The holes shall have a depth of 40 mm.</p> <p>The distance between the holes and the distance of the holes to the edge of the blocks shall be large enough so that the dust collection device of the diamond core drill does not cover any adjacent holes or overhang the edge of the blocks.</p>
Tool bit/settings	<p>New drill bit with 82 mm diameter as specified by the manufacturer for drilling into calcium silicate at the beginning of each of the three tests.</p> <p>Speed setting devices, if any, shall be adjusted to the setting specified for the drill bit size and for drilling into calcium silicate.</p>
Feed force	<p>The feed force applied to the tool shall be sufficient to ensure stable operation with good performance.</p>
Test	<p>During each test cycle of 10 min, 20 holes as specified above are performed equally distributed over the test cycle.</p> <p>During the resting time, the dust extraction unit may be emptied, if necessary. This shall be done outside the test room.</p> <p>If the above cannot be achieved within 10 min, the time is extended to allow the required number of holes to be drilled.</p>

5 Instrumentation

This clause of Part 1 is applicable.

6 Information to be reported

This clause of Part 1 is applicable except as follows:

k) *Modification:*


The mean value for the concentration of the respirable dust is also required.

p) *Modification:*

Information about extension of the cycle time in case 20 holes could not be performed within 10 min.

1) This information is given for the convenience of users of this European Standard and does not constitute an endorsement by CENELEC of the product named.


Dimensions in millimetres



Key

A workpiece

Figure 101 – A-support



Key

- A A-support
- B workpiece (calcium silicate blocks)

Figure 102 – Test set-up

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™