



BSI Standards Publication

Household and similar appliances — Test code for the determination of airborne acoustical noise

Part 2-2: Particular requirements for fan heaters

National foreword

This British Standard is the UK implementation of EN 60704-2-2:2010. It is identical to IEC 60704-2-2:2009. It supersedes BS EN 60704-2-2:1995 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CPL/59, Performance of household electrical appliances.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© BSI 2010

ISBN 978 0 580 65252 3

ICS 17.140.20; 97.100.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2010.

Amendments issued since publication

Amd. No.	Date	Text affected
----------	------	---------------

English version

**Household and similar appliances -
Test code for the determination of airborne acoustical noise -
Part 2-2: Particular requirements for fan heaters
(IEC 60704-2-2:2009)**

Appareils électrodomestiques
et analogues -
Code d'essai pour la détermination
du bruit aérien -
Partie 2-2: Règles particulières pour
les ventilo-convecteurs
(CEI 60704-2-2:2009)

Elektrische Geräte für den Hausgebrauch
und ähnliche Zwecke -
Prüfvorschrift für die Bestimmung
der Luftschallemission -
Teil 2-2: Besondere Anforderungen
an Konvektionsheizgeräte
mit erzwungener Konvektion
(IEC 60704-2-2:2009)

This European Standard was approved by CENELEC on 2010-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 59C/134/CDV, future edition 2 of IEC 60704-2-2, prepared by SC 59C, Heating appliances, of IEC TC 59, Performance of household electrical appliances, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60704-2-2 on 2010-04-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

This European Standard supersedes EN 60704-2-2:1994.

The main changes from the previous edition are as follows: provisions with regard to measurement uncertainty and standard deviation for declaration and verification have been included in the scope.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2011-01-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2013-04-01

This Part 2-2 is intended to be used in conjunction with EN 60704-1:1997, *Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 1: General requirements*.

The relevant text of Part 1 as amended by this document establishes the test code for electric thermal storage room heaters.

This Part 2-2 supplements or modifies the corresponding clauses of EN 60704-1. When a particular subclause of Part 1 is not mentioned in this Part 2-2, that subclause applies as far as is reasonable. Where this Part 2-2 states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

Subclauses or figures which are additional to those in Part 1 are numbered starting from 101.

Unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause.

Endorsement notice

The text of the International Standard IEC 60704-2-2:2009 was approved by CENELEC as a European Standard without any modification.

CONTENTS

INTRODUCTION.....	5
1 Scope and object.....	6
1.1 Scope.....	6
1.1.1 General	6
1.1.2 Types of noise	6
1.1.3 Size of the source.....	6
1.2 Object	6
1.3 Measurement uncertainty	7
2 Normative references	7
3 Terms and definitions	7
4 Measurement methods and acoustical environments	7
5 Instrumentation	7
6 Operation and location of appliances under test	8
6.1 Equipping and pre-conditioning of appliances.....	8
6.2 Supply of electric energy and of water or gas	8
7 Measurement of sound pressure levels.....	10
8 Calculation of sound pressure and of sound power levels	10
9 Information to be recorded.....	10
10 Information to be reported	10
Annexes	12

INTRODUCTION

The measuring conditions specified in this part 2-2 provide for sufficient accuracy in determining the noise emitted and comparing the results of measurements taken by different laboratories, whilst simulating as far as possible the practical use of fan heaters.

It is recommended to consider the determination of noise levels as part of a comprehensive testing procedure covering many aspects of the properties and performance of fan heaters.

NOTE As stated in the introduction to IEC 60704-1, this test code is concerned with airborne noise only.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – TEST CODE FOR THE DETERMINATION OF AIRBORNE ACOUSTICAL NOISE –

Part 2-2: Particular requirements for fan heaters

1 Scope and object

This clause of part 1 is applicable except as follows:

1.1 Scope

1.1.1 General

Replacement:

This standard applies to electric fan heaters, designed for placing on the floor, table or counter, etc., or for wall-mounting.

This standard does not apply to

- electric storage room heaters;
- room humidifiers;
- room dehumidifiers;
- air cleaners;
- heaters designed exclusively for industrial purposes.

1.1.2 Types of noise

Replacement:

ISO 3743-1, ISO 3743-2 and ISO 3744 can be used for measuring noise emitted by fan heaters.

1.1.3 Size of the source

Replacement:

The method specified in ISO 3744 is applicable to noise sources of any size. When applying ISO 3743-1 and ISO 3743-2, care should be taken that the maximum size of the appliance under test fulfils the requirements specified in Subclause 1.3 of ISO 3743-1 and ISO 3743-2.

1.2 Object

Addition:

The frequency range of interest for sound power determination on fan heaters includes at least the octave bands with centre frequencies from 63 Hz to 8000 Hz.

NOTE 1 In many cases, the 63 Hz octave band level does not participate significantly to the A-weighted level.

NOTE 2 When measuring this 63 Hz octave band, a special attention should be paid to the room effect.

Requirements for the declaration of noise emission values are not within the scope of this standard.

NOTE 3 For determining and verifying noise emission values, declared in product specifications, see IEC 60704-3.

1.3 Measurement uncertainty

Replacement:

The estimated values of standard deviations of sound power levels, determined according to this standard, are as follows:

Standard deviation, dB	
σ_r (repeatability)	σ_R (reproducibility)
0,4	1,0

1.101 Standard deviation for declaration and verification

For the purpose of determining and verifying declared noise emission values according to IEC 60704-3, the following values apply:

Standard deviation, dB		
σ_P (production)	σ_t (total)	σ_M (reference)
0,3 – 1,1	1,0 – 1,6	1,5

2 Normative references

This clause of part 1 is applicable.

3 Terms and definitions

This clause of part 1 is applicable.

4 Measurement methods and acoustical environments

This clause of part 1 is applicable except as follows:

4.2 Direct method

Addition:

NOTE If pure tone components are present in the noise emitted, proper precautions should be taken as specified in ISO 3743-2.

4.3 Comparison method

Addition:

NOTE If pure tone components are present in the noise emitted, proper precautions should be taken as specified in ISO 3743-1 and 3743-2.

5 Instrumentation

This clause of part 1 is applicable except as follows:

5.1 Addition:

Windscreens should be used and the relevant corrections for changes in the microphone sensitivity shall be added to the observed sound pressure levels.

6 Operation and location of appliances under test

This clause of part 1 is applicable except as follows:

6.1 Equipping and pre-conditioning of appliances

6.1.1 Addition:

Air filters, if any, shall be clean.

6.1.3 Replacement:

Prior to noise measurements, the appliance equipped in accordance with Subclause 6.1.1, shall have been in operation for a total period of at least 2 h for running-in at the highest speed setting with the maximum heating switched on for normal permanent use.

Oscillating function if available shall be switched on.

During the running-in procedure air filters, if any, may be removed. If filters remain in the appliances during this running-in period, they shall be clean or renewed after this period.

6.1.4 Replacement:

Immediately before each series of noise measurements, the appliance equipped in accordance with Subclause 6.1.1 shall be operated for stabilizing at the highest speed setting and maximum heating switched on for normal permanent use for 5 min.

6.2 Supply of electric energy and of water or gas

6.2.1 Modification:

The voltage tolerance shall be $\pm 0,5$ %.

6.2.2 Not applicable

6.2.3 Replacement:

The appliance shall be operated with the heating elements switched on.

Special attention is required to be given to the possible effect of the temperature rise on the acoustical behaviour of the test room.

6.2.4 Not applicable

6.4 Loading and operating of appliances during tests

6.4.2 Replacement:

The appliance shall be equipped according to 6.1.1.

The noise emission shall be determined with the appliance at the highest speed setting and maximum heating for normal permanent use. Oscillating mechanism, if any, shall be switched on.

NOTE Other possible speed settings (minimum heat output, boost position,...) can be measured in addition. The respective noise levels should be linked to the relevant heat output.

Appropriate adjustment of air intake or exhaust openings shall be done taking into account manufacturer's instructions if any, or otherwise selecting the configuration that gives the highest noise emission.

6.4.3 Not applicable

6.5 Location and mounting of appliances

6.5.1 Addition:

The tests under the conditions stated in Subclause 6.5.3 shall be repeated for floor standing-appliances which may be placed either against or away from the wall.

For such appliances both sets of results shall be recorded and the measurement that gives highest noise is then chosen.

6.5.2 Not applicable

6.5.3 Replacement:

For measurements on floor-standing appliances intended for placing against a wall, including those for building in, a vertical reflecting plane having an acoustic absorption coefficient of less than 0,06 must be used.

When measurements are made in a reverberation test room, a part of the wall of the room will serve for this purpose. The minimum area of this part of the wall should be determined by the projection of the appliance extended by at least 0,5 m upwards and to both sides. The minimum distance between any surface of the appliance or its cabinet and the nearest corner of the room shall be 1 m.

When measurements are made in a free-field environment, the size of the vertical reflecting plane (supported by the horizontal reflecting plane) shall be at least equal to the size of the projection of the measurement surface.

For both types of test environment the following requirements shall be complied with:

- the appliance shall be placed in the test environment without any resilient means of support other than those incorporated in the appliance;
- care should be taken to avoid any direct contact between the appliance (including protruding parts, worktops, spacers, etc.) and the vertical reflecting wall;
- the distance between the wall and the appliance shall be established by placing the appliance in direct contact with the wall and moving it away for a distance not exceeding 10 cm \pm 1 cm.

6.5.4 Modification:

The height of the lowest edge of the appliance from the floor shall be 25 cm \pm 1 cm.

NOTE For appliances intended for mounting close to the ceiling with the air stream directed towards the floor, measurements problems may be caused when the appliance is mounted as specified in Subclause 6.5.4. It may be necessary to mount such an appliance in an inverted position, with the top of the appliance facing towards the floor

at a height of 0,25 m, or at the distance specified by the manufacturer for mounting close to the ceiling. The manufacturer's approval must be obtained before operating the appliance under the proposed test conditions.

6.5.5 Modification:

Built-in heaters such as plinth heaters shall be installed according to manufacturers instructions.

7 Measurement of sound pressure levels

This clause of part 1 is applicable except as follows:

7.1 Microphone array, measurement surface and R.S.S. location for essentially free-field conditions over reflecting plane(s)

Addition:

During measurements, care shall be taken to prevent direct blowing to the microphones.

7.1.3 Not applicable

7.1.5 to 7.1.6 Not applicable

7.4 Measurements

7.4.1 Addition:

The time-averaged A-weighted sound pressure levels shall be measured during at least 30 s and including complete cycles (at least two cycles) of the oscillating mechanism, if any.

7.4.4 Not applicable

8 Calculation of sound pressure and of sound power levels

This clause of part 1 is applicable.

9 Information to be recorded

This clause of part 1 is applicable except as follows:

9.7 Electric supply, water supply etc.

9.7.2 to 9.7.4 Not applicable

9.12 Measurement data

9.12.5 Not applicable

10 Information to be reported

This clause of part 1 is applicable except as follows:

10.3 Test conditions for the appliance

10.3.3 to 10.3.5 Not applicable

10.3.11 Not applicable

10.4 Acoustical data

10.4.10 Not applicable

Annexes

The annexes of part 1 are applicable.

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK



Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

...making excellence a habit.™