

BS EN 61202-1:2017



BSI Standards Publication

# Fibre optic interconnecting devices and passive components — Fibre optic isolators

Part 1: Generic specification

### **National foreword**

This British Standard is the UK implementation of EN 61202-1:2017. It is identical to IEC 61202-1:2016. It supersedes BS EN 61202-1:2009 which is withdrawn.

The UK participation in its preparation was entrusted by Technical Committee GEL/86, Fibre optics, to Subcommittee GEL/86/2, Fibre optic interconnecting devices and passive components.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017.

Published by BSI Standards Limited 2017

ISBN 978 0 580 90677 0

ICS 33.180.20

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 April 2017.

### **Amendments/corrigenda issued since publication**

<b>Date</b>	<b>Text affected</b>
-------------	----------------------

---

English Version

**Fibre optic interconnecting devices and passive components -  
Fibre optic isolators - Part 1: Generic specification  
(IEC 61202-1:2016)**

Dispositifs d'interconnexion et composants passifs à fibres  
optiques - Isolateurs à fibres optiques -  
Partie 1: Spécification générique  
(IEC 61202-1:2016)

Lichtwellenleiter - Verbindungselemente und passive  
Bauteile - Lichtwellenleiter-Isolatoren -  
Teil 1: Fachgrundspezifikation  
(IEC 61202-1:2016)

This European Standard was approved by CENELEC on 2017-01-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## European foreword

The text of document 86B/3989A/CDV, future edition 4 of IEC 61202-1, prepared by SC 86B "Fibre optic interconnecting devices and passive components" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61202-1:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-10-12
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-01-12

This document supersedes EN 61202-1:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 61202-1:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068 Series	NOTE	Harmonized as EN 60068 Series.
IEC 60869-1	NOTE	Harmonized as EN 60869-1.
IEC 60874-1	NOTE	Harmonized as EN 60874-1.
IEC 61073-1	NOTE	Harmonized as EN 61073-1.
IEC 61753 Series	NOTE	Harmonized as EN 61753 Series.
IEC 61754 Series	NOTE	Harmonized as EN 61754 Series.
IEC 62005 Series	NOTE	Harmonized as EN 62005 Series.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60027	Series	Letter symbols to be used in electrical technology	EN 60027	Series
IEC 60050-731	-	International Electrotechnical Vocabulary - Chapter 731: Optical fibre communication	-	-
IEC 60617-DB	-	Graphical symbols for diagrams	-	-
IEC 60695	Series	Fire hazard testing	EN 60695-10	Series
IEC 60825-1	-	Safety of laser products - Part 1: Equipment classification and requirements	EN 60825-1	-
IEC 61300	Series	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures	EN 61300	Series
IEC/TS 62627-09	-	Fibre optic interconnecting devices and passive components - Vocabulary for passive optical devices	-	-
ISO 129-1	-	Technical drawings - Indication of dimensions and tolerances - Part 1: General principles	-	-
ISO 286-1	-	Geometrical product specifications (GPS) - ISO code system for tolerances on linear sizes - Part 1: Basis of tolerances, deviations and fits	EN ISO 286-1	-
ISO 1101	-	Geometrical product specifications (GPS) - Geometrical tolerancing - Tolerances of form, orientation, location and run-out	EN ISO 1101	-
ISO 8601	-	Data elements and interchange formats - Information interchange - Representation of dates and times	-	-

## CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references .....	6
3 Terms and definitions .....	7
3.1 Basic terms and definitions .....	7
3.2 Component terms and definitions.....	7
3.3 Performance parameter terms and definitions .....	8
4 Requirements .....	10
4.1 Classification .....	10
4.1.1 General .....	10
4.1.2 Type .....	10
4.1.3 Style .....	11
4.1.4 Variant.....	11
4.1.5 Normative reference extensions.....	11
4.2 Documentation.....	12
4.2.1 Symbols .....	12
4.2.2 Specification system.....	12
4.2.3 Drawings .....	13
4.2.4 Tests and measurements.....	13
4.2.5 Test data sheets .....	14
4.2.6 Instructions for use .....	14
4.3 Standardization system.....	14
4.3.1 Interface standards.....	14
4.3.2 Performance standards.....	14
4.3.3 Reliability standards .....	14
4.3.4 Interlinking.....	15
4.4 Design and construction.....	16
4.4.1 Materials .....	16
4.4.2 Workmanship.....	16
4.5 Performance requirements .....	16
4.6 Identification and marking .....	17
4.6.1 General .....	17
4.6.2 Variant identification number .....	17
4.6.3 Component marking.....	17
4.6.4 Package marking .....	17
4.7 Packaging.....	18
4.8 Storage conditions .....	18
4.9 Safety .....	18
Annex A (informative) Example of technology of bulk isolator based on magneto-optic effect.....	19
A.1 General.....	19
A.2 Faraday rotator .....	19
A.3 Analyser .....	19
A.4 Birefringent crystal.....	19

Annex B (informative) Example of technology of optical waveguide isolator .....	22
B.1 General.....	22
B.2 TE mode .....	22
B.3 TM mode .....	22
Bibliography.....	24
Figure 1 – Configuration A – Device containing integral fibre optic pigtails without connector.....	11
Figure 2 – Configuration B – Device containing integral fibre optic pigtails, with a connector on each pigtail .....	11
Figure 3 – Configuration C – Device containing connectors as an integral part of the device housing.....	11
Figure 4 – Configuration D – Device containing some combination of the interfacing features of the preceding configurations .....	11
Figure 5 – Standards currently under preparation .....	16
Figure A.1 – Polarization dependent optical isolator.....	20
Figure A.2 – Polarization independent optical isolator .....	21
Figure B.1 – Mode conversion type of the optical waveguide isolator .....	22
Figure B.2 – Phase shifter type of the optical waveguide isolator .....	23
Figure B.3 – TE mode and TM mode for optical waveguide isolator .....	23
Table 1 – Two-level IEC specification structure.....	12
Table 2 – Standards interlink matrix.....	16

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## **FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – FIBRE OPTIC ISOLATORS –**

### **Part 1: Generic specification**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61202-1 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

This fourth edition cancels and replaces the third edition published in 2009. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the terms and definitions were reconsidered;
- b) quality assessment level was deleted from classification;
- c) the clause numbers of Annexes A and B have been rearranged.



The text of this International Standard is based on the following documents:

CDV	Report on voting
86B/3989A/CDV	86B/4033RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61202 series, published under the general title *Fibre optic interconnecting devices and passive components – Fibre optic isolators*, can be found on the IEC website.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

# FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – FIBRE OPTIC ISOLATORS –

## Part 1: Generic specification

### 1 Scope

This part of IEC 61202 applies to isolators used in the field of fibre optics, all exhibiting the following features:

- they are non-reciprocal optical devices, in which each port is either an optical fibre or fibre optic connector;
- they are passive devices containing no opto-electronic or other transducing elements;
- they have two optical ports for directionally transmitting optical power.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), *Letter symbols to be used in electrical technology*

IEC 60050-731, *International Electrotechnical Vocabulary – Chapter 731: Optical fibre communication*

IEC 60617 (all parts), *Graphical symbols for diagrams* (available at <http://std.iec.ch/iec60617>)

IEC 60695 (all parts), *Fire hazard testing*

IEC 60825-1, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 61300 (all parts), *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*

IEC TS 62627-09, *Fibre optic interconnecting devices and passive components – Vocabulary for passive optical devices*

ISO 129-1, *Technical drawings – Indication of dimensions and tolerances – Part 1: General principles*

ISO 286-1, *Geometrical product specification (GPS) – ISO code system for tolerances on linear sizes – Part 1: Bases of tolerances, deviations and fits*

ISO 1101, *Geometrical product specifications (GPS) – Geometrical tolerancing – Tolerances of form, orientation, location and run-out*

ISO 8601, *Data elements and interchange formats – Information interchange – Representation of dates and times*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-731, IEC TS 62627-09 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

#### 3.1 Basic terms and definitions

##### 3.1.1

**port**

optical fibre or fibre optic connector attached to a passive component for the entry and/or exit of the optical power

##### 3.1.2

**input port**

port for the entry of optical power

Note 1 to entry: An isolator is a directional device. The input port should be clearly marked.

##### 3.1.3

**output port**

port for the exit of optical power

Note 1 to entry: An isolator is a directional device. The output port should be clearly marked.

##### 3.1.4

**backward direction**

<optical isolator> operational direction in which the power of the optical source launches into the output port of an isolator

Note 1 to entry: This is the direction of optical power isolation.

##### 3.1.5

**forward direction**

<optical isolator> operational direction in which the power of the optical source launches into the input port of an isolator

Note 1 to entry: This is the intentional direction of optical power transmission.

#### 3.2 Component terms and definitions

##### 3.2.1

**fibre optic isolator**

non-reciprocal optical device intended to suppress backward reflections along an optical fibre transmission line while having minimum insertion loss in the forward direction

Note 1 to entry: Fibre optic isolators are commonly used to avoid reflections back into laser diodes and optical amplifiers, which can make the laser and amplifiers oscillations unstable, and cause noise in the fibre optic transmission system.

##### 3.2.2

**bulk isolator based on magneto-optic effect**

type of isolator with discrete components including a suitable magneto-optic crystal (ferromagnetic crystal or paramagnetic glass, diamagnetic glass, etc.), of which the fundamental principle is based on magneto-optic effect

Note 1 to entry: The technology of a bulk isolator based on magneto-optic effect is described in Annex A.

### **3.2.3**

#### **in-line isolator**

type of isolator with optical fibre for the entry input and output of the light

### **3.2.4**

#### **optical waveguide isolator**

type of isolator with planer epitaxial magneto-optic crystal layers on a suitable substrate

Note 1 to entry: The technology of an optical waveguide isolator is described in Annex B.

### **3.2.5**

#### **polarization-dependent optical isolator**

type of isolator not designed to have performance independent of the state of the polarization of the incident light

### **3.2.6**

#### **polarization-independent optical isolator**

type of isolator in which the optical performance characteristics are independent of the polarization state of the incident light

### **3.2.7**

#### **polarization maintaining optical isolator**

type of isolator with a polarization maintaining optical fibre for input and output, designed to maintain polarization of the light, and which is adjusted to the optical axis of the polarization maintaining optical fibre

### **3.2.8**

#### **single-stage isolator**

type of isolator composed of a basic isolator unit such as a set of polarizer, faraday rotator and analyser

### **3.2.9**

#### **dual-stage isolator**

#### **double-stage isolator**

type of isolator composed of two basic isolator units connected in tandem for the purpose of obtaining more backward loss

### **3.2.10**

#### **PMD compensated optical isolator**

type of isolator designed to compensate the polarization mode dispersion which is intrinsic to the birefringent crystal

## **3.3 Performance parameter terms and definitions**

### **3.3.1**

#### **operating wavelength**

wavelength at which a passive optical component is designed to operate with the specified performance

### **3.3.2**

#### **operating wavelength range**

specified range of wavelengths including all operating wavelengths

Note 1 to entry: In the case of an optical isolator as nominally a wavelength independent and wavelength non-selective device, passband is nominally same as operating wavelength range.

**3.3.3****insertion loss**

maximum value of logarithmic transmission coefficient,  $a_{ij}$  (where  $i \neq j$ ) within the passband for conducting port pair

Note 1 to entry: It is the optical attenuation from a given port to a port which is another port of conducting port pair of the given port of a passive device. Insertion loss is a positive value in decibels. It is calculated as:

$$IL = -10 \log_{10} \left( \frac{P_{\text{out}}}{P_{\text{in}}} \right)$$

where

$P_{\text{in}}$  is the optical power launched into the port;

$P_{\text{out}}$  is the optical power received from the other port of the conducting port pair.

Note 2 to entry: In the case of an optical isolator as a non-reciprocal device,  $IL$  is defined as the maximum value of attenuation from the input port to the output port.

Note 3 to entry: In the case of an optical isolator as nominally a wavelength independent and wavelength non-selective device, passband is nominally same as operating wavelength range.

Note 4 to entry: In the case of a polarization-independent isolator,  $IL$  is defined as the maximum value for any state of polarization of  $P_{\text{in}}$ .

Note 5 to entry: In the case of a polarization-dependent isolator,  $IL$  is defined as the linearly polarized light which coincides with the polarizing direction of the polarizer in the isolator of  $P_{\text{in}}$ .

**3.3.4****isolation**

minimum value of  $a_{ij}$  (where  $i \neq j$ ) for isolated port pair

Note 1 to entry: In case of an optical isolator, isolation is the minimum attenuation value of backward direction.

Note 2 to entry: Isolation is a positive value expressed in dB.

**3.3.5****polarization dependent loss****PDL**

for polarization independent isolators, maximum variation of insertion loss caused by a variation in the state of polarization (SOP) over all the SOPs.

**3.3.6****polarization mode dispersion****PMD**

for polarization-independent isolators, average delay of the travelling time between the two principal states of polarization (PSP), when an optical signal passes through an optical isolator

**3.3.7****return loss**

value of  $a_{ij}$  (where  $i = j$ ) of the logarithmic transfer matrix

Note 1 to entry: It is the fraction of input power that is returned from a port of a passive component and is defined as follows:

$$RL_i = -10 \log_{10} \left( \frac{P_{\text{refl}}}{P_i} \right)$$

where

$P_i$  is the optical power launched into a port;

$P_{\text{refl}}$  is the optical power received back from the same port.

Note 2 to entry: For an optical isolator, return loss is defined for the input port and the output port.

## 4 Requirements

### 4.1 Classification

#### 4.1.1 General

Fibre optic isolators shall be classified as follows:

- type;
- style;
- variant;
- environmental category;
- normative reference extensions.

An example of a typical isolator classification is as follows:

Type:	– Name: Type OIFR bulk isolators based on the Faraday rotation
	– Operating wavelength band: C-band
	– Polarization sensitivity: polarization independent
	– Configuration: C
Style:	– Connector type: SC
	– Fibre type: IEC type B 1.1
	– Means of mounting
Variant:	– .....
Normative reference extensions:	


#### 4.1.2 Type

Isolators are divided into types.


- By their fabrication technology:
  - bulk isolators based on the magneto-optic effect;
  - optical waveguide isolators;
  - other fabrication technologies.
- By their polarization selectivity:
  - polarization dependent isolators;
  - polarization independent isolators;
  - polarization maintain optical isolator.
- By their operational principles:
  - magneto-optic Faraday effect;
  - magneto-optic Cotton-Mouton effect and Kerr effect.
- By their operating wavelength band:
  - O-band (e.g. nominal wavelength of 1 310 nm);
  - C-band (e.g. nominal wavelength of 1 550 nm);
  - L-band (e.g. nominal wavelength of 1 590 nm);
  - other wavelength band isolators.

### 4.1.3 Style


Optical isolators may be classified into styles based upon fibre type(s), connector type(s), cable type(s), housing shape and dimensions, and configuration. The configuration of the isolator ports is classified as showed in Figures 1 to 4:




**Figure 1 – Configuration A – Device containing integral fibre optic pigtails without connector**



**Figure 2 – Configuration B – Device containing integral fibre optic pigtails, with a connector on each pigtail**



**Figure 3 – Configuration C – Device containing connectors as an integral part of the device housing**



**Figure 4 – Configuration D – Device containing some combination of the interfacing features of the preceding configurations**

### 4.1.4 Variant

The isolator variant identifies those common features which encompass structurally similar components. Examples of features which define a variant include, but are not limited to, the following:

- position and orientation of ports on housing;
- means of mounting.

### 4.1.5 Normative reference extensions

Normative reference extensions are used to identify independent standards specifications or other reference documents integrated into relevant specifications.

Unless a specified exception is noted, additional requirements imposed by an extension are mandatory. Usage is primarily intended to merge associated components to form hybrid devices, or integrated functional application requirements that are dependent on technical expertise other than fibre optics.

Some fibre optic isolator configurations require special qualification provisions which shall not be imposed universally. This accommodates individual component design configurations, specialised field tooling, or specific application processes. In this case, requirements are necessary to guarantee repeatable performance or adequate safety, and provide additional guidance for complete product specification. These extensions are mandatory whenever used to prepare, assemble or install an optical fibre splice either for field application usage or preparation of qualification test specimens. The relevant specification shall clarify all stipulations. However, design and style dependent extensions shall not be imposed universally.

Some commercial or residential building applications can require direct reference to specific safety codes and regulations or incorporate other specific material flammability or toxicity requirements for specialised locations.

Specialized field tooling can require an extension to implement specific ocular safety, electrical shock or burn hazard avoidance requirements, or require isolation procedures to prevent potential ignition of combustible gases.

## 4.2 Documentation

### 4.2.1 Symbols

Graphical and letter symbols shall, whenever possible, be taken from IEC 60027 (all parts) and IEC 60617 (all parts).

### 4.2.2 Specification system

#### 4.2.2.1 General

This document is part of a two-level IEC specification system. This system is shown in Table 1. There are no sectional specifications for isolators.

**Table 1 – Two-level IEC specification structure**

Specification level	Examples of information to be included	Applicable to
Basic	Assessment system rules Inspection rules Optical measurement methods Sampling plans Identification rule Marking standards Dimensional standards Terminology Symbol Preferred number series SI units	Two or more component families or sub-families



Specification level	Examples of information to be included	Applicable to
Generic	Specific terminology Specific symbols Specific units Preferred values Marking Selection of tests Qualification approval and/or capability approval procedures	Component family

### 4.2.3 Drawings

#### 4.2.3.1 General

The drawings and dimensions given in relevant specifications shall not restrict themselves to details of construction, nor shall they be used as manufacturing drawings.

#### 4.2.3.2 Projection system

Either first-angle or third-angle projection shall be used for the drawings in documents covered by this document. All drawings within a document shall use the same projection system, and the drawings shall state which system is used.

#### 4.2.3.3 Dimensional system

All dimensions shall be given in accordance with ISO 129-1, ISO 286-1 and ISO 1101.

The metric system shall be used in all specifications.

Dimensions shall not contain more than five significant digits.

When units are converted, a note shall be added in each relevant specification, and the conversion between systems of units shall use a factor of 25,4 mm to 1 inch.

### 4.2.4 Tests and measurements

#### 4.2.4.1 Test and measurement procedures

The test and measurement procedures for optical, mechanical, climatic, and environmental characteristics of isolators to be used shall be defined and selected preferentially from IEC 61300 (all parts).

The size measurement method to be used shall be specified in the relevant specification for dimensions which are specified within a total tolerance zone of 0,01 mm or less.

#### 4.2.4.2 Reference components

Reference components, if required, shall be specified in the relevant specification.

NOTE No reference component is generally used to fibre optic isolators.

#### 4.2.4.3 Gauges

Gauges, if required, shall be specified in the relevant specification.

NOTE Gauge is not generally used for fibre optic isolators.

#### **4.2.5 Test data sheets**

Test data sheets shall be prepared for each test conducted as required by a relevant specification. The data sheets shall be included in the qualification report and in the periodic inspection report.

Data sheets shall contain the following information:

- title of test and date;
- specimen description including the type of fibre, connector or other coupling device. The description shall also include the style identification number (see 4.6.2);
- test equipment used and date of latest calibration;
- all applicable test details;
- all measurement values and observations;
- sufficiently detailed documentation to provide traceable information for failure analysis.

#### **4.2.6 Instructions for use**

Instructions for use, when required, shall be given by the manufacturer and shall include the following information:

- assembly and connection instructions;
- cleaning method;
- safety aspects;
- additional information as necessary.

### **4.3 Standardization system**

#### **4.3.1 Interface standards**

No interface standard is used for fibre optic isolators. When either the input port or output port has an optical connector, the optical connector shall accord with the relevant optical connector interface standard.

#### **4.3.2 Performance standards**

Performance standards contain a series of tests and measurements (which may or may not be grouped into a specified schedule depending on the requirements of that standard) with clearly defined conditions, severities, and pass/fail criteria. The tests are intended to be run on a “once-off” basis to prove any product’s ability to satisfy the “performance standards” requirement. Each performance standard has a different set of tests and/or severities (and/or groupings) and represents the requirements of a market sector, user group or system location.

A product that has been shown to meet all the requirements of a performance standard can be declared as complying with a performance standard but should then be controlled by a quality assurance/quality conformance programme.

It is possible to define a key point of the test and measurements standards for their application (particularly with regard to attenuation and return loss) in conjunction with the interface standards of inter-product compatibility. Certain conformance of each individual product to this standard will be ensured.

#### **4.3.3 Reliability standards**

Reliability standards are intended to ensure that a component can meet performance specifications under stated conditions for a stated time period.

For each type of component, the following shall be identified (and appear in the standard):

- failure modes (observable general mechanical or optical effects of failure);
- failure mechanisms (general causes of failure, common to several components);
- failure effects (detailed causes of failure, specific to component).

These are all related to environmental and material aspects.

Initially, just after component manufacture, there is an “infant mortality phase” during which many components would fail if deployed in the field. To avoid early field failure, all components may be subjected to screen process in the factory involving environmental stresses that may be mechanical, thermal or humidity-related. This is to induce known failure mechanisms in a controlled environmental situation to occur earlier than would normally be seen in the unscreened population. For those components that survive (and are then sold), there is a reduced failure rate since these mechanisms have been eliminated.

Screening is an optional part of the manufacturing process rather than a test method. It will not affect the “useful life” of a component defined as the period during which it performs according to specifications. Eventually, other failure mechanisms appear, and the failure rate increases beyond the defined threshold. At this point, the “useful life” ends and the “wear-out region” begins, and the component shall be replaced.

At the beginning of useful life, performance testing on a sampled population of components may be applied by the supplier, by the manufacturer, or by a third party. This is to ensure that the component meets performance specifications over the range of intended environments at this initial time. Reliability testing, on the other hand, is applied to ensure that the component meets performance specifications for at least a specified minimum useful lifetime or specified maximum failure rate. These tests are usually done by utilizing the performance testing, but increasing duration and severity in order to accelerate the failure mechanisms.

A reliability theory relates component reliability testing to component parameters and to lifetime or failure rate under testing. The theory then extrapolates these to lifetime or failure rate under less stressful service conditions. The reliability specifications include values of the component parameters needed to ensure the specified minimum lifetime or maximum failure rate in service.

#### **4.3.4 Interlinking**

Standards currently under preparation are given in Figure . A large number of the test and measurements standards already exist.

With regard to interface, performance and reliability standards, once all three of these standards are in place, the matrix given in Table 2 demonstrates some of the other options available for product standardization.


Product A is fully IEC standardized, having a standard interface and meeting defined performance standards and reliability standards.

Product B is a product with a proprietary interface but which meets a defined IEC performance standard and reliability standard.

Product C is a product which complies with an IEC standard interface but does not meet the requirements of either an IEC performance or reliability standard.

Product D is a product which complies with both an IEC standard interface and performance standard but does not meet any reliability requirements.

Obviously, the matrix is more complex than shown since there will be a number of interface, performance and reliability standards which can cross-refer. In addition, the products can all be subject to a quality assurance programme that could be under IEC qualification approval, capability approval, technology approval (as Table 2 attempts to demonstrate), or even a national or company quality assurance system.



**Figure 5 – Standards currently under preparation**

**Table 2 – Standards interlink matrix**

	Interface standard	Performance standard	Reliability standard
Product A	Yes	Yes	Yes
Product B	No	Yes	Yes
Product C	Yes	No	No
Product D	Yes	Yes	No

**4.4 Design and construction**

**4.4.1 Materials**

All materials used in the construction of isolator sets shall be corrosion resistant or suitably finished to meet the requirements of the relevant specification.

When non-flammable materials are required, the requirement shall be specified in the specification, and IEC 60695 (all parts) shall be referenced.

**4.4.2 Workmanship**

Components and associated hardware shall be manufactured to a uniform quality and shall be free of sharp edges, burrs or other defects that will affect life, serviceability or appearance. Particular attention shall be given to neatness and thoroughness of marking, plating, soldering, bonding, etc.

**4.5 Performance requirements**

Isolators shall meet the performance requirements specified in the relevant specification.


## 4.6 Identification and marking

### 4.6.1 General

Components, associated hardware, and packages shall be permanently and legibly identified and marked when required by the relevant specification.

### 4.6.2 Variant identification number

Each variant in a detail specification shall be assigned a variant identification number. The number shall consist of the number assigned to the performance specification followed by a two-digit dash number. The first digit of the dash number shall be sequentially assigned to each component type covered by the detail specification. The last three digits shall be sequentially assigned to each variant of the component.



### 4.6.3 Component marking

Component marking, if required, shall be specified in the relevant specification. The preferred order of marking is as follows:

- a) port identification;
- b) manufacturer's part number;
- c) manufacturer's identification mark or logo;
- d) manufacturing date;
- e) variant identification number;
- f) forward direction;
- g) any additional marking required by the relevant specification.

If space does not allow for all the required marking on the components, each unit shall be individually packaged with a data sheet containing all of the required information which is not marked.

### 4.6.4 Package marking

Package marking, if required, shall be specified in the relevant specification. The preferred order of marking is as follows:

- a) manufacturer's identification mark or logo;
- b) manufacturer's part number;
- c) manufacturing date code (year/week, according to ISO 8601);
- d) variant identification number(s) (see 4.6.1);
- e) type designations (see 4.1.2);
- f) any additional marking required by the relevant specification.

When applicable, individual unit packages (within the sealed package) shall be marked with the reference number of the certified record of released lots, the manufacturer's factory identity code and the component identification.

#### **4.7 Packaging**

Packages shall include instructions for use when required by the specification (see 4.2.6).

#### **4.8 Storage conditions**

Where short-term degradable materials, such as adhesives, are supplied with the package of connector parts, the manufacturer shall mark these with the expiry date (year and week numbers, according to ISO 8601) together with any requirements or precautions concerning safety hazards or environmental conditions for storage.

#### **4.9 Safety**

Optical isolators, when used on an optical fibre transmission system and/or equipment, can emit potentially hazardous radiation from an uncapped or unterminated output port or fibre end.

The optical isolator manufacturers shall make available sufficient information to alert system designers and users about the potential hazard and shall indicate the required precautions and working practices.

In addition, each relevant specification shall include the following warning note:

**WARNING** – Care should be taken when handling small diameter fibre to prevent puncturing the skin, especially in the eye area. Direct viewing of the end of an optical fibre or a fibre optic connector when it is propagating energy is not recommended unless prior assurance has been obtained as to the safety energy output level.

Reference shall be made to IEC 60825-1, the relevant standard on safety.

## **Annex A** (informative)

### **Example of technology of bulk isolator based on magneto-optic effect**

#### **A.1 General**

The bulk isolator based on magneto-optic effect consists of the following typical discrete components.

Figure A.1 shows a polarization-dependent optical isolator. The isolator consists of the Faraday rotator and the pair of polarizer which the polarization is arranged at the relative angle of  $45^\circ$ . In the forward direction, the light transmitted through the polarizer transmits through the analyser without loss due to  $45^\circ$  rotation by the Faraday rotator. In the backward direction, the light passed through the analyzer does not pass through the polarizer, due to perpendicular to the direction polarization.

Figure A.2 shows a polarization-independent optical isolator. The isolator consists of the Faraday rotator and the pair birefringent crystal which the optical axis is arranged at the relative angle of  $45^\circ$ . The light ray of this type is different between the forward direction and the backward direction, due to a non-reciprocal of the faraday rotator and the pair birefringent crystal.

#### **A.2 Faraday rotator**


The direction of polarization rotation is dependent on only the direction of magnetic field.

#### **A.3 Analyser**


Analyser is the same as polarizer.

#### **A.4 Birefringent crystal**

Any light is separated into different directions due to a different refractive index of the birefringent crystal for ordinary and extraordinary rays.




a) Polarization in the forward direction



b) Polarization in the backward direction


Figure A.1 – Polarization dependent optical isolator





a) Light ray in the forward direction

IEC



b) Light ray in the backward direction

IEC

Figure A.2 – Polarization independent optical isolator

## Annex B (informative)

### Example of technology of optical waveguide isolator

#### B.1 General

The optical waveguide isolator is classified into mode conversion type and phase shifter type.

Figure B.1 shows a mode conversion type of the optical waveguide isolator. The mode conversion type consists of the non-reciprocal and reciprocal mode conversion. In the forward direction, the light passes through the mode selector due to a cancelled mode conversion. In the backward, the light does not pass through the mode selector due to a complete TE to TM and TM to TE mode conversion.

Figure B.2 shows a phase shifter type of the optical waveguide isolator. The phase shifter type is constructed by using Y branches or tapered couplers with non-reciprocal and reciprocal phase shifter. In the forward direction, the light is coupled to the output of coupler by (in phase) constructive interference. In the backward direction, the light is not coupled to the input of coupler by (out of phase) destructive interference.

#### B.2 TE mode

TE mode is the mode whose electric field does not have any component along the light propagation direction. In a practical waveguide shown in Figure B.3, such a mode does not exist in a strict sense. In such a waveguide, the TE mode is defined as the mode whose main electric field component is parallel to the interface of the substrate and the waveguide core on the cross section of the optical waveguide perpendicular to the propagation direction when the input beam propagates along the waveguide.

#### B.3 TM mode

TM mode is the mode whose magnetic field does not have any component along the light propagation direction. In a practical waveguide shown in Figure B.1, such a mode does not exist in a strict sense. In such a waveguide, the TM mode is defined as the mode whose main electric field component is normal to the interface of the substrate and the waveguide core on the cross section of the optical waveguide perpendicular to the propagation direction when the input beam propagates along the waveguide.




Figure B.1 – Mode conversion type of the optical waveguide isolator




Figure B.2 – Phase shifter type of the optical waveguide isolator




Figure B.3 – TE mode and TM mode for optical waveguide isolator

## Bibliography

IEC 60068 (all parts), *Environmental testing*

IEC 60869-1, *Fibre optic interconnecting devices and passive components – Fibre optic passive power control devices – Part 1: Generic specification*

IEC 60874-1, *Fibre optic interconnecting devices and passive components – Connectors for optical fibres and cables – Part 1: Generic specification*

IEC 61073-1, *Fibre optic interconnecting devices and passive components – Mechanical splices and fusion splice protectors for optical fibres and cables – Part 1: Generic specification*

IEC 61753 (all parts), *Fibre optic interconnecting devices and passive components – Performance standard*

IEC 61754 (all parts), *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces*

IEC 62005 (all parts), *Reliability of fibre optic interconnecting devices and passive components*

---



# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

## Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

## Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com).

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Useful Contacts

### Customer Services

**Tel:** +44 345 086 9001

**Email (orders):** [orders@bsigroup.com](mailto:orders@bsigroup.com)

**Email (enquiries):** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 345 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)

### BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK