

BS EN 61274-1:2012



BSI Standards Publication

# Fibre optic interconnecting devices and passive components — Adaptors for fibre optic connectors

Part 1: Generic specification

**bsi.**

...making excellence a habit.™

**National foreword**

This British Standard is the UK implementation of EN 61274-1:2012. It is identical to IEC 61274-1:2011. It supersedes BS EN 61274-1:2008 which is withdrawn.

The UK participation in its preparation was entrusted by Technical Committee GEL/86, Fibre optics, to Subcommittee GEL/86/2, Fibre optic interconnecting devices and passive components.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012

Published by BSI Standards Limited 2012

ISBN 978 0 580 70937 1

ICS 33.180.20

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 April 2012.

**Amendments issued since publication**

Amd. No.	Date	Text affected
----------	------	---------------

---

English version

**Fibre optic interconnecting devices and passive components -  
 Adaptors for fibre optic connectors -  
 Part 1: Generic specification  
 (IEC 61274-1:2011)**

Dispositifs d'interconnexion et composants  
 passifs à fibres optiques -  
 Raccords de connecteurs de fibres  
 optiques -  
 Partie 1: Spécification générique  
 (CEI 61274-1:2011)

Lichtwellenleiter -  
 Verbindungselemente und passive  
 Bauteile -  
 Kupplungen für Lichtwellenleiter-  
 Steckverbinder -  
 Teil 1: Fachgrundspezifikation  
 (IEC 61274-1:2011)

This European Standard was approved by CENELEC on 2011-12-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
 Comité Européen de Normalisation Electrotechnique  
 Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 86B/3273/FDIS, future edition 3 of IEC 61274-1, prepared by SC 86B, "Fibre optic interconnecting devices and passive components", of IEC TC 86, "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61274-1:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-09-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2012-12-29

This document supersedes EN 61274-1:2008.

The specific technical changes from EN 61274-1:2008 include removal of quality assessment procedure, to add the definition of plug-socket configuration, to reconsider a drawing showing the relationship between EN 60874, EN 61753, EN 61754 series of standards, and updating the normative references.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 61274-1:2011 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60874 series	NOTE	Harmonized in EN 60874 series.
IEC 61274-1-1	NOTE	Harmonized as EN 61274-1-1.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60027	Series	Letter symbols to be used in electrical technology	EN 60027	Series
IEC 60050-731	-	International Electrotechnical Vocabulary (IEV) - Chapter 731: Optical fibre communication	-	-
IEC 60617	Data-base	Graphical symbols for diagrams	-	-
IEC 60695-11-5	-	Fire hazard testing - Part 11-5: Test flames - Needle-flame test method - Apparatus, confirmatory test arrangement and guidance	EN 60695-11-5	-
IEC 60825-1	-	Safety of laser products - Part 1: Equipment classification and requirements	EN 60825-1	-
IEC 61300	Series	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures	EN 61300	Series
IEC 61753	Series	Fibre optic interconnecting devices and passive components performance standard	EN 61753	Series
IEC 61753-1	-	Fibre optic interconnecting devices and passive components performance standard - Part 1: General and guidance for performance standards	EN 61753-1	-
IEC 61754	Series	Fibre optic connector interfaces	EN 61754	Series
IEC 61755	Series	Fibre optic connector optical interfaces	EN 61755	Series
IEC/TR 61930	-	Fibre optic graphical symbology	-	-
IEC/TR 61931	-	Fibre optic - Terminology	-	-
ISO 129	-	Technical drawings - Dimensioning - General principles, definitions, methods of execution and special indications	-	-
ISO 286-1	-	ISO system of limits and fits - Part 1: Bases of tolerances, deviations and fits	EN ISO 286-1	-
ISO 1101	-	Geometrical Product Specifications (GPS) - Geometrical tolerancing - Tolerances of form, orientation, location and run-out	EN ISO 1101	-
ISO 8601	-	Data elements and interchange formats - Information interchange - Representation of dates and times	-	-

## CONTENTS

INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms and definitions .....	8
4 Requirements .....	10
4.1 General .....	10
4.2 Classification.....	10
4.2.1 General .....	10
4.2.2 Type.....	11
4.2.3 Style.....	11
4.2.4 Interface standard .....	12
4.2.5 Variant .....	12
4.2.6 Assessment level.....	12
4.2.7 Normative reference extensions .....	12
4.3 Documentation .....	13
4.3.1 Symbols .....	13
4.3.2 Specification system.....	13
4.3.3 Drawings .....	15
4.3.4 Performance.....	15
4.3.5 Measurements.....	15
4.3.6 Test reports.....	16
4.3.7 Instructions for use.....	16
4.4 Standardization system .....	16
4.4.1 Interface standards.....	16
4.4.2 Performance standards.....	17
4.4.3 Optical interface standards.....	17
4.4.4 Reliability documentation.....	17
4.4.5 Interlinking .....	18
4.5 Design and construction .....	20
4.5.1 Materials .....	20
4.5.2 Workmanship.....	20
4.6 Quality .....	20
4.7 Performance.....	20
4.8 Identification and marking .....	20
4.8.1 Variant identification number .....	20
4.8.2 Component marking .....	20
4.8.3 Package marking.....	21
4.9 Packaging .....	21
4.10 Storage conditions .....	21
4.11 Safety .....	21
Bibliography.....	22
Figure 1 – Standardization structure .....	19

Table 1 – Example of a typical adaptor classification ..... 11  
Table 2 – Three-level specification structure ..... 14  
Table 3 – Standards interlink matrix ..... 19

## INTRODUCTION

This part of IEC 61274 is divided into four clauses.

Clauses 1, 2 and 3 contain general information pertaining to this generic specification.

Clause 4 is entitled "Requirements" and contains all the requirements to be met by adaptors covered by this standard. This includes requirements for classification, the IEC specification system, documentation, materials, workmanship, quality, performance, identification and packaging.

NOTE Clauses 1 to 4 are applicable generally and refer to all adaptor standards.



# FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – ADAPTORS FOR FIBRE OPTIC CONNECTORS –

## Part 1: Generic specification

### 1 Scope

This part of IEC 61274 applies to fibre optic adaptors for all types, sizes and structures of optical fibre connectors. It includes:

- adaptor requirements;
- quality assessment procedures.

This standard does not cover test and measurement procedures, which are described in the IEC 61300 series.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), *Letter symbols to be used in electrical technology*

IEC 60050-731, *International Electrotechnical Vocabulary – Chapter 731: Optical fibre communication*

IEC 60617, *Graphical symbols for diagrams*

IEC 60695-11-5, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60825-1, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 61300 (all parts), *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*

IEC 61753 (all parts), *Fibre optic interconnecting devices and passive components performance standard*

IEC 61753-1, *Fibre optic interconnecting devices and passive components – Part 1: General and guidance for performance standards*

IEC 61754 (all parts), *Fibre optic connector interfaces*

IEC 61755 (all parts), *Fibre optic connector optical interfaces*

IEC/TR 61930, *Fibre optic graphic symbology*

IEC/TR 61931, *Fibre optic – Terminology*

ISO 129, *Technical drawings – Indication of dimensions and tolerances – Part 1: General principles*

ISO 286-1, *Geometrical product specifications (GPS) – ISO code system for tolerances on linear sizes – Part 1: Bases of tolerances, deviations and fits*

ISO 1101, *Geometrical Product Specifications (GPS) – Geometrical tolerancing – Tolerances of form, orientation, location and run-out*

ISO 8601, *Data elements and interchange formats – Information interchange – Representation of dates and times*

### 3 Terms and definitions

For the purposes of this part of IEC 61274, the definitions contained in IEC 60050-731 and IEC 61931, as well as the following definitions, apply.

#### 3.1

##### **adaptor**

a component in which two or more ferrules are aligned

#### 3.2

##### **alignment pins**

cylindrical rods used for alignment in some types of connectors. Typically they are used in pairs and inserted into specific guide holes in the two plugs (usually for multifibre connectors) to provide the alignment

#### 3.3

##### **APC (optical) connector**

connector with angled convex end-face ferrule capable of making an angled physical contact between the fibres

#### 3.4

##### **butting optical coupling**

coupling in which the optical ports are in contact with each other

#### 3.5

##### **expanded beam optical coupling**

coupling in which the optical ports use lens technology

#### 3.6

##### **ferrule**

fibre holding component part of the plug, usually aligned in the sleeve of an adaptor. It confines the end(s) of single or multiple optical fibres

#### 3.7

##### **fully intermateable connector set**

connector sets from different sources are considered fully intermateable when connector components from one source will mate with complementary components from other sources without mechanical damage and with optical properties maintained within specified limits

#### 3.8

##### **interchangeable connector set**

connector sets are considered to be interchangeable when they share common installation geometry and have the same functional performance

#### 3.9

##### **mating face dimension**

dimension of the features which determine the mating fit between components of an optical connector set

### 3.10

#### **mechanically intermateable connector set**

connector sets from different sources are considered mechanically intermateable when connector components from one source will mate with complementary components from other sources without mechanical damage but without regard to optical properties

### 3.11

#### **mechanical reference plane (datum plane)**

the plane of a plug or adaptor which is perpendicular to the fibre axis and is located on a physical feature of the component. It is the datum plane from which all features of the component are measured in the direction of the fibre axis

NOTE The mechanical reference planes of the plug and the adaptor should coincide when the two components are properly mated. Accordingly, each should be located on the feature that fixes or establishes the relative position of the two components when they are properly mated.

### 3.12

#### **non-butting optical coupling**

coupling in which the ports are not in contact with each other

### 3.13

#### **optical datum target**

theoretical datum point on a connector interface where the optical fibre core centre should be positioned by the plug or by the adaptor receptacle

### 3.14

#### **optical fibre connector**

component normally attached to an optical cable or piece of apparatus, for the purpose of providing frequent optical interconnection/disconnection of optical fibres or cables. This usually consists of two plugs mated together in an adaptor

### 3.15

#### **optical fibre connector set**

complete assembly of components (plug-adaptor-plug or plug-socket) required to provide demountable coupling between two or more optical fibre cables

### 3.16

#### **optical fibre connector set kit**

series of components necessary to make a complete connector set

### 3.17

#### **PC (optical) connector**

connector with convex end-face ferrule capable of making a physical contact between the fibres

### 3.18

#### **plug**

male-type part of a connector

### 3.19

#### **plug-adaptor-plug configuration**

configuration in which two plugs mate through an adaptor. The mechanical coupling takes place between the plugs and the adaptor

### 3.20

#### **plug-receptacle configuration**

configuration in which a plug mates in a receptacle

### 3.21

#### **plug-socket configuration**

configuration in which a plug mates in a socket. The mechanical coupling takes place between the plug and the socket

### 3.22

#### **receptacle**

structure for interfacing a plug with an active component. Typically it is formed by a semi-adaptor and a structure containing and aligning the active component

### 3.23

#### **reference connector component**

tighter toleranced or selected connector component (e.g. plug, adaptor, etc.) which is used for measuring purposes

NOTE Test and measurement methods may refer to it. The characteristics or the selection procedure are given in the relevant specification.

### 3.24

#### **sleeve**

precision part of the adaptor used to mechanically align two ferrules

### 3.25

#### **small form factor connector**

an optical fibre connector with a ferrule with an outside diameter of less than 2,0 mm or a connector designed to accommodate two or more optical fibres with at least the same mounting density as IEC 60603-7 Connectors for electronic equipment- Part 7: Detail specification for 8-way, unshielded, free and fixed connectors. SFF connectors have a smaller cross-sectional area, about one-half that of traditional connectors

### 3.26

#### **socket**

the female part of a two part connector

## 4 Requirements

### 4.1 General

The requirements for adaptors covered by this generic specification are specified in this clause and in the detail specification.

### 4.2 Classification

#### 4.2.1 General

Fibre optic adaptors are classified, either totally or in part, according to the following categories (see Table 1):

- type;
- style;
- interface standard;
- standardization system;
- variant;
- assessment level;
- normative reference extensions.

See Table 1 for an example of a complete adaptor set classification.

#### 4.2.2 Type

Adaptor set types shall be defined by four elements: the type name, the configuration, the coupling mechanism and the mating face dimensions.

Examples of type names:

- type SC;
- type LC.

Examples of configurations:

- plug-adaptor-plug configuration;
- plug-receptacle configuration.

Examples of coupling mechanisms:

- screw thread;
- bayonet;
- push-pull.

**Table 1 – Example of a typical adaptor classification**

Type	<ul style="list-style-type: none"> <li>– Name: type SC</li> <li>– Configuration: plug-adaptor-plug</li> <li>– Coupling: push -pull</li> <li>– Mating face dimensions: plug: see Figure 2 <sup>a</sup> adaptor: see Figure 4 <sup>a</sup></li> </ul>
Style	<ul style="list-style-type: none"> <li>– Physical contact (PC)</li> <li>– Alignment: resilient bushing</li> </ul>
Variants	<ul style="list-style-type: none"> <li>– Two adaptor variants: <ul style="list-style-type: none"> <li>• non-mountable (in-line)</li> <li>• four-hole flange mount</li> </ul> </li> </ul>
<sup>a</sup> Indicates figures in a hypothetical detail specification.	

#### 4.2.3 Style

The adaptor style shall be defined by two elements: the optical coupling technology and the alignment technology.

Examples of optical coupling technologies:

- non-butting;
- physical contact (PC) or angled physical contact (APC);
- expanded beam.

Examples of alignment technologies:

- clearance fit alignment;
- resilient bushing alignment;
- resilient tip alignment;
- spherical alignment;
- solid bore alignment sleeve;

- resilient alignment sleeve;
- V-groove alignment;
- guide pin alignment.

#### **4.2.4 Interface standard**

The adaptor interface standard defines the dimensions and the physical features essential for mating and unmating a fibre optic connector with other connectors or components conforming to the same standard interface (see 4.4.1).

#### **4.2.5 Variant**

The adaptor variant defines the variety of structurally similar components.

Examples of feature variables which create variants:

- mounting scheme;
- coupling nut design (hexagonal, knurled, etc.).

#### **4.2.6 Assessment level**

Assessment level defines the inspection levels and the acceptable quality level (AQL) of groups A and B, and the periodicity of inspection of groups C and D. Detail specifications shall specify one or more assessment levels, each of which shall be designated by a capital letter.

The following are preferred levels.

- Assessment level A
  - group A inspection: inspection level 11, AQL = 4 %
  - group B inspection: inspection level 11, AQL = 4 %
  - group C inspection: 24-month periods
  - group D inspection: 48-month periods
- Assessment level B
  - group A inspection: inspection level 11, AQL = 1 %
  - group B inspection: inspection level 11, AQL = 1 %
  - group C inspection: 18-month periods
  - group D inspection: 36-month periods
- Assessment level C
  - group A inspection: inspection level 11, AQL = 0,4 %
  - group B inspection: inspection level 11, AQL = 0,4 %
  - group C inspection: 12-month periods
  - group D inspection: 24-month periods

#### **4.2.7 Normative reference extensions**

Normative reference extensions are used to identify integration of independent standard specifications or other reference documents into blank detail specifications.

Unless a specified exception is noted, additional requirements imposed by an extension are mandatory. Usage is primarily intended to merge associated components to form hybrid

devices, or can involve integrated functional application requirements that are dependent on technical expertise other than fibre optics.

Published reference documents produced by ITU consistent with the scope statements of the relevant IEC specification series may be used as extensions. Published documents produced by other regional standardization bodies such as ANSI, CENELEC, JIS, DIN etc., may be referenced in an informative annex attached to the generic specification.

In the event of conflicting requirements, precedence shall be given, in descending order, as follows: generic over mandatory extension, over blank detail, over detail, over application specific extension.

Examples of optical adaptor C extensions include:

- using IEC 61754-2 and IEC 61754-4 to partially define a future specification within the IEC 60874 series for a duplex type “SC/BFOC/2,5” hybrid connector adaptor;
- using IEC 61754-13 to partially define a future specification within the IEC 60874 series for an integrated type “FC” preset attenuated optical adaptor;

Other examples of requirements in normative extensions:

- some commercial or residential building applications may require direct reference to specific safety codes and regulations, or incorporate other specific material flammability or toxicity requirements for specialised locations;
- specialised field tooling may require an extension to implement specific ocular safety, electrical shock, or burn hazard avoidance requirements, or require isolation procedures to prevent potential ignition of combustible gases.

## **4.3 Documentation**

### **4.3.1 Symbols**

Graphical and letter symbols shall, whenever possible, be taken from IEC 60027, IEC 60617 and IEC 61930.

### **4.3.2 Specification system**

#### **4.3.2.1 General**

This specification is part of a three-level IEC specification system. Subsidiary specifications shall consist of blank detail specifications and detail specifications. This system is shown in Table 2.

**Table 2 – Three-level specification structure**

Specification level	Examples of information to be included	Applicable to
Basic	<ul style="list-style-type: none"> <li>– Assessment system rules</li> <li>– Inspection rules</li> <li>– Optical measurement methods</li> <li>– Environmental test methods</li> <li>– Sampling plans</li> <li>– Identification rule</li> <li>– Marking standards</li> <li>– Interface dimensions</li> <li>– Dimensional standards</li> <li>– Terminology</li> <li>– Symbol standards</li> <li>– Preferred number series</li> <li>– SI units</li> </ul>	Two or more component families or subfamilies
Generic	<ul style="list-style-type: none"> <li>– Specific terminology</li> <li>– Specific symbols</li> <li>– Specific units</li> <li>– Preferred values</li> <li>– Marking</li> <li>– Quality assessment procedures</li> <li>– Selection test</li> <li>– Qualification approval procedures</li> <li>– Capability approval procedure</li> </ul>	Component family
Blank detail <sup>a</sup>	<ul style="list-style-type: none"> <li>– Quality conformation test schedule</li> <li>– Inspection requirements</li> <li>– Information common to a number of types</li> </ul>	Groups of types having a common test schedule
Detail	<ul style="list-style-type: none"> <li>– Individual values</li> <li>– Specific information</li> <li>– Completed quality conformance test schedules</li> </ul>	Individual type
<sup>a</sup> Blank detail specifications do not, by themselves, constitute a specification level. They are associated to the generic specification.		

#### 4.3.2.2 Blank detail specifications

A blank detail specification shall contain:

- the minimum mandatory test schedules and performance requirements;
- one or more assessment levels;
- the preferred format for stating the required information in the detail specification;
- in the case of hybrid components, including connectors, addition of appropriate entry fields to show the reference normative document, document title and issue date.

Detail specifications

Detail specifications shall specify the following as a minimum:

- type name (see 4.2.2);
- style (see 4.2.3);
- interface standards (4.2.4)
- variants (see 4.2.5);
- assessment level (see 4.2.6);



- qualification procedure method
- part identification number for each variant (see 4.8.1);
- drawings, dimensions and performance criteria necessary to produce all required reference components (see 4.3.3);
- drawings and dimensions necessary to produce all required gauges (see 4.3.3);
- quality assessment test schedules;
- performance requirements (see 4.7).

### **4.3.3 Drawings**

#### **4.3.3.1 General**

The drawings and dimensions given in detail specifications shall not restrict the details of construction nor shall they be used as manufacturing drawings.

#### **4.3.3.2 Projection system**

Either first angle or third angle projection shall be used for the drawings in documents covered by this specification. All drawings within a document shall use the same projection system and the drawings shall state which system is used.

#### **4.3.3.3 Dimensional system**

All dimensions shall be given in accordance with ISO 129, ISO 286-1 and ISO 1101.

The metric system shall be used in all specifications.

Dimensions shall not contain more than five significant digits.

When units are converted, a note shall be added in each detail specification.

#### **4.3.3.4 Intermateability**

The requirements for mechanical intermateability are defined in the interface standard series IEC 61754.

The requirements for optical intermateability are defined in the optical interface standard series IEC 61755.

### **4.3.4 Performance**

The performance requirements for fibre optic adaptors are defined in the performance standard series IEC 61753.

### **4.3.5 Measurements**

#### **4.3.5.1 Measurement method**

The size measurement method to be used shall be specified in the specification for dimensions which are specified within a total tolerance zone of 0,01 mm or less.

#### **4.3.5.2 Reference components**

Reference components, if required, shall be specified in the relevant specification.

#### **4.3.5.3 Gauges**

Gauges, if required, shall be specified in the relevant specification.

#### **4.3.6 Test reports**

Test reports shall be prepared for each test conducted. The reports shall be included in the qualification approval report and in the periodic inspection report.

Test reports shall contain the following information as a minimum:

- title of test and date;
- specimen description, including the type of fibre. The description shall also include the variant identification number (see 4.8.1);
- test equipment used and date of latest calibration;
- all applicable test details;
- all measurement values and observations;
- sufficiently detailed documentation to provide traceable information for failure analysis.

#### **4.3.7 Instructions for use**

Instructions for use shall be given by the manufacturer and shall consist of:

- assembly and termination instructions;
- cleaning method;
- additional information as necessary.

### **4.4 Standardization system**

#### **4.4.1 Interface standards**

Interface standards provide both manufacturer and user with all the information required to manufacture or use the product in conformity with the physical features foreseen by that standard interface. Interface standards fully define and dimension the features essential for the mating and unmating of optical fibre connectors and other components. They also serve to position the optical datum target, where defined, relative to other reference data.

Interface standards ensure that connectors and adaptors complying with the standard fit together. The standards may also contain tolerance grades for ferrules and alignment devices. Tolerance grades are used to provide different levels of alignment precision.

The interface dimensions may also be used to design other components that will mate with the adaptors. For example, an active device mount can be designed using the adaptor interface dimensions. The use of these dimensions combined with those of a standard plug provides the designer with assurance that standard plugs will fit into the optical device mount. They also provide the location of the plug optical datum target.

Standard interface dimensions do not, by themselves, guarantee optical performance. They guarantee adaptor mating at a specified fit. Optical performance is ensured by compliance with the requirements of the optical interface standard series. Products from the same or different manufacturing specifications using the same standard interface will always fit together. A guarantee of performance can be given by any individual manufacturer only for products delivered according to the same manufacturing specification. However, it can be reasonably expected that a certain level of performance will be obtained by mating products from different manufacturing specifications, although this level of performance cannot be expected to be any better than that of the lowest specified performance.

#### **4.4.2 Performance standards**

Performance standards contain a series of test and measurements sets (which, depending on the requirements of the standard, may or may not be grouped into a specified schedule) with clearly defined conditions, severities and pass/fail criteria. The tests are intended to be run on a “once-off” basis to prove the ability of a given product to satisfy the “performance standards” requirement. Each performance standard has a different set of tests, and/or severities (and/or groupings) and represents the requirements of a market sector, user group or system location.

A product that has been shown to meet all the requirements of a performance standard can be declared as complying with that standard, but should then be controlled by a quality assurance /quality conformance programme.

A key point of the performance standards is the selection of tests and severities from the tests and measurements standards, for application in conjunction with interface standards on inter-product compatibility (this particularly relates to attenuation and return loss). The conformance of each individual product to this standard will be ensured.

#### **4.4.3 Optical interface standards**

An optical interface standard is a multi-part collection of the physical and mechanical requirements necessary in order to comply with the optical functionality specifications for a defined interface between two optical fibres. It consists of those essential features that are functionally critical to the optical attenuation and return loss performance of an optical interface in the mated condition. The standard defines the location of the fibre core in relation to the datum target and the following key parameters: lateral offset, end face separation, end face angle, end face high index layer condition. It also defines standardised test methods where appropriate.

Each interface contains the essential information to ensure that product conforming to the standard will work together repeatedly to a known level of optical performance without the need for compatibility testing or cross checking.

The two basic performance parameters that characterise the optical interface are attenuation and return loss. Each parameter places different physical constraints on the optical interface. Environmental conditions also affect the performance of the optical interface and it may require definition of physical and mechanical requirements to ensure that the performance specified is maintained over the environmental extremes defined in a particular performance standard.

Manufacturing materials and processes also affect the optical interface and therefore the standard has been designed to allow manufacturers to demonstrate compliance with the standard while still permitting the maximum of manufacturing differentiation. The relationship between, and suitability of, materials specified in Part 3 documents of IEC 61755 series, for different performance categories as specified in IEC 61753-1, shall be defined, e.g. zirconia ferrule material can be applied in all environmental categories, while the polymer material specified for some rectangular ferrules may only be applicable for category C.

Optical interface standards define sets of prescribed conditions, which must be maintained in order to satisfy the requirements for the attenuation and return loss performance in a randomly mated pair of fibres of the same type.

#### **4.4.4 Reliability documentation**

Reliability documentation is intended to ensure that a component can meet performance specifications under stated conditions for a stated time period.

For each type of component, the following should be identified (and appear in the reliability documentation):

- failure modes (observable general mechanical or optical effects of failure);
- failure mechanisms (general causes of failure, common to several components);
- failure effects (detailed causes of failure, specific to the component).

These are all related to environmental and material aspects.

Initially, just after the component manufacturing, there is an “infant mortality phase” during which many components would fail if they were deployed in the field. To avoid early field failure, all components may be subjected to a screening process in the factory, involving environmental stresses that may be mechanical, thermal, or humidity-related. This induces known failure mechanisms in a controlled environmental situation to occur earlier than would normally be verified among an unscreened population. For those components that survive (and are then sold), there is a reduced failure rate, since these failure mechanisms have been eliminated.

Screening is an optional part of the manufacturing process, rather than a test method. It will not affect the “useful life” of a component, defined as the period during which it performs according to specifications. Eventually other failure mechanisms appear, and the failure rate increases beyond a specifically defined threshold. At this point the useful life of the component ends and the “wear-out region” begins: the component has to be replaced.

At the beginning of the useful life, performance testing on a sampled population of components may be applied by the supplier, by the manufacturer, or by a third party. This is to ensure that the component meets performance specifications over a range of intended environments at this initial time. Reliability testing, on the other hand, is applied to ensure that the component meets performance specifications for at least a specified minimum useful lifetime or at a specified maximum failure rate. These tests are usually carried out by applying performance testing, but increasing duration and severity to accelerate the failure mechanisms.

A reliability theory relates component reliability testing to component parameters and to lifetime or failure rate under testing. The theory then extrapolates these parameters to lifetime or failure rate under less stressful service conditions. The reliability specifications include values of the component parameters needed to ensure the specified minimum lifetime or maximum failure rate in service.

#### **4.4.5 Interlinking**

The standards relevant to fibre optic connectors are given in Figure 1. A large number of test and measurements standards are already in place. The quality assurance/qualification approval standards produced under the banner of the IECQ have already been in place for many years.

With regard to interface, performance, optical interface and reliability documentation, the matrix given in Table 3 demonstrates some of the options available for product standardization once all the standards are in place.

Product A is fully IEC standardized, having a standard interface and meeting defined optical interface performance and reliability requirements.


Product B is a product with a proprietary interface, but which meets defined IEC optical interface, performance and reliability requirements.

Product C is a product with a proprietary interface, which meets defined IEC optical interface and performance standards but does not comply with reliability documentation.

Product D is a product which complies with an IEC standard interface which complies with the IEC optical interface standard but does not meet the requirements of either an IEC performance standard or reliability document.

Product E is a product which complies with both an IEC standard interface and a performance standard, but does not meet the optical interface or reliability requirements.

Obviously the matrix is more complex than that shown in Table 3, since a number of interface, performance and reliability documents will be able to be cross-related. In addition, the products may all be subject to a quality assurance programme that could be conducted under IEC approval, or even under a national or company quality assurance system.



**Figure 1 – Standardization structure**

**Table 3 – Standards interlink matrix**

	<b>Interface standard</b>	<b>Optical Interface Standard</b>	<b>Performance standard</b>	<b>Reliability documentation</b>
Product A	YES	YES	YES	YES
Product B	NO	YES	YES	YES
Product C	NO	YES	YES	NO
Product D	YES	YES	NO	NO
Product E	YES	NO	YES	NO

#### 4.5 Design and construction

##### 4.5.1 Materials

###### 4.5.1.1 Corrosion resistance

All materials used in the construction of an adaptor should be corrosion resistant or suitably finished to meet the requirements of the relevant document.

###### 4.5.1.2 Non-flammable materials

When non-flammable materials are required, the requirement shall be specified in the specification and IEC 60695-11-5 shall be referenced.

##### 4.5.2 Workmanship

Adaptors and associated hardware shall be manufactured to a uniform quality and shall be free of sharp edges, burrs or other defects liable to affect life, serviceability or appearance. Particular attention shall be given to neatness and thoroughness of marking, plating, soldering, bonding, etc.

#### 4.6 Quality

Adaptor components shall be controlled by an appropriate quality assessment procedure. The measurement and test procedures of the IEC 61300 standards shall be used, as applicable, for quality assessment.


#### 4.7 Performance

Adaptors shall meet the performance requirements specified in the relevant specification.

#### 4.8 Identification and marking

##### 4.8.1 Variant identification number

Each variant in a detail specification shall be assigned a variant identification number. The number shall consist of the number assigned to the detail specification, followed by a four-digit dash number and a letter designating the assessment level. The first digit of the dash number shall be sequentially assigned to each component type covered by the detail specification. The last three digits shall be sequentially assigned to each variant of the component.



##### 4.8.2 Component marking

Components, associated hardware and packages shall be permanently and legibly identified and marked when required by the relevant specification. The preferred order of marking is as follows:

- a) manufacturer's identification mark;
- b) manufacturing date code;

- c) manufacturer's part number;
- d) variant identification number.

#### 4.8.3 Package marking

Package marking, if required, shall be specified in the relevant document. The preferred order of marking is as follows:

- a) manufacturer's identification mark;
- b) manufacturer's part number;
- c) manufacturing date code (year/week, see ISO 8601);
- d) variant identification number(s) (see 4.8.1);
- e) type name (see 4.2.1);
- f) assessment level;
- g) any additional marking required by the detail specification.

When applicable, individual unit packages (within the sealed package) shall be marked with the reference number of the certified record of released lots, the manufacturer's factory identity code and the component identification.

#### 4.9 Packaging

Packages shall include instructions for use when required by the specification (see 4.2.7).

#### 4.10 Storage conditions

Where short-term degradable materials, such as adhesives, are supplied with the package of connector parts, the manufacturer shall mark these with the expiry date (year and week numbers, see ISO 8601) together with any requirements or precautions concerning safety hazards or environmental conditions for storage.

#### 4.11 Safety

Optical fibre connectors, when used on an optical fibre transmission system and/or equipment, may emit potentially hazardous radiation from an uncapped or unterminated output port or fibre end.

The connector manufacturers shall make available sufficient information to alert system designers and connector users about the potential hazard and shall indicate the required precautions and working practices.

In addition, each detail specification shall include the following:

**WARNING NOTE: Care should be taken when handling small diameter fibres to prevent puncturing the skin, especially in the eye area. Direct viewing of the end of an optical fibre or an optical fibre connector when it is propagating energy is not recommended unless prior assurance has been obtained as to the safety energy output level.**

Reference shall be made to IEC 60825-1, the relevant document on safety.

## Bibliography

IEC 60874 (all parts), *Connectors for optical fibres and cables*

IEC 60410, *Sampling plans and procedures for inspection by attributes*

IEC 61274-1-1, *Adaptors for optical fibres and cables – Part 1-1: Blank detail specification*

IEC Guide 102: *Electronic components – Specification structures for quality assessment (Qualification approval and capability approval)*

---





# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [bsmusales@bsigroup.com](mailto:bsmusales@bsigroup.com).

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

## Useful Contacts:

### Customer Services

**Tel:** +44 845 086 9001

**Email (orders):** [orders@bsigroup.com](mailto:orders@bsigroup.com)

**Email (enquiries):** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 845 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)



...making excellence a habit.™