BS EN 62040-4:2013



BSI Standards Publication

Uninterruptible power systems (UPS)

Part 4: Environmental aspects — Requirements and reporting



BS EN 62040-4:2013 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of EN 62040-4:2013. It is identical to IEC 62040-4:2013.

The UK participation in its preparation was entrusted to Technical Committee PEL/22, Power electronics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 72211 0 ICS 13.020.99; 29.200

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2013.

Amendments/corrigenda issued since publication

Date Text affected

EUROPEAN STANDARD

EN 62040-4

NORME EUROPÉENNE EUROPÄISCHE NORM

September 2013

ICS 13.020.99; 29.200

English version

Uninterruptible power systems (UPS) -Part 4: Environmental aspects -Requirements and reporting

(IEC 62040-4:2013)

Alimentations sans interruption (ASI) -Partie 4: Aspects environnementaux -Exigences et déclaration (CEI 62040-4:2013) Unterbrechungsfreie Stromversorgungssysteme (USV) -Teil 4: Umweltaspekte -Anforderungen und Berichterstattung (IEC 62040-4:2013)

This European Standard was approved by CENELEC on 2013-06-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 22H/157/FDIS, future edition 1 of IEC 62040-4, prepared by SC 22H, "Uninterruptible power systems (UPS)", of IEC TC 22, "Power electronic systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62040-4:2013.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national	(dop)	2014-03-27
•	standard or by endorsement latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2016-06-03

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62040-4:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 62040-1:2008 + A1:2013	NOTE	Harmonised as EN 62040-1:2008 + A1:2013 (not modified).
IEC 62040-2:2005	NOTE	Harmonised as EN 62040-2:2006 (not modified).
IEC 62310-1:2005	NOTE	Harmonised as EN 62310-1:2005 (not modified).
IEC 62310-2:2006	NOTE	Harmonised as EN 62310-2:2007 (modified).
IEC 62310-3:2008	NOTE	Harmonised as EN 62310-3:2008 (not modified).
IEC 62430:2009	NOTE	Harmonised as EN 62430:2009 (not modified).
IEC 62535:2008	NOTE	Harmonised as EN 62535:2009 (not modified).
ISO 9000:2000	NOTE	Harmonised as EN ISO 9000:2000 (not modified).
ISO 14001:2004	NOTE	Harmonised as EN ISO 14001:2004 (not modified).
ISO 14020:2000	NOTE	Harmonised as EN ISO 14020:2001 (not modified).
ISO 14024:1999	NOTE	Harmonised as EN ISO 14024:2000 (not modified).
ISO 14040:2006	NOTE	Harmonised as EN ISO 14040:2006 (not modified).
ISO 14064-1	NOTE	Harmonised as EN ISO 14064-1.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 62040-3	2011	Uninterruptible power systems (UPS) - Part 3: Method of specifying the performance and test requirements	EN 62040-3	2011
IEC 62474	2012	Material declaration for products of and for the electrotechnical industry	EN 62474	2012

CONTENTS

INI	ROD	OCHO	N	5
1	Scop	oe		6
2	Norn	Normative references		
3	Tern	erms and definitions		
4	Proc	ess of o	declaring the environmental aspects of a UPS	9
	4.1	Gener	ral	9
	4.2	Outco	ome	10
5	Requ	uiremen	nts	10
	5.1	Gener	ral	10
	5.2	Essen	ntial requirements	10
		5.2.1	General	10
		5.2.2	Information about the producer	10
		5.2.3	Description of the product and its packaging	10
		5.2.4	Substances (criterion 1)	11
		5.2.5	Use phase	11
		5.2.6	End of life	11
	5.3	Variat	tion of requirements	12
		5.3.1	General	12
		5.3.2	Additional requirements	12
		5.3.3	Relaxation of requirements	12
	5.4	Requi	rements under consideration	12
Anı	nex A	(norma	ative) Declaration of essential requirements	13
Anı	nex B	(inform	native) Declaration for additional requirements	14
Anı	nex C	(inform	native) Environmental aspects under consideration	15
Bib	liogra	phy		16
Tal	ole 1 -	- Class	ification of environmental aspects	10
Tal	ole A.	1 – Dec	claration format for essential requirements	13
Tal	ole B	1 – Dec	claration format for additional requirements	14

INTRODUCTION

The publication of this product standard for environmental information of UPS is intended to become a reference document for regulators, manufacturers, purchasers, certifying bodies and users, so that the goal of promoting reduction of the environmental impact during a complete UPS life cycle is achieved.

This standard provides assistance to:

- determine essential environmental parts of environmental standards, regulations, code of conducts, agreements, and other requirements applicable to UPS to ensure compliance and avoid need of interpretation,
- respond to customer requirements by communicating environmental information in a standardized way,
- minimize reporting requirements by focusing on main applicable environmental requirements,
- anticipate upcoming environmental regulations and environmental programs applicable to UPS by proposing a standard that provides compliance requirements,
- standardize the transmission of environmental information in the supply chain,
- report and communicate environmental information to be used as a reference for measuring environmental progress between one generation of product and the next.

UNINTERRUPTIBLE POWER SYSTEMS (UPS) -

Part 4: Environmental aspects – Requirements and reporting

1 Scope

This part of the IEC 62040 series specifies the process and requirements to declare the environmental aspects concerning uninterruptible power systems (UPS), with the goal of promoting reduction of any adverse environmental impact during a complete UPS life cycle. This product standard is harmonized with the applicable generic and horizontal environmental standards and contains additional details relevant to UPS.

This standard applies to movable, stationary and fixed UPS that deliver single or three-phase fixed frequency a.c. output voltage not exceeding 1 000 V a.c. and that present, generally through a d.c. link, an energy storage system and specified in IEC 62040 product standards for UPS (Part 1: Safety, Part 2: EMC and Part 3: Test and performance).

The following applications are excluded from the scope:

- conventional a.c. input and output distribution boards;
- d.c. distribution boards and their associated switches (e.g. switches for batteries, rectifier output or inverter input);
- stand-alone static transfer systems (STS) specified in IEC 62310 product standards for STS (Part 1: Safety, Part 2: EMC and Part 3: Test and performance);
- systems wherein the output voltage is derived from a rotating machine.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62040-3:2011, Uninterruptible power systems (UPS) – Part 3: Method of specifying the performance and test requirements

IEC 62474:2012, Material Declaration for Products of and for the Electrotechnical Industry (available at http://std.iec.ch/iec62474)

3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

3.1

end of life

life cycle stage of a product starting when it is removed from its intended use phase

3 2

end of life treatment

any operations after a waste has been handed over to a facility for recovery or preparation for disposal

62040-4 © IEC:2013

-7-

Note 1 to entry: This includes dismantling, material separation and disposal.

3.3

use phase

life cycle stage of a product starting when it has been put into service and finishing at end of

3.4

recycling

processing of waste materials for the original purpose or for other purposes, excluding energy recovery

[SOURCE: ISO 15270:2008,3.30, modified]

3.5

environment

surroundings in which an organization operates, including air, water, land, natural resources, flora, fauna, humans and their interrelation

[SOURCE: ISO 14001:2004, 3.5]

3.6

environmental aspect

element of an organization's activities, products or services that can interact with the environment

[SOURCE: ISO 14001:2004, 3.6]

3.7

environmental impact

any change to the environment, whether adverse or beneficial, wholly or partially resulting from an organization's environmental aspects

[SOURCE: ISO 14001:2004, 3.17]

3.8

environmental management system

part of the overall management system that includes organizational structure, planning activities, responsibilities, practices, procedure, processes, and resources for developing, implementing, achieving, reviewing and maintaining the environmental policy

[SOURCE: ISO 14001:2004, 3.8, modified]

3.9

life cycle

consecutive and interlinked stages of a product system, from raw material acquisition or generation from natural resources to final disposal

[SOURCE: ISO 14040:2006,3.1]

3.10

life cycle assessment

LCA

compilation and evaluation of the inputs, outputs and the potential environmental impacts of a product system throughout its life cycle

[SOURCE: ISO 14040:2006, 3.2]

3.11

substance

chemical element and its compounds in the natural state or obtained by any manufacturing process, including any additive necessary to preserve its stability and any impurity deriving from the process used, but excluding any solvent which may be separated without affecting the stability of the substance or changing its composition

[SOURCE: United Nations' Globally Harmonized System of Classification and Labeling (GHS):2011, modified]

3.12

hazardous substances

substance or preparation that can adversely impact the environment with immediate or retarded effect

Note 1 to entry: This definition also applies to preparation.

[SOURCE: IEC Guide 109:2003, 3.6, modified]

3.13

material

substance or mixture within a product or product part

3.14

mixture

solution composed of two or more substances in which they do not react

3.15

uninterruptible power system

UPS

combination of convertors, switches and energy storage devices (such as batteries), constituting a power system for maintaining continuity of load power in case of input power failure

[SOURCE: IEC 62040-3:2011, 3.1.1]

3.16

raw material

primary or secondary material that is used to manufacture a product

Note 1 to entry: Primary raw material includes commercially produced virgin materials, such as iron ore and wood pulp, used for the manufacturing of products. Secondary raw material includes recycled materials used in the manufacture.

[SOURCE: ISO 14040:2006, 3.15]

3.17

waste

substances or objects which the holder intends or is required to dispose of

Note 1 to entry: Definition obtained from the Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal (22 March 1989), but is not limited to hazardous waste in this International Standard.

3.18

greenhouse gas

ĞHG

gaseous constituent of the atmosphere, both natural and anthropogenic, that absorbs and emits radiation at specific wavelengths within the spectrum of infrared radiation emitted by the earth's surface, the atmosphere, and clouds

_ 9 _

Note 1 to entry: GHGs include carbon dioxide (CO_2), methane (CH_4), nitrous oxide (N_2O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs) and sulfur hexafluoride (SF_6).

[SOURCE: ISO 14064-1:2006, 2.1]

3.19

greenhouse gas emission

total mass of a GHG released to the atmosphere over a specified period of time

[SOURCE: ISO 14064-1:2006, 2-5]

3.20

packaging

material that is used to protect or contain a product during transportation, storage, marketing or use

Note 1 to entry: For the purposes of this International Standard, the term "packaging" also includes any item that is physically attached to, or included with, a product or its container for the purpose of marketing the product or communicating information about the product.

[SOURCE: ISO 14021:1999, 3.1.10]

3.21

acoustic noise

unintentional and undesirable sound

3.22

representative UPS

UPS within a range where the information declared for that UPS applies to all the UPS of the range

3.23

component

part that comes from a manufacturing facility and which can be an amalgam of various manufacturing processes and of raw materials

3.24

recyclability rate

sum of recyclable masses of all parts divided by the total mass multiplied by 100 %

3.25

eco-solutions

products or services allowing reduction of environmental impacts of a system in which they are a component

[SOURCE: IEC/PAS 62545:2008, 3.1.16]

4 Process of declaring the environmental aspects of a UPS

4.1 General

The process of declaring the environmental aspects of a UPS consists of identifying those aspects arising when UPS compliance is verified against the requirements specified in Clause 5. The environmental aspects shall be assessed for the representative UPS when applicable and otherwise for each UPS.

NOTE The reporting procedure detailed in this standard is aligned with IEC/PAS 62545.

4.2 Outcome

The outcome of the process is the identification of the environmental impact during a complete UPS life cycle. Compliance with each requirement shall be reported – refer to Annex A and to Annex B.

5 Requirements

5.1 General

This clause specifies the requirements concerning environmental aspects applying to UPS covered by this standard. The environmental aspects are classified as listed in Table 1.

 Environmental aspects
 Suggested format of declaration (clause of annex)

 Clause
 Classification
 (clause of annex)

 5.2
 Essential
 Mandatory
 A.2

 5.3.2
 Additional
 Voluntary
 B.2

Table 1 - Classification of environmental aspects

5.2 Essential requirements

5.2.1 General

The following subclauses represent the essential requirements.

5.2.2 Information about the producer

The following information shall be declared by the UPS manufacturer:

- location of manufacturing plant(s),
- certification status of manufacturing plant(s) in regard to applicable environmental management system, e.g. ISO 14001, EMAS etc.

5.2.3 Description of the product and its packaging

The following information shall be declared by the UPS manufacturer:

- model (manufacturer's reference and, if model is a representative UPS, the range of UPS),
- UPS configuration (see Annex A of IEC 62040-3:2011),
- UPS performance classification (see 5.3.4. of IEC 62040-3:2011),
- · product dimensions,
- · mass without energy storage system e.g. batteries,
- mass of energy storage system if incorporated in the UPS,
- mass and material(s) of packaging (e.g. cardboard, plastic, wood, metal):
 - product packaging: first layer of packaging in contact with the product;
 - group packaging: packaging gathering several products into a single package, if applicable;
 - transportation packaging: packaging used for transportation if different from product or group packaging.

NOTE Further information can be found in Table D.1, of IEC 62040-3:2011.

62040-4 © IEC:2013

5.2.4 Substances (criterion 1)

Substances contained in the UPS and listed in IEC 62474 as criterion 1 (substances that are currently regulated) shall be declared by the UPS manufacturer.

NOTE 1 This requirement facilitates compliance with laws and regulations applying to substances in a particular IEC member country, e.g. REACH.

NOTE 2 IEC 62474 correlates each reportable substance with typical products containing the same. For guidance and subject to confirmation from the UPS manufacturer, the following substances are generally not present in a UPS:

- azocolourants and azodyes which form certain aromatic amines used for textiles and leathers;
- cobalt dichloride used for pneumatic panels to indicate water contamination;
- dimethyl furfumarate (DMF) used for mould prevention treatment of electronic leather seats;
- formaldehyde used for textiles.

NOTE 3 The data format described in 6.2 of IEC 62474:2012 represents one method of declaring substances. The full list of reportable substances to be considered is given in IEC 62474 available at http://std.iec.ch/iec62474.

5.2.5 Use phase

The following information shall be declared by the UPS manufacturer:

- UPS efficiency in accordance with IEC 62040-3;
- acoustic noise in accordance with IEC 62040-3.

NOTE Further information can be found in Table D.1 of IEC 62040-3:2011.

5.2.6 End of life

The UPS manufacturer shall provide information to facilitate end of life treatment, e.g. dismantling, disposing, and recycling instructions shall be provided. This information shall include a list of materials and components requiring selective treatment upon end of life.

For recyclability purposes, the manufacturer shall declare if the UPS and its packaging contains any of the following parts:

- parts containing polychlorinated biphenyls (PCB),
- parts containing mercury, such as switches or backlighting lamps,
- batteries,
- printed circuit boards if larger than 10 cm²,
- toner cartridges, liquid and pasty, as well as colour toner,
- plastic containing regulated flame retardants,
- part containing asbestos,
- cathode ray tubes,
- chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC),
- gas discharge lamps,
- liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 cm² and all those back-lighted with gas discharge lamps,
- external electric cables supplied with the UPS e.g. detachable or fixed cords,
- components containing refractory ceramic fibres,
- components containing radioactive substances,
- electrolytic capacitors of height > 25 mm and diameter > 25 mm or proportionately similar volume.

NOTE This requirement facilitates compliance with laws and regulations for waste from electrical and electronic equipment, e.g. EU WEEE directive and EU Battery Directive (2006/66/EC).

5.3 Variation of requirements

5.3.1 General

5.3 describes variations of requirements that manufacturers and purchasers may, under certain conditions, agree on. Such variations may consist of additional or of relaxed environmental aspects to be declared for a particular scope of supply.

5.3.2 Additional requirements

5.3.2.1 **General**

Notwithstanding that the UPS is deemed complying with this standard when complying with the essential requirements specified, additional environmental requirements can be considered as a result of a voluntary decision by the UPS manufacturer, by regulation, or by UPS application in environmentally sensitive areas. The following subclauses represent such additional requirements.

5.3.2.2 Recyclability rate of the product and its packaging

The UPS manufacturer can provide the recyclability rate of the product and of its packaging

5.3.2.3 Life cycle assessment

The UPS manufacturer can provide a life cycle assessment in accordance with ISO 14040.

NOTE Relevant adverse environmental impacts caused by the UPS relate to the expected energy consumption to produce components for manufacture, to manufacture, to distribute, to install, to use and to end the life (to distribute means to ship a UPS from the factory to the customer using normal transportation means).

5.3.2.4 Substances (criteria 2 and 3)

The status of the substances contained in the UPS and listed in IEC 62474 as criterion 2 (substances forecasted to become regulated but with no effective date) and as criterion 3 (substances declared for information only) can be declared by the UPS manufacturer.

The full list of reportable substances to be considered is given in IEC 62474, database available at http://std.iec.ch/iec62474.

NOTE The data format described in 6.2 of IEC 62474:2012 represents one method of declaring substances.

5.3.3 Relaxation of requirements

Where not infringing local regulations, manufacturers and purchasers may agree on the relaxation of particular essential environmental requirements inferred by conditions prescribed in this standard. Such a relaxation can be necessary when application of the essential requirements result in conflict with specified performance requirement(s).

EXAMPLE The relaxation may consist of:

- omitting selected information in a declaration pertaining to applications wherein proprietary information is not to be publicly disclosed;
- the UPS manufacturer being required to use substances or material different from that declared for their standard UPS product; this can include applications wherein cables are required to be different; an explanatory note should accompany the standard declaration.

5.4 Requirements under consideration

Annex C lists environmental aspects referenced for future consideration and for which no current requirements apply.

Annex A (normative)

Declaration of essential requirements

A.1 General

This annex summarises the contents required for reporting compliance with the essential requirements of 5.2 and presents a suggested reporting format in Clause A.2

A.2 Declaration format for essential requirements

Essential requirements shall be declared according to Table A.1.

Table A.1 – Declaration format for essential requirements

Subclause IEC 62040-4	Declared environmental aspect	Manufacturer's declared value
	Location of manufacturing plant(s)	
5.2.2	Environmental management system (certification status and name of system)	
	Model (manufacturer's reference)	
	Power, rated - apparent	VA W
	– active	
	Representative UPS	Yes,No
	Range of UPS covered by representative UPS (if applicable)	
	UPS configuration	
5.2.3	Performance classification	
	Dimensions (height × width × depth)	mm
	Mass	kg
	Mass of batteries (if integrated)	kg
	Battery technology	
	Product packaging (mass, material)	
	Group packaging, if applicable (mass, material)	
	Transportation packaging , if applicable (mass, material)	
5.2.4	Substances – Criterion 1	
5.2.5	UPS efficiency	
J.Z.0	Acoustic noise	
5.2.6	End of life information (It is recommended to indicate location of the part(s) on a picture or drawing)	

Annex B (informative)

Declaration for additional requirements

B.1 General

This annex summarises the contents required for reporting compliance with the additional requirements detailed in 5.3.2 and presents a suggested reporting format in Clause B.2.

B.2 Declaration format for additional requirements

Additional requirements shall be declared according to Table B.1.

Table B.1 – Declaration format for additional requirements

Subclause IEC 62040-4	Declared environmental aspect	Manufacturer's declared value
5.3.2.2	Recyclable material, (percentage by mass, calculation method) – in product – in packaging	
5.3.2.3	Life cycle assessment	
5.3.2.4	Substances - criterion 2 - criterion 3	

Annex C (informative)

Environmental aspects under consideration

C.1 General

This annex describes environmental aspects referenced for future consideration and for which no current requirements apply.

C.2 Environmental aspects for future consideration

The following aspects will be considered in future editions of IEC 62040-4:

- a) material contents according to IEC 62474 for assessing the impact of raw material consumption during use and end of life stages;
- b) greenhouse gas emission assessment of the UPS in accordance with a standard recognized by IEC and including the generation of emissions during the UPS use and manufacturing life cycle phases;
- c) recycling and re-use assessment;

NOTE 1 Assessment method to be determined once the proposed merger of IEC $62650^{\,1}$ and IEC/TR 62635 is completed.

- d) focus beyond energy consumption with respect to life cycle assessment e.g. resource use, natural resource depletion;
- e) eco-solutions and their design.

Eco-solutions may be integral to the UPS design consisting for example, of functions including efficiency, maintenance or disposal facilities being implemented.

NOTE 2 Examples include UPS supporting functions that offer significant contribution to reduction of energy consumptions in buildings, plants, etc.

NOTE 3 IEC 62430:2009 can be consulted for further consideration.

¹ Under consideration.

Bibliography

IEC 62040-1:2008, Uninterruptible power systems (UPS) – Part 1: General and safety requirements for UPS
Amendment 1:2013

IEC 62040-2:2005, Uninterruptible power systems (UPS) – Part 2: Electromagnetic compatibility (EMC) requirements

IEC 62310-1:2005, Static transfer systems (STS) – Part 1: General and safety requirements

IEC 62310-2:2006, Static transfer systems (STS) – Part 2: Electromagnetic compatibility (EMC) requirements

IEC 62310-3:2008, Static transfer systems (STS) – Part 3: Method for specifying performance and test requirements

IEC 62430:2009, Environmentally conscious design for electrical and electronic products

IEC 62535:2008, Insulating liquids – Test method for detection of potentially corrosive sulphur in used and unused insulating oil

IEC/PAS 62545:2008, Environmental information on Electrical and Electronic Equipment (EIEEE)

IEC/TR 62635, Guidelines for end-of-life information provided by manufacturers and recyclers and for recyclability rate calculation of electrical and electronic equipment

IEC 62650², Communication formats on recycling for electrotechnical equipment between manufacturers and recyclers

IEC Guide 109:2012, Environmental aspects – Inclusion in electrotechnical product standards

ISO 9000:2000, Quality management systems – Fundamentals and vocabulary

ISO 14001:2004, Environmental management systems – Requirements with guidance for use

ISO 14020:2000, Environmental labels and declarations – General principles

ISO 14024:1999, Environmental labels and declarations – Type I environmental labelling – Principles and procedures

ISO 14025:2000, Environmental labels and declarations – Type III environmental declarations

ISO 14040:2006, Environmental management – Life cycle assessment – Principles and framework

ISO 14062:2002, Environmental management – Integrating environmental aspects into product design and development

ISO 14064-1, Ed. 1.0, Greenhouse gases – Part 1: Specification with guidance at the organization level for quantification and reporting of greenhouse gas emissions and removals

² Under consideration.

62040-4 © IEC:2013

ISO 15270:2008, Plastics – Guidelines for the recovery and recycling of plastics waste

European Code of Conduct on energy efficiency and quality of AC Uninterruptible Power Systems (UPS)

http://re.jrc.ec.europa.eu/energyefficiency/html/standby_initiative.htm

Energy Star – UPS specification & test method

http://www.energystar.gov/ia/partners/prod_development/new_specs/downloads/uninterruptible_power_supplies/UPS_V1_Draft3_ES_Specification.pdf

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal (22 March 1989), http://www.basel.int/

Directive 67/548/EEC of 27 June 1967 on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labeling of dangerous substances Directive

Directive 1999/45/EC of the European Parliament and of the Council of 31 May 1999 concerning the approximation of laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labeling of dangerous preparations

Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Directive 2002/96/EC of the European Parliament and of the Council of 27 January 2003 on waste electrical and electronic equipment (WEEE)

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

EMAS Eco-Management and Audit Scheme http://ec.europa.eu/environment/emas/index en.htm

WEEE Directive: Waste of Electric and Electronic Equipment 2012/19/EU http://ec.europa.eu/environment/waste/weee/index_en.htm

Battery directive 2006/66/EC on batteries and accumulators and waste batteries and accumulators

http://ec.europa.eu/environment/waste/batteries/index.htm





British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com
Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

