

# Consumer audio/video equipment digital interface with plastic optical fibre

The European Standard EN 62300:2005 has the status of a  
British Standard

ICS 33.160.99; 33.180.20

## National foreword

This British Standard is the official English language version of EN 62300:2005. It is identical with IEC 62300:2004.

The UK participation in its preparation was entrusted to Technical Committee EPL/100, Audio, video and multimedia systems and equipment, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

### Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the *BSI Catalogue* under the section entitled “International Standards Correspondence Index”, or by using the “Search” facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with a British Standard does not of itself confer immunity from legal obligations.**

### Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 13 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

### Amendments issued since publication

Amd. No.	Date	Comments

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 16 March 2005

© BSI 16 March 2005

ISBN 0 580 45595 5

EUROPEAN STANDARD

**EN 62300**

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2005

ICS 33.160.99; 33.180.20

English version

**Consumer audio/video equipment digital interface  
with plastic optical fibre  
(IEC 62300:2004)**

Interface numérique avec une fibre  
optique plastique pour équipements  
audio/vidéo grand public  
(CEI 62300:2004)

Audio-/Video-Geräte  
für den Allgemeingebrauch –  
Digitale Schnittstelle mit Kunststoff-  
Lichtleitfaser  
(IEC 62300:2004)

This European Standard was approved by CENELEC on 2004-12-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Central Secretariat: rue de Stassart 35, B - 1050 Brussels**

## Foreword

The text of document 100/840/FDIS, future edition 1 of IEC 62300, prepared by IEC TC 100, Audio, video and multimedia systems and equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62300 on 2004-12-01.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2005-09-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2007-12-01

Annex ZA has been added by CENELEC.

---

## Endorsement notice

The text of the International Standard IEC 62300:2004 was approved by CENELEC as a European Standard without any modification.

---

**CONTENTS**

- 1 Scope..... 4
- 2 Normative references ..... 4
- 3 Terms, definitions and abbreviations ..... 4
  - 3.1 Terms and definitions ..... 4
  - 3.2 Abbreviations ..... 4
- 4 System consideration ..... 5
  - 4.1 Area of application ..... 5
  - 4.2 Operating environment ..... 5
- 5 Configuration of digital interface and characteristics to be specified ..... 5
  - 5.1 Configuration of digital interface ..... 5
  - 5.2 Characteristics of electrical interface ..... 5
  - 5.3 Characteristics of optical interface ..... 6
- 6 Safety aspects ..... 6
  
- Annex A (normative) Wide-band POF ..... 7
  - A.1 Introduction ..... 7
  - A.2 Physical dimension ..... 7
  - A.3 Characteristics ..... 7
- Annex B (normative) Optical connector ..... 8
  - B.1 Introduction ..... 8
  - B.2 Physical dimension ..... 8
  - B.3 Characteristics ..... 9
- Annex C (informative) Interface applications ..... 10
  - C.1 Principal features ..... 10
  - C.2 Connection between D-VCR and TV ..... 10
  - C.3 Connection between a CD player and an audio amplifier ..... 11
- Annex ZA (normative) Normative references to international publications with their  
corresponding European Publications ..... 12
  
- Bibliography ..... 13

Licensed Copy: Wang Bin, na, Wed May 25 08:46:18 BST 2005, Uncontrolled Copy, (c) BSI

## CONSUMER AUDIO/VIDEO EQUIPMENT DIGITAL INTERFACE WITH PLASTIC OPTICAL FIBRE

### 1 Scope

This International Standard specifies the principal electrical and optical parameters for a consumer audio/video equipment digital interface that uses plastic optical fibre (POF).

NOTE A description of the principal features of such an interface is given in Annex C.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-731, *International Electrotechnical Vocabulary (IEV) – Chapter 731: Optical fibre communication*

IEC 60793-2-40, *Optical fibres – Part 2-40: Product specifications – Sectional specification for category A4 multimode fibres*

IEC 60825-1, *Safety of laser products – Part 1: Equipment classification, requirements and user's guide*

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems*

IEC 61754-21, *Fibre optic connector interfaces – Part 21: Type SMI connector family for plastic optical fibre*<sup>1</sup>

### 3 Terms, definitions and abbreviations

#### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions contained in IEC 60050-731 apply.

#### 3.2 Abbreviations

BER	Bit error rate
D-VCR	Digital video cassette recorder
E/O	Electrical to optical
HDTV	High definition television
O/E	Optical to electrical
PECL	Positive shifted emitter coupled logic
PMD	Physical media dependent
POF	Plastic optical fibre
RMS	Root mean square

---

<sup>1</sup> To be published.

- Rx Receiver
- SFF Small form factor
- STB Set top box
- Tx Transmitter

**4 System consideration**

**4.1 Area of application**

This digital interface covers audio and/or video and accompanied data systems for consumer audio/video equipment and multimedia systems in bi-direction, mainly used for audio equipment, TV-set, D-VCR, etc.

**4.2 Operating environment**


The environmental conditions for the digital interface are mainly defined in other standards for the individual units. Where no range is given, the interface shall operate at least within the temperature range 0 °C to 50 °C and in a relative humidity range of 25 % to 75 %.

**5 Configuration of digital interface and characteristics to be specified**

**5.1 Configuration of digital interface**

The basic configuration of this digital interface is shown in Figure 1. The reference points 1 and 4 apply to the electrical input and output of the electro-optical and opto-electrical converter respectively. The optical matching values specified in this standard apply at the reference points 2 and 3. The overall characteristics of a POF are specified in Annex A for a wide-band POF and in Annex B for the optical connectors.

NOTE Some applications based on this digital interface are illustrated in Annex C.



**Figure 1 – Basic digital interface**

**5.2 Characteristics of electrical interface**

The characteristics of electrical interface at the reference points 1 and 4 shown in Figure 1 shall be as specified in Table 1.

**Table 1 – Electrical interface**

Parameter		Units
Maximum bit rate	500	Mbit/s
Amplitude deviation from 800 mV	±250	mV
Level	PECL	
Type of signal	Differential	

Licensed Copy: Wang Bin, na, Wed May 25 08:46:18 BST 2005, Uncontrolled Copy, (c) BSI

### 5.3 Characteristics of optical interface

The characteristics of optical interface at the reference points 2 and 3 shown in Figure 1 shall be as specified in Figure 2 and Table 2.




Figure 2 – Eye pattern mask at transmitter

Table 2 – Optical interface

Parameter		Units
<b>Tx &amp; Rx</b>		
Maximum bit rate	500	Mbit/s
Link length	1 to 50	m
<b>Transmitter characteristics</b>		
Wavelength deviation from 650 nm	±10	nm
Mean launched power from 1 m POF	-6 to -2	dBm
Maximum RMS spectral width	20	nm
Minimum extinction ratio	10	dB
<b>Receiver characteristics</b>		
Overload (BER 10 <sup>-12</sup> )	-2	dBm
Sensitivity (BER 10 <sup>-12</sup> )	-19	dBm
Rise/fall time (max.) (10-90 %)	1	ns
NOTE The ambient temperature is taken to be 25 °C.		

## 6 Safety aspects

The transmitter shall be so designed as to prevent harmful effects to persons. Compliance shall be checked in accordance with IEC 60825-1 and IEC 60825-2.



## **Annex A** (normative)

### **Wide-band POF**

#### **A.1 Introduction**

A wide-band POF introduces a high-speed digital interface between consumer audio/video equipment.

#### **A.2 Physical dimension**

The cladding diameter is 750  $\mu\text{m}$  and plastic jacket diameter is 2,2 mm.

Specification details are in accordance with IEC 60793-2-40.

#### **A.3 Characteristics**

Transmission loss is less than 0,18 dB/m at 640 nm or 660 nm. Bending loss is less than 0,5 dB/turn of 25 mm radius.

Details of characteristics are in accordance with IEC 60793-2-40.

## Annex B (normative)

### Optical connector

#### B.1 Introduction

An optical connector is about half the size of the conventional PN connector, whose size is suitable to SFF size.

#### B.2 Physical dimension

The principal physical characteristics of the plug and receptacle of the optical connector are shown in Figures B.1 and B.2, and in Figures B.3 and B.4, respectively.

Specification details are in accordance with IEC 61754-21.



Figure B.1 – Optical connector (plug)





Figure B.2 – Optical connector (plug)



IEC 1468/04

Figure B.3 – Optical connector (receptacle)



IEC 1469/04

Figure B.4 – Optical connector (receptacle)

**B.3 Characteristics**

Details of characteristics are in accordance with IEC 61754-21.

## Annex C (informative)

### Interface applications

#### C.1 Principal features

The digital interface specified in this standard uses wide-band POF that includes both the multi-layer type and the graded index type. These features provide an optical signal speed of up to 500 Mbit/s and a single hop distance of up to 50 m. By using this interface, the high-speed digital signals which include audio/video signal and multimedia data are transmitted simultaneously. It is further possible to realize consumer audio/video equipment platform and/or multimedia system with low cost and high performance.

This digital interface has five features that are important in consumer audio/video equipment.

- It is possible to transmit the high speed digital signal without introducing any electromagnetic interference.
- This interface overcomes the transmission limitation of an electrical interface.
- The optical connector of the interface is so small that it is convenient to mount in consumer audio/video equipment, such as D-VCR, STB, HDTV, and so on.
- Wide-band POF and an optical transceiver of the interface operate up to 500 Mbit/s and the single hop distance is up to 50 m. This feature applies to such as IEEE P1394b/S400.
- This interface has upward compatibility for an industrial optical interface based on POF.

Typical applications are discussed in Clauses C.2 and C.3.

#### C.2 Connection between D-VCR and TV

The basic connection between D-VCR and TV using the interface is shown in Figure C.1. In this application, the request control signal is transmitted from TV to D-VCR and the digital video stream is transmitted from D-VCR to TV through POF.




Figure C.1 – Connection between D-VCR and TV using the interface

### C.3 Connection between a CD player and an audio amplifier

The basic connection between CD player and audio amplifier using the interface is shown in Figure C.2. In this application, the request control signal is transmitted from an audio amplifier to a CD player and the digital audio stream is transmitted from the CD player to the audio amplifier through POF. After that, the audio signal is regenerated by a speaker.




Figure C.2 – Connection between a CD player and an audio amplifier using the interface

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE Where an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-731	- <sup>1)</sup>	International Electrotechnical Vocabulary (IEV) Chapter 731: Optical fibre communication	-	-
IEC 60793-2-40	- <sup>1)</sup>	Optical fibres Part 2-40: Product specifications - Sectional specification for category A4 multimode fibres	EN 60793-2-40	2002 <sup>2)</sup>
IEC 60825-1	- <sup>1)</sup>	Safety of laser products Part 1: Equipment classification, requirements and user's guide	EN 60825-1	1994 <sup>2)</sup>
IEC 60825-2	- <sup>1)</sup>	Part 2: Safety of optical fibre communication systems (OFCS)	EN 60825-2	2004 <sup>2)</sup>
IEC 61754-21	- <sup>3)</sup>	Fibre optic connector interfaces Part 21: Type SMI connector family for plastic optical fibre	-	-

---

1) Undated reference.

2) Valid edition at date of issue.

3) To be published.

## Bibliography

IEEE P1394b: *High Performance Serial Bus* (Supplement)

IEEE 1394-1995: *Standard for a High Performance Serial Bus*

IEEE 1394a-2000: *Standard for a High Performance Serial Bus* (Amendment)

---

---

---

## BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

### Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover.  
Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

### Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001.  
Fax: +44 (0)20 8996 7001. Email: [orders@bsi-global.com](mailto:orders@bsi-global.com). Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

### Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre.  
Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: [info@bsi-global.com](mailto:info@bsi-global.com).

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.  
Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001.  
Email: [membership@bsi-global.com](mailto:membership@bsi-global.com).

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsi-global.com/bsonline>.

Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

### Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager.  
Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553.  
Email: [copyright@bsi-global.com](mailto:copyright@bsi-global.com).