

**Implementation of
ISO/IEC ISP 10609-12 : 1994**

**Information technology —
International Standardized
Profiles TB, TC, TD and TE —
Connection-mode Transport
Service over connection-mode
Network Service**

**Part 12. Definition of profile TC51,
provision of the OSI connection-mode
Network Service in an end system
attached to a CSMA/CD LAN**

NO COPYING IN ANY FORM WITHOUT WRITTEN PERMISSION FROM BSI



Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee IST/6, upon which the following bodies were represented:

British Computer Society
British Telecommunications plc
CCTA (the Government Centre for Information Systems)
Digital Equipment Co. Ltd
IBM United Kingdom Ltd.
Institution of Electrical Engineers
International Computers Limited
Logica UK Ltd.
Nine Tiles Computer Systems Ltd.
Rank Xerox (UK) Ltd.

This British Standard, having been prepared under the direction of the Information Systems Technology Assembly, was published under the authority of the Standards Board and comes into effect on 15 July 1995

© BSI 1995

Amendments issued since publication

Amd. No.	Date	Text affected

The following BSI references relate to the work on this standard:
Committee reference IST/6
Draft for comment 92/68842 DC

ISBN 0 580 24344 3

National foreword

This British Standard reproduces verbatim ISO/IEC ISP 10609-12 : 1994 and implements it as the UK national standard.

This British Standard is published under the direction of the Information Systems Technology Assembly whose Technical Committee IST/6 has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international committee any enquiries on interpretation, or proposals for change, and keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

NOTE. International and European Standards, as well as overseas standards, are available from Customer Services, BSI, 389 Chiswick High Road, London W4 4AL.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

INTERNATIONAL
STANDARDIZED
PROFILE

ISO/IEC
ISP
10609-12

First edition
1994-12-15

**Information technology — International
Standardized Profiles TB, TC, TD and
TE — Connection-mode Transport Service
over connection-mode Network Service —**

Part 12:

Definition of profile TC51, provision of the OSI
connection-mode Transport Service using the
OSI connection-mode Network Service in an
End System attached to a CSMA/CD LAN

*Technologies de l'information — Profils normalisés internationaux TB, TC,
TD et TE — Service de transport en mode connexion sur service de
réseau en mode connexion —*

*Partie 12: Définition du profil TC51, fourniture du service de transport en
mode connexion OSI utilisant le service de réseau en mode connexion
OSI dans un système final attaché à un RLE AMDP-DC*



Reference number
ISO/IEC ISP 10609-12:1994(E)

ISO/IEC ISP 10609-12:1994(E)

Contents	Page
Foreword	iii
Introduction	v
1 Scope	1
1.1 General	1
1.2 Position within the taxonomy	1
1.3 Scenario	1
2 Normative references	2
3 Definitions	3
4 Abbreviations	3
5 Requirements	3
5.1 Static conformance requirements	3
5.2 Dynamic conformance requirements	3
Annex A ISPICS requirements list (normative)	4
A.1 General options of the profile	4
A.2 Standards selected and combined in the profile	4
A.3 Constraints on base standards	4

©ISO/IEC 1994

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) together form a system for worldwide standardization as a whole. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. In addition to developing International Standards, ISO/IEC JTC 1 has created a Special Group on Functional Standardization (ISO/IEC JTC 1/SGFS) for the processing of International Standardized Profiles.

An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or set of functions.

Draft International Standardized Profiles are circulated to national bodies for voting. Publication as an International Standardized Profile requires approval by at least 75% of the national bodies casting a vote.

S-liaison may be established with JTC 1/SGFS by specialized organizations involved in the work of functional standardization. This part of ISO/IEC ISP 10609 was prepared with the collaboration of the following S-liaisons:

- Asia-Oceania Workshop (AOW);
- European Workshop for Open Systems (EWOS);
- Open Systems Environment Implementors' Workshop (OIW).

ISO/IEC ISP 10609 consists of several parts, under the general title *Information technology - International Standardized Profiles TB, TC, TD and TE - Connection-mode Transport Service over connection-mode Network Service*:

- *Part 1: Subnetwork-type independent requirements for Group TB*
- *Part 2: Subnetwork-type independent requirements for Group TC*
- *Part 3: Subnetwork-type independent requirements for Group TD*
- *Part 4: Subnetwork-type independent requirements for Group TE*
- *Part 5: Definition of profiles TB1111/TB1121*
- *Part 6: Definition of profiles TC1111/TC1121*
- *Part 7: Definition of profiles TD1111/TD1121*
- *Part 8: Definition of profiles TE1111/TE1121*
- *Part 9: Subnetwork-type dependent requirements for Network Layer, Data Link Layer and Physical Layer concerning permanent access to a packet switched data network using virtual calls*

ISO/IEC ISP 10609-12:1994(E)

- *Part 10: LAN subnetwork-dependent, media-independent requirements*
- *Part 11: CSMA/CD LAN subnetwork-dependent, media-dependent requirements*
- *Part 12: Definition of profile TC51, provision of the OSI connection-mode Transport Service using the OSI connection-mode Network Service in an End System attached to a CSMA/CD LAN*
- *Part 14: Definition of profile TC53, provision of the OSI connection-mode Transport Service using the OSI connection-mode Network Service in an End System attached to a Token Ring LAN*

This part of ISO/IEC ISP 10609 contains one annex, which is normative.

Introduction

This International Standardized Profile (ISP) is defined in accordance with the principles specified by ISO/IEC Technical Report 10000, "Information technology - Framework and taxonomy of International Standardized Profiles".

The context of Functional Standardization is one area in the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a base for the development of uniform, internationally recognized system tests.

ISPs are produced not simply to "legitimize" a particular choice of base standards and options, but to promote real system interoperability. One of the most important roles for an ISP is to serve as the basis for the development (by organizations other than ISO and IEC) of internationally recognized test methods. The development and widespread acceptance of tests based on this and other ISPs is crucial to the successful realization of this goal.

ISO/IEC ISP 10609 consists of several parts, of which this is part 12. Parts 1 to 4 of ISO/IEC ISP 10609 specify profile requirements that are subnetwork-independent, for each of the transport groups TB, TC, TD and TE, respectively. There are further parts which specify subnetwork-dependent and media-dependent requirements. In addition, for each individual profile there is a part of ISO/IEC ISP 10609 which identifies the specific requirements of that profile, making reference to appropriate material from the relevant subnetwork-independent and subnetwork-dependent parts. This part identifies the specific requirements for profile TC51.

Information technology — International Standardized Profiles TB, TC, TD and TE — Connection-mode Transport Service over connection-mode Network Service —

Part 12:

Definition of profile TC51, provision of the OSI connection-mode Transport Service using the OSI connection-mode Network Service in an End System attached to a CSMA/CD LAN

1 Scope

1.1 General

This International Standardized Profile is applicable to End Systems concerned with operating in the Open Systems Interconnection (OSI) environment. It specifies a combination of OSI standards, which collectively provide the connection-mode Transport Service using the connection-mode Network Service.

This part of ISO/IEC ISP 10609 defines the TC51 profile which is applicable to the provision of the OSI connection-mode Transport Service using the OSI connection-mode Network Service in an End System attached to a CSMA/CD LAN subnetwork.

1.2 Position within the taxonomy


The taxonomy of profiles is defined in ISO/IEC TR 10000-2. This part of ISO/IEC ISP 10609 defines the profile:

TC51	Connection-mode Transport Service over connection-mode Network Service over CSMA/CD LAN subnetworks
------	---

1.3 Scenario

Figure 1 illustrates the configurations of systems to which the TC51 profile is applicable.

ISO/IEC ISP 10609-12:1994(E)



- ** other compatible network equipment covered by ISO/IEC TR 10000
- OSI relays
 - OSI end systems
 - other equipment

Figure 1 - Scenario of applicability of the TC51 profile

The TC51 profile specifies the required functions from the supporting protocol stack shown in figure 2 below.

Transport Layer	ISO/IEC 8073	
Network Layer	ISO/IEC 8878	
	ISO/IEC 8208	ISO/IEC 8881
Data Link Layer	ISO 8802-2 type 2	
	ISO/IEC 8802-3 Medium Access Control	
Physical Layer	ISO/IEC 8802-3 Physical Layer	

Figure 2 - Profile protocol stack for a TC51 End System

This profile does not specify the required functions for relays.

2 Normative references

The following documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC ISP 10609. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this part of ISO/IEC ISP 10609 are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by ISPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and ITU-T maintains published editions of its current Recommendations.

ISO/IEC TR 10000-1 : 1992, *Information technology - Framework and taxonomy of International Standardized Profiles - Part 1: Framework*

ISO/IEC ISP 10609-12:1994(E)

ISO/IEC TR 10000-2 : 1992, *Information technology - Framework and taxonomy of International Standardized Profiles - Part 2: Taxonomy of OSI Profiles*

ISO/IEC ISP 10609-2 : 1992, *Information technology - International Standardized Profiles TB, TC, TD and TE - Connection-mode Transport Service over connection-mode Network Service - Part 2: Subnetwork-type independent requirements for Group TC*

ISO/IEC ISP 10609-10 : 1994, *Information Technology - International Standardized Profiles TB, TC, TD and TE - Connection-mode Transport Service over connection-mode Network Service - Part 10: LAN subnetwork-dependent, media-independent requirements*

ISO/IEC ISP 10609-11 : 1994, *Information Technology - International Standardized Profiles TB, TC, TD and TE - Connection-mode Transport Service over connection-mode Network Service - Part 11: CSMA/CD LAN subnetwork-dependent, media-dependent requirements*

Additional normative references are found in each of the ISP parts listed above. These additional normative references are base standards used for development of the relevant ISP parts.

3 Definitions

The terms used in this part of ISO/IEC ISP 10609 are defined in the referenced base standards (see clause 2).

4 Abbreviations

Abbreviations used in this part of ISO/IEC ISP 10609 are defined in the referenced base standards (see clause 2).

5 Requirements

5.1 Static conformance requirements

An implementation conforming to the profile defined in this part of ISO/IEC ISP 10609 shall:

- a) support at least one point of attachment to an ISO/IEC 8802-3 CSMA/CD LAN subnetwork, through which it shall support all the features specified as static conformance requirements of parts 2, 10 and 11 of ISO/IEC ISP 10609;
- b) implement all the features identified as requirements in the ISPICS requirements list in annex A.

5.2 Dynamic conformance requirements

An implementation conforming to the profile defined in this part of ISO/IEC ISP 10609 shall:

- a) carry out the supported functions according to the applicable dynamic conformance requirements of parts 2, 10 and 11 of ISO/IEC ISP 10609;
- b) behave in accordance with the requirements of the ISPICS requirements list in annex A.

ISO/IEC ISP 10609-12:1994(E)**Annex A**
(normative)**ISPICS requirements list****A.1 General options of the profile**

There are no general options in this profile.

A.2 Standards selected and combined in the profile

This profile makes use of the following base standards:

- ISO/IEC 8073
- ISO/IEC 8878
- ISO/IEC 8208
- ISO/IEC 8881
- ISO 8802-2
- ISO/IEC 8802-3

A.3 Constraints on base standards

A conformant implementation of this profile shall:

- a) meet all subnetwork-type independent constraints on operation of ISO/IEC 8073 as specified in the ISPICS requirements list in ISO/IEC ISP 10609-2;
- b) meet all subnetwork-type dependent constraints on the operation of ISO/IEC 8878, ISO/IEC 8208, ISO/IEC 8881, ISO 8802-2 and ISO/IEC 8802-3 which are specified in the ISPICS requirements lists in ISO/IEC ISP 10609-10 and ISO/IEC ISP 10609-11.

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Contract requirements

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

Any person who finds an inaccuracy or ambiguity while using this British Standard should bring it to the attention of the Quality Manager, BSI without delay so that the matter may be investigated swiftly.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services, Sales Department at Chiswick: Tel: 0181 996 7000; Fax: 0181 996 7001.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library, the Standardline Database, the BSI Information Technology Service (BITS) and its Technical Help to Exporters Service. Contact the Information Department at Chiswick: Tel: 0181 996 7111; Fax: 0181 996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Customer Services, Membership at Chiswick: Tel: 0181 996 7002; Fax: 0181 996 7001.

Copyright

Copyright subsists in all BSI publications and no part may be reproduced in any form without the prior permission in writing of BSI. This does not preclude the free use, in the course of implementing the standard of necessary details such as symbols and size, type or grade designations including use by incorporation into computer programs, but where these details are reproduced including without limitation in printed form, in computer programs or in any other form whatsoever, the permission in writing of BSI must be obtained and if granted will be on terms including royalty, before the product is sold, licensed or otherwise exploited for commercial gain. Enquiries about copyright should be made to the Copyright Manager at Chiswick.

BSI
389 Chiswick High Road
London
W4 4AL