

BS ISO 113:2010



BSI Standards Publication

# Rolling bearings — Plummer block housings — Boundary dimensions

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

*raising standards worldwide*™

Provided by IHS  
No reproduction or networking permitted without license from IHS

Not for Resale



**National foreword**

This British Standard is the UK implementation of ISO 113:2010. It supersedes BS ISO 113:1999 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee MCE/7, Rolling bearings.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© BSI 2010

ISBN 978 0 580 69099 0

ICS 21.100.20

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2010

**Amendments issued since publication**

Date	Text affected
------	---------------

---

# INTERNATIONAL STANDARD

BS ISO 113:2010

**ISO**  
**113**

Third edition  
2010-07-01

---

---

## Rolling bearings — Plummer block housings — Boundary dimensions

*Roulements — Paliers — Dimensions d'encombrement*



Reference number  
ISO 113:2010(E)

© ISO 2010

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 113 was prepared by Technical Committee ISO/TC 4, *Rolling bearings*.

This third edition cancels and replaces the second edition (ISO 113:1999), of which it constitutes a minor revision, incorporating updated references and terminology, as well as the addition of an (informative) annex giving additional boundary dimensions.

www.bsigroup.com/standards

# Rolling bearings — Plummer block housings — Boundary dimensions

## 1 Scope

This International Standard specifies boundary dimensions for two-bolt plumber block housings primarily intended for rolling bearings in diameter series 0, 1, 2 and 3, as specified in ISO 15, and for four-bolt plumber block housings primarily intended for rolling bearings in diameter series 0, 1 and 2.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15, *Rolling bearings — Radial bearings — Boundary dimensions, general plan*

ISO 5593, *Rolling bearings — Vocabulary*

ISO 15241, *Rolling bearings — Symbols for quantities*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5593 and the following apply.

### 3.1

#### **two-bolt plumber block housing**

housing with two cap bolts and two bolt holes in the base

See Figure 1.

### 3.2

#### **four-bolt plumber block housing**

housing with four cap bolts and four bolt holes in the base

See Figure 2.

## 4 Symbols

For the purposes of this document, the symbols given in ISO 15241 and the following apply.

The symbols shown in Figures 1 and 2 and the values given in Tables 1 and 2 denote nominal dimensions unless specified otherwise.

- $A$  overall width
- $A_1$  width of base
- $D_a$  seating diameter
- $H$  distance from mounting face to centreline of seating diameter
- $H_1$  height of feet
- $J$  centre distance between bolt holes (length)
- $J_1$  centre distance between bolt holes (width)
- $L$  length of base
- $N$  width of bolt hole
- $N_1$  length of bolt hole




Figure 1 — Two-bolt plummer block housing






Figure 2 — Four-bolt plummer block housing

## 5 Boundary dimensions

Boundary dimensions of two-bolt plummer block housings and four-bolt plummer block housings shall be as given in Tables 1 and 2, respectively.

NOTE For additional boundary dimensions of two-bolt plummer block housings and four-bolt plummer block housings, which are also commonly used, see Annex A.

Where “max.” is shown in Tables 1 and 2, this indicates that the value is both the nominal and the largest actual value permitted. Where “min.” is shown in Tables 1 and 2, this indicates that the value is both the nominal and the smallest actual value permitted.

**Table 1 — Two-bolt plummer block housings**

Dimensions in millimetres

$D_a$	$H$	$J$	$N$	$N_1$ min.	$A$ max.	$L$ max.	$A_1$	$H_1$ max.
52	40	130	15	15	72	170	46	22
62	50	150	15	15	82	190	52	22
72	50	150	15	15	85	190	52	22
80	60	170	15	15	92	210	60	25
85	60	170	15	15	92	210	60	25
90	60	170	15	15	100	210	60	25
100	70	210	18	18	105	270	70	28
110	70	210	18	18	115	270	70	30
120	80	230	18	18	120	290	80	30
125	80	230	18	18	120	290	80	30
130	80	230	18	18	125	290	80	30
140	95	260	22	22	135	330	90	32
150	95	260	22	22	140	330	90	32
160	100	290	22	22	145	360	100	35
170	112	290	22	22	150	360	100	35
180	112	320	26	26	165	400	110	40
190	112	320	26	26	165	405	110	40
200	125	350	26	26	177	420	120	45
210	140	350	26	26	177	425	120	45
215	140	350	26	26	187	420	120	45
225	150	380	28	28	187	465	130	50
230	150	380	28	28	192	450	130	50
240	150	390	28	28	195	475	130	50
250	150	420	35	35	207	510	150	50
260	160	450	35	35	210	545	160	60
270	160	450	35	35	224	540	160	60
280	170	470	35	35	225	565	160	60
290	170	470	35	35	237	560	160	60
300	180	520	35	35	237	630	170	70
310	180	515	35	35	240	620	170	60
320	190	560	35	35	245	680	180	70
340	200	580	42	42	260	710	190	70
360	210	610	42	42	270	725	200	75
400	240	680	48	48	290	825	220	80
420	250	720	48	48	300	865	230	80

**Table 2 — Four-bolt plummer block housings**

Dimensions in millimetres

$D_a$	$H$	$J$	$J_1$	$N$	$N_1$ min.	$A$ max.	$L$ max.	$A_1$	$H_1$ max.
280	170	430	100	28	28	235	515	180	70
290	170	430	100	28	28	235	515	180	70
300	180	450	110	28	28	245	535	190	75
310	190	480	120	28	28	265	565	210	80
320	190	480	120	28	28	265	565	210	80
340	210	510	130	35	35	285	615	230	85
360	220	540	140	35	35	295	645	240	90
370	220	540	140	35	35	295	645	240	90
400	240	600	150	35	35	315	705	260	95
420	260	650	160	42	42	325	775	280	100
440	260	650	160	42	42	325	775	280	100
460	280	670	160	42	42	325	795	280	105
480	300	710	190	42	42	355	835	310	110
500	300	710	190	42	42	355	835	310	110
520	320	750	200	42	42	375	885	330	115
540	320	750	200	42	42	375	885	330	115

.....

## Annex A (informative)

### Additional boundary dimensions of plummer block housings

Additional boundary dimensions of two-bolt plummer block housings and four-bolt plummer block housings, which are also commonly used, are given in Tables A.1 and A.2 respectively.

**Table A.1 — Two-bolt plummer block housings**

Dimensions in millimetres

$D_a$	$H$	$J$	$N$	$N_1$ min.	$A$ max.	$L$ max.	$A_1$	$H_1$ max.
250	150	420	33	33	207	510	150	50
260	160	450	33	33	205	540	160	60
270	160	450	33	33	224	540	160	60
280	170	470	33	33	220	560	160	60
290	170	470	33	33	237	560	160	60
320	190	560	33	33	240	650	180	70

**Table A.2 — Four-bolt plummer block housings**

Dimensions in millimetres

$D_a$	$H$	$J$	$J_1$	$N$	$N_1$ min.	$A$ max.	$L$ max.	$A_1$	$H_1$ max.
260	160	450	110	35	35	230	540	200	50
280	170	470	120	35	35	250	560	220	50
290	170	470	120	35	35	250	560	220	50
300	180	520	140	35	35	270	630	250	55
310	180	510	140	35	35	270	620	250	60
320	190	540	150	35	35	280	650	270	60
320	190	560	140	35	35	310	680	270	55
340	200	570	160	35	35	310	700	280	65
360	210	610	170	35	35	300	740	290	65
370	225	640	180	40	40	320	780	310	70
400	240	680	190	40	40	340	820	320	70
420	250	710	200	42	42	350	860	340	85
440	260	740	200	42	42	360	880	350	85
460	280	770	210	42	42	360	920	350	85
480	280	790	210	42	42	380	940	360	85
500	300	830	230	50	50	390	990	380	100
520	310	860	230	50	50	400	1 020	370	106
540	325	890	250	50	50	430	1 060	400	100

## Bibliography

- [1] ISO 8062-3, *Geometrical product specifications (GPS) — Dimensional and geometrical tolerances for moulded parts — Part 3: General dimensional and geometrical tolerances and machining allowances for castings*

.....

---

---

**ICS 21.100.20**

Price based on 7 pages



# British Standards Institution (BSI)

BSI is the independent national body responsible for preparing British Standards and other standards-related publications, information and services.

It presents the UK view on standards in Europe and at the international level.

It is incorporated by Royal Charter.

## Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover.

**Tel: +44 (0)20 8996 9001 Fax: +44 (0)20 8996 7001**

BSI offers Members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

**Tel: +44 (0)20 8996 7669 Fax: +44 (0)20 8996 7001**

**Email: [plus@bsigroup.com](mailto:plus@bsigroup.com)**

## Buying standards

You may buy PDF and hard copy versions of standards directly using a credit card from the BSI Shop on the website [www.bsigroup.com/shop](http://www.bsigroup.com/shop). In addition all orders for BSI, international and foreign standards publications can be addressed to BSI Customer Services.

**Tel: +44 (0)20 8996 9001 Fax: +44 (0)20 8996 7001**

**Email: [orders@bsigroup.com](mailto:orders@bsigroup.com)**

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

## Information on standards

BSI provides a wide range of information on national, European and international standards through its Knowledge Centre.

**Tel: +44 (0)20 8996 7004 Fax: +44 (0)20 8996 7005**

**Email: [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)**

Various BSI electronic information services are also available which give details on all its products and services.

**Tel: +44 (0)20 8996 7111 Fax: +44 (0)20 8996 7048**

**Email: [info@bsigroup.com](mailto:info@bsigroup.com)**

BSI Subscribing Members are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.

**Tel: +44 (0)20 8996 7002 Fax: +44 (0)20 8996 7001**

**Email: [membership@bsigroup.com](mailto:membership@bsigroup.com)**

Information regarding online access to British Standards via British Standards Online can be found at [www.bsigroup.com/BSOL](http://www.bsigroup.com/BSOL)

Further information about BSI is available on the BSI website at [www.bsigroup.com/standards](http://www.bsigroup.com/standards)

## Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. This does not preclude the free use, in the course of implementing the standard of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained. Details and advice can be obtained from the Copyright & Licensing Manager.

**Tel: +44 (0)20 8996 7070**

**Email: [copyright@bsigroup.com](mailto:copyright@bsigroup.com)**

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Tel +44 (0)20 8996 9001

Fax +44 (0)20 8996 7001

[www.bsigroup.com/standards](http://www.bsigroup.com/standards)

*raising standards worldwide™*