

BS ISO 236-2:2013



BSI Standards Publication

## Reamers

Part 2: Long fluted machine reamers with Morse taper shanks

**bsi.**

...making excellence a habit.™

**National foreword**

This British Standard is the UK implementation of ISO 236-2:2013.

The UK participation in its preparation was entrusted to Technical Committee MTE/18, Tools tips and inserts for cutting applications.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 76998 6

ICS 25.100.30

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2013.

**Amendments issued since publication**

Date	Text affected
------	---------------

---

INTERNATIONAL  
STANDARD

**ISO**  
**236-2**

Second edition  
2013-05-01

---

---

**Reamers —**

Part 2:  
**Long fluted machine reamers with  
Morse taper shanks**

*Alésoirs —*

*Partie 2: Alésoirs à machine, à goujures longues, à queue cône Morse*



Reference number  
ISO 236-2:2013(E)

© ISO 2013



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
Foreword .....	iv
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Dimensions</b> .....	<b>1</b>
<b>Annex A (informative) Relationship between the symbols of this part of ISO 236 and ISO 13399 (all parts)</b> .....	<b>4</b>
<b>Bibliography</b> .....	<b>5</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 236-2 was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 2, *High speed steel cutting tools and their attachments*.

This second edition cancels and replaces the first edition (ISO 236-2:1976), of which it constitutes a minor revision. In particular, dimensions in inches (Imperial units) have been deleted, and an informative annex, giving the relationship between the symbols of this part of ISO 236 and the symbols according to ISO 13399 (all parts), has been added.

ISO 236 consists of the following parts, under the general title *Reamers*:

- *Part 1: Hand reamers*<sup>1)</sup>
- *Part 2: Long fluted machine reamers with Morse taper shanks* *Introduction*

---

1) It is intended that, upon revision, the main element of the title of Part one will be aligned with the main element of the title of Part two.

# Reamers —

## Part 2: Long fluted machine reamers with Morse taper shanks

### 1 Scope

This part of ISO 236 specifies the dimensions of long fluted machine reamers with Morse taper shanks.

The relationship between the symbols of this part of ISO 236 and those according to ISO 13399 (all parts) is given for information in [Annex A](#).


### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 296, *Machine tools — Self-holding tapers for tool shanks*

### 3 Dimensions

The dimensions for reamers with Morse taper shank shall be in accordance with the dimensions shown in [Figure 1](#). The diameters and corresponding dimensions shall be as given in [Table 1](#). The dimensions set out as a function of diameter steps shall be as given in [Table 2](#).



#### Key

- 1 Morse taper in accordance with ISO 296

**Figure 1 — Long fluted machine reamer with Morse taper shank**

**Table 1 — Diameters and corresponding dimensions of long fluted machine reamers with Morse taper shanks**

Dimensions in millimetres

$d_1$	$l_1$		$l_2$		Morse taper No.	$d_1$	$l_1$		$l_2$		Morse taper No.
		Tol.		Tol.				Tol.		Tol.	
7	54	±1,5	134	±2	1	32	133	±2	293	4	
8	58		138			(34) <sup>a</sup>	142		302		
9	62		142			(35) <sup>a</sup>					
10	66		146			36	152		312		
11	71		151			(38) <sup>a</sup>					
12	76		156			40					(42) <sup>a</sup>
(13) <sup>a</sup>	76		156		(44) <sup>a</sup>	163	323				
14	81		161		45			(46) <sup>a</sup>			
(15) <sup>a</sup>	81		181		(48) <sup>a</sup>	174	334				
16	87		187		50			(52) <sup>a</sup>			
(17) <sup>a</sup>	87		187		(55) <sup>a</sup>			184	381		
18	93		193		56	(58) <sup>a</sup>					
(19) <sup>a</sup>	93		193		(60) <sup>a</sup>	194	391				
20	100		200		(62) <sup>a</sup>			203	400		
(21) <sup>a</sup>	100		200		56					(58) <sup>a</sup>	
22	107	207	(60) <sup>a</sup>	2	±3						
(23) <sup>a</sup>	107	207	(62) <sup>a</sup>			194	391				
(24) <sup>a</sup>	115	242	63					67			
25	115	242	67	3	±2						
(26) <sup>a</sup>	115	242	71			203	400				
(27) <sup>a</sup>	124	251									
28	124	±2	251								
(30) <sup>a</sup>											

<sup>a</sup> Sizes in parentheses should be avoided wherever possible.

In special cases, the lengths of reamers and their shank dimensions may be chosen from the next larger or smaller range.

**EXAMPLE** For the diameter 15 mm, length  $l_2$  may be 187 mm with  $l_1$  being 87 mm and Morse taper No. 2 or length  $l_2$  may be 156 mm with  $l_1$  being 76 mm and Morse taper No. 1 (see [Table 2](#)).



**Table 2 — Dimensions set out as a function of diameter steps**

Dimensions in millimetres

Diameter step, $d_1$		Corresponding length				Morse taper No.
Over	Including	$l_1$		$l_2$		
			Tol.		Tol.	
6,0	6,7	50	±1,5	130	±2	1
6,7	7,5	54		134		
7,5	8,5	58		138		
8,5	9,5	62		142		
9,5	10,6	66		146		
10,6	11,8	71		151		
11,8	13,2	76		156		
13,2	14,0	81		161		
14,0	15,0			181		
15,0	17,0	87		187		
17,0	19,0	93		193		
19,0	21,2	100		200		
21,2	23,02	107		207		
23,02	23,6			234		
23,6	26,5	115		242		
26,5	30,0	124	251			
30,0	31,75	133	260			
31,75	33,50		293			
33,50	37,5		302			
37,5	42,5	152	312			
42,5	47,5	163	323			
47,5	50,8	174	334			
50,8	53,0		371			
53,0	60,0	184	381			
60,0	67,0	194	391			
67,0	75,0	203	400			
75,0	76,2	212	409			
76,2	85,0		479			

## Annex A (informative)

### Relationship between the symbols of this part of ISO 236 and ISO 13399 (all parts)

For the relationship between the symbols of this part of ISO 236 and symbols according to ISO 13399 (all parts), see [Table A.1](#).

**Table A.1 — Relationship between symbols in this part of ISO 236 and ISO 13399 (all parts)**

Symbol in this part of ISO 236 (ISO 236-2)	Reference in this part of ISO 236 (ISO 236-2)	Property name in ISO 13399 (all parts)	Symbol in ISO 13399 (all parts)	Reference in ISO 13399 (all parts) BSU code
$l_1$	<a href="#">Figure 1</a>	Cutting edge length	L	ISO/TS 13399-2 71DD6C95DA49B
$d_1$	<a href="#">Figure 1</a>	Cutting diameter	DC	ISO/TS 13399-3 71D084653E57F
$l_2$	<a href="#">Figure 1</a>	Overall length	OAL	ISO/TS 13399-3 71D078EB7C086

## Bibliography

- [1] ISO 13399 (all parts), *Cutting tool data representation and exchange*





# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [bsmusales@bsigroup.com](mailto:bsmusales@bsigroup.com).

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

## Useful Contacts:

### Customer Services

**Tel:** +44 845 086 9001

**Email (orders):** [orders@bsigroup.com](mailto:orders@bsigroup.com)

**Email (enquiries):** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 845 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)



...making excellence a habit.™