

BS ISO 2005:2014



BSI Standards Publication

Rubber latex, natural, concentrate — Determination of sludge content

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of ISO 2005:2014. It supersedes BS 6057-3.13:1993 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/50/-/1, Rubber - Latex.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 83273 4

ICS 83.040.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2014.

Amendments issued since publication

Date	Text affected
------	---------------

INTERNATIONAL
STANDARD

BS ISO 2005:2014

ISO
2005

Fourth edition
2014-12-15

**Rubber latex, natural, concentrate —
Determination of sludge content**

*Latex concentré de caoutchouc naturel — Détermination de la
teneur en sédiment*



Reference number
ISO 2005:2014(E)

© ISO 2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Principle	1
4 Reagents	1
5 Apparatus	1
6 Sampling	1
7 Procedure	2
8 Expression of results	2
9 Precision	2
10 Test report	2
Annex A (informative) Precision	3
Bibliography	5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/TC 45, Rubber and rubber products, Subcommittee SC 3, Raw materials (including latex) for use in the rubber industry.

This fourth edition cancels and replaces the third edition (ISO 2005:1992), which has been technically revised. It also incorporates the amendment ISO 2005:1992/Amd1:2006.

The following changes have been made:

- in the last paragraph of [Clause 7](#), the temperature was changed from $(70 \pm 2) ^\circ\text{C}$ to $(70 \pm 5) ^\circ\text{C}$, and the period of 30 min for the loss in mass was deleted;
- the precision statement was updated following an interlaboratory test programme conducted in 2012; it was moved to informative [Annex A](#);
- a Bibliography was added.

Rubber latex, natural, concentrate — Determination of sludge content

1 Scope

This International Standard specifies a method for the determination of the sludge content of natural rubber latex concentrate.

The method is not necessarily suitable for latices from natural sources other than *Hevea brasiliensis*.

It is not suitable for compounded latex or vulcanized latex.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 123, *Rubber latex — Sampling*

3 Principle

A test portion is centrifuged and the resultant sludge washed repeatedly with ammonia-alcohol solution. The sludge is then dried to constant mass.

4 Reagents

During the analysis, use only reagents of recognized analytical grade and only distilled water or water of equivalent purity.

4.1 Ammonia and alcohol, solution having the following composition:

— ammonia solution, ρ (0,90 ± 0,02) g/cm ³	10 cm ³
— ethanol, 95 % (by volume) minimum purity	340 cm ³
— water	1 000 cm ³

5 Apparatus

Use ordinary laboratory apparatus and the following.

5.1 Centrifuge, producing a mean acceleration of approximately 12 000 m/s² (1 200 g), with two 50 cm³ conical centrifuge tubes or round centrifuge tubes.

5.2 Pipette, of suitable capacity, having a tip opening of diameter approximately 2 mm.

6 Sampling

Carry out sampling in accordance with one of the methods specified in ISO 123.

7 Procedure

Carry out the determination in duplicate, using the two centrifuge tubes (5.1) to counterbalance each other. Into each tube weigh, to the nearest 0,1 g, between 40 g and 45 g of latex concentrate.

Treat each tube as follows.

- Cover the end of the tube to prevent formation of a surface skin during centrifuging, and centrifuge for 20 min at a mean acceleration of approximately 12 000 m/s². Scoop off most of the cream layer and, using the pipette (5.2), carefully draw off the supernatant liquid to approximately 10 mm above the top of the sludge.
- Fill the tube to the top with the ammonia-alcohol solution (4.1), re-centrifuge for 25 min, and pipette off the supernatant liquid to approximately 10 mm above the top of the sludge. Repeat this procedure until the supernatant liquid is clear after centrifuging.
- Decant the supernatant solution to the 10 mm mark and transfer the sludge quantitatively, using some of the ammonia-alcohol solution to a tared heat-resistant beaker of about 200 cm³ capacity. Evaporate to a low level and then dry at 70 °C ± 5 °C, until the loss in mass is less than 1 mg.

8 Expression of results

Calculate the sludge content, as a percentage by mass, using Formula (1):

$$\frac{m_1}{m_0} \times 100 \quad (1)$$

where

m_0 is the mass, in grams, of the test portion;

m_1 is the mass, in grams, of the dried sludge.

A difference of less than 0,002 % (by mass) between the two results shall not be considered significant.

9 Precision

See [Annex A](#).

10 Test report

The test report shall include the following:

- a) a reference to this International Standard, i.e. ISO 2005:2014;
- b) all details necessary for identification of the test sample;
- c) the results and the units in which they were expressed;
- d) any unusual features noted during the determination;
- e) any operation not included in this International Standard, or in the International Standard to which reference is made, as well as any operation regarded as optional;
- f) the date of the test.

Annex A (informative)

Precision

A.1 General

The precision of this method was determined in accordance with ISO/TR 9272. Refer to this document for terminology and explanations of statistical concepts.

The precision details in this precision statement give an estimate of the precision of this test method with the materials used in the particular interlaboratory programme as described below. The precision parameters should not be used for acceptance/rejection testing of any group of materials without documentation that the parameters are applicable to those particular materials and the specific test protocol of this test method.

The precision results are given in [Table A.1](#). The precision is expressed on the basis of a 95 % confidence level for the values established for repeatability, r , and reproducibility, R .

The results contained in [Table A.1](#) are mean values and give an estimate of the precision of this test method as determined in an interlaboratory test programme (ITP) conducted in 2012. Six laboratories performed duplicate analyses on two samples, A and B, which were prepared from highly ammoniated latex. The bulk latex was strained and then homogenized by thorough blending and stirring prior to being sub-sampled into 1-l bottles labelled A and B. Thus, essentially, samples A and B were the same and were treated as such in the statistical computations. Each participating laboratory was required to carry out the test using these two samples on the dates which had been given to the participants in the ITP.

A type 1 precision was determined, based on the sampling method used for the latex samples in the ITP.

A.2 Repeatability

The repeatability, r , (in measurement units) of this test method has been established as the appropriate value tabulated in [Table A.1](#). Two single test results, obtained in the same laboratory under normal test conditions, that differ by more than the tabulated value of r (for any given level) should be considered to have come from different (non-identical) sample populations.

A.3 Reproducibility

The reproducibility, R , (in measurement units) of this test method has been established as the appropriate value tabulated in [Table A.1](#). Two single test results, obtained under normal test conditions, that differ by more than the tabulated value of R (for any given level), should be considered to have come from different (non-identical) sample populations.

A.4 Bias

In test method terminology, bias is the difference between an average test value and the reference (or true) test property value.

Reference values do not exist for this test method since the value (of the test property) is exclusively defined by the test method. Bias, therefore, cannot be determined for this particular test method.

Table A.1 — Estimate of precision of determination of sludge content

Mean	Within-laboratory		Between laboratories	
% (m/m)	s_r	r	s_R	R
0,006	0,000 7	0,002	0,0024	0,007
$r = 2,83 \times s_r$ $R = 2,83 \times s_R$				
r is the repeatability (in measurement units) s_r is the within-laboratory standard deviation R is the reproducibility (in measurement units) s_R is the between-laboratories standard deviation				

Bibliography

- [1] ISO/TR 9272, *Rubber and rubber products — Determination of precision for test method standards*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™