

**Agricultural tractors
and machinery
— Connection of
implements via three-
point linkage —
Clearance zone around
implement**

ICS 65.060.01

National foreword

This British Standard is the UK implementation of ISO 2332:2009. It supersedes BS 6509:1984 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee AGE/6, Agricultural tractors and forestry machinery.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2009

© BSI 2009

ISBN 978 0 580 56216 7

Amendments/corrigenda issued since publication

Date	Comments

INTERNATIONAL STANDARD

ISO
2332

Third edition
2009-01-15

Agricultural tractors and machinery — Connection of implements via three-point linkage — Clearance zone around implement

*Tracteurs et matériels agricoles — Liaisons des instruments par
l'attelage trois points — Zone de dégagement autour de l'instrument*



Reference number
ISO 2332:2009(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 2332 was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 4, *Tractors*.

This third edition cancels and replaces the second edition (ISO 2332:1993), which has been technically revised.

Agricultural tractors and machinery — Connection of implements via three-point linkage — Clearance zone around implement

1 Scope

This International Standard specifies the clearance zone around an implement for attachment to the three-point linkage of an agricultural wheeled tractor.

It is applicable to the connection of agricultural implements to three-point linkages complying with ISO 730, and also where implement couplers complying with ISO 11001-1, ISO 11001-2, ISO 11001-3 and ISO 11001-4 are used.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 730:2009, *Agricultural wheeled tractors — Rear-mounted three-point linkage — Categories 1N, 1, 2N, 2, 3N, 3, 4N and 4*

ISO 11001 (all parts), *Agricultural wheeled tractors and implements — Three-point hitch couplers*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

implement coupler

device which facilitates the connection of tractor three-point linkage to the implement

3.2

transport pitch


pitch reached by the mast when lifted to standard transport height from a position with lower links horizontal and mast vertical

[ISO 730:2009, 3.2.24]

4 Specifications

The shape and dimensions of the clearance zone around implements for attachment to a three-point linkage shall be as shown in Figures 1 to 4 and as given in Table 1. Not included are adjustable levers and handles used to operate the implement, or specifications referring to the width of the implements.

Dimensions in millimetres



Key

- 1 lower hitch point
- 2 upper hitch point
- ^a *A* or *B* (see Table 1).
- X hitch pin on both sides
- Y clevis mounting on both sides

NOTE For dimension b_5 , see ISO 730.

Figure 1 — Clearance zone of implements where transport pitch extends forward of vertical in raised position (view of details)





Figure 2 — Clearance zone of implements where transport pitch extends forward of vertical in raised position (perspective view)

Dimensions in millimetres



Key

- 1 lower hitch point
- 2 upper hitch point
- X hitch pin on both sides
- Y clevis mounting on both sides

^a *A* or *B* (see Table 1).

NOTE For dimension b_5 , see ISO 730.

Figure 3 — Clearance zone of implements where transport pitch does not extend forward of vertical in raised position (view of details)




Figure 4 — Clearance zone of implements where transport pitch shall not extend forward of vertical in raised position (perspective view)

Table 1 — Dimensions

Dimensions in millimetres

Symbol	Description	Tractor category ^a															
		1N		1		2N		2		3N		3		4N		4	
		min.	max.	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.
<i>A</i> ^b	Upper hitch pin, vertical clearance	310	—	310	—	460	—	460	—	460	—	460	—	460	—	460	—
<i>B</i>	Upper hitch pin, vertical clearance	160	—	160	—	280	—	280	—	280	—	280	—	280	—	280	—
<i>C</i>	Hitch pins, horizontal position	—	35	—	35	—	35	—	35	—	40	—	40	—	40	—	40
<i>D</i>	Lower hitch pin, horizontal clearance	95	—	95	—	95	—	95	—	105	—	105	—	135	—	135	—
<i>E</i>	Lower hitch pin, vertical position	230	—	230	—	230	—	230	—	245	—	245	—	245	—	245	—
<i>H</i>	Upper hitch pin, horizontal clearance	80	—	80	—	80	—	80	—	90	—	90	—	120	—	120	—
<i>L</i>	Lower hitch pin, vertical position	150	—	150	—	150	—	150	—	200	—	200	—	200	—	200	—
<i>S</i>	Upper hitch pin, width clearance	52	—	52	—	52	—	52	—	52	—	52	—	65	—	65	—
<i>M</i> ^{c, d}	Mast height	See ISO 730.															
<i>N</i> ^c	Lower hitch point span	See ISO 730.															
<i>P</i>	Diameter of hitch pin shoulder	See ISO 11001-3.															

^a Tractor categories according to ISO 730.

^b Dimension *A* applies where it is necessary to accommodate the upper hook to the coupler complying with ISO 11001-1.

^c It may be necessary to vary this dimension in the case of specialized implements.

^d If U-frame couplers according to ISO 11001-1, are used, dimension *M* should be in line with the upper hook vertical spacing as specified in ISO 11001-1.

ICS 65.060.01

Price based on 6 pages

BSI - British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001 Email: orders@bsigroup.com You may also buy directly using a debit/credit card from the BSI Shop on the Website <http://www.bsigroup.com/shop>

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact Information Centre. Tel: +44 (0)20 8996 7111 Fax: +44 (0)20 8996 7048 Email: info@bsigroup.com

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: +44 (0)20 8996 7002 Fax: +44 (0)20 8996 7001 Email: membership@bsigroup.com

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsigroup.com/BSOL>

Further information about BSI is available on the BSI website at <http://www.bsigroup.com>

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright and Licensing Manager. Tel: +44 (0)20 8996 7070 Email: copyright@bsigroup.com