BS ISO 2451:2014



BSI Standards Publication

Cocoa beans — **Specification**



BS ISO 2451:2014 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of ISO 2451:2014.

The UK participation in its preparation was entrusted to Technical Committee AW/415, Sustainable and traceable cocoa.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 73194 5

ICS 67.140.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2014.

Amendments issued since publication

Date Text affected

INTERNATIONAL STANDARD

ISO 2451:2014 ISO 2451

Second edition 2014-10-15

Cocoa beans — Specification

Fèves de cacao — Spécifications



BS ISO 2451:2014 ISO 2451:2014(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

| Con | Contents | | | | |
|-------|--|------------------|--|--|--|
| Forew | vord | iv | | | |
| 1 | Scope | 1 | | | |
| 2 | Normative references | 1 | | | |
| 3 | Terms and definitions | 1 | | | |
| 4 | Preparation | 3 | | | |
| 5 | Requirements 5.1 General requirements 5.2 Moisture content 5.3 Other quality characteristics 5.4 Grade standards 5.5 Bean size standards 5.6 Sieving standards | 3 4 4 5 | | | |
| 6 | Sampling | | | | |
| 7 | Methods of test | | | | |
| 8 | Packaging | | | | |
| 9 | Marking | | | | |
| Annex | x A (informative) Storage | 7 | | | |
| Annex | x B (informative) Disinfestation | 8 | | | |
| Annex | x C (normative) Method for assessing the bean count | 9 | | | |
| | x D (normative) Method for assessing the sievings | | | | |
| | x E (normative) Method for assessing residue, flat beans, bean clusters, foreign matter | | | | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 34, *Food products*, Subcommittee SC 18, *Cocoa* (former WG 4, *Cocoa*, of ISO/TC 34).

This second edition cancels and replaces the first edition (ISO 2451:1973), which has been technically revised.

Cocoa beans — Specification

1 Scope

This International Standard specifies the requirements, classification, test methods, sampling, packaging, and marking for cocoa beans.

Recommendations relating to storage and disinfestation are given as a guide in <u>Annexes A</u> and <u>B</u> respectively.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1114, Cocoa beans — Cut test

ISO 2291, Cocoa beans — Determination of moisture content (Routine method)

ISO 2292, Cocoa beans — Sampling

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

adulteration

alteration of the composition of graded cocoa by any means whatsoever so that the resulting mixture or combination is either not of the grade prescribed, or its quality or flavour is injuriously affected, or its bulk or mass is altered

3.2

bean cluster

two or more beans joined together which cannot be separated by using the finger and thumb of both hands

3.3

bean count

total number of whole beans per 100 g derived in accordance with the test method specified in Annex C

3.4

broken bean

cocoa bean of which a fragment is missing, the remaining part being more than half of a whole bean

3.5

cocoa bean

seed of the cocoa tree (Theobroma cacao Linnaeus)

Note 1 to entry: Commercially, and for the purposes of this International Standard, the term refers to the whole seed, which has been fermented and dried.

3.6

contamination

presence of a smoky, hammy, or other smell not typical to cocoa, or a substance not natural to cocoa, which is revealed during the cut test or physical inspection of a sample

BS ISO 2451:2014 **ISO 2451:2014(E)**

3.7

cut test

procedure by which the cotyledons of cocoa beans are exposed for the purpose of determining the incidence of defective and/or slaty cocoa beans, and/or violet or purple beans, and/or the presence of contamination within a sample

3.8

defective bean

internally mouldy or insect-damaged bean

3.9

dry cocoa

commercial term designating cocoa beans which have been evenly dried throughout and of which the moisture content corresponds to the specified requirements as in 5.2

3.10

fair fermented beans

cocoa beans that are not more than 10 % slaty and 10 % defective by count of the sample

3.11

flat bean

cocoa bean that is too thin to be cut to give a complete surface of the cotyledons

3.12

foreign matter

any substance other than cocoa beans and residue

3.13

fragment

piece of cocoa bean equal to or less than half the original bean

3.14

germinated bean

cocoa bean of which the shell has been pierced, split, or broken by the growth of the seed-germ

3.15

good fermented beans

cocoa beans that are not more than 5 % slaty and 5 % defective by count of the sample

3.16

insect-damaged/infested bean

a cocoa bean of which the internal parts are found to contain insects or mites at any stage of development, or show signs of damage caused thereby, which are visible to the naked eye

3.17

main crop

the bean count consistent/typical for the main crop period during peak harvest for that particular origin

3.18

mouldy bean

cocoa bean on the internal parts of which mould is visible to the naked eye

Note 1 to entry: Mould is not to be confused with white spot, which is a concentration of the obromine or cocoa fat.

3.19

piece of shell

part of the shell without any of the kernel

3.20

residue

any cocoa element other than whole cocoa beans, flat beans, and clusters which does not pass through the sieve (broken beans, fragments, and pieces of shell) with the exception of husk or placenta which is to be considered as foreign matter

3.21

sieve

screen with round holes the diameter of which shall be 5,0 mm

3.22

sieving

material that passes through the sieve

3.23

slaty bean

cocoa bean that shows a slaty colour on at least half of the surface of the cotyledons exposed by the cut test

3.24

smoky bean

cocoa bean with a smoke-off flavour

Note 1 to entry: A flavour which is reminiscent of wood smoke, acrid smoke, burnt rubber, smoked bacon, or soot.

3.25

violet or purple bean

cocoa bean that shows a violet or purple colour on at least half of the surface of the cotyledons exposed by the cut test

4 Preparation

Cocoa beans shall be fermented and then dried until their moisture content no longer exceeds that specified in 5.2.

5 Requirements

5.1 General requirements

5.1.1 Odour

Lots of cocoa beans shall be free from contamination.

5.1.2 Adulteration

Lots of cocoa beans shall be free from any evidence of adulteration.

5.1.3 Foreign matter

Lots of cocoa beans shall be virtually free from foreign matter.

5.1.4 Living insects and other infestation

Lots of cocoa beans shall be virtually free from living insects, insect eggs, larvae, and any developmental stages, free from mites, rodents, or other types of infestation.

5.1.5 Broken beans, fragments, and pieces of shell

Lots of cocoa beans shall be reasonably free from broken beans, fragments, and pieces of shell.

5.1.6 Violet or purple beans

Lots of cocoa beans shall be within the standard for violet or purple beans, typical of the specified grade or origin.

5.2 Moisture content

The moisture content of lots of cocoa beans on loading in the producing country and on discharge outside the producing country, shall not exceed 7,5 % mass fraction.

5.3 Other quality characteristics

Lots of cocoa beans shall be reasonably

- uniform in size and
- fermented.

Lots of cocoa beans shall be

- fit for production of a foodstuff and
- reasonably free from bean clusters, flat beans, germinated beans, residue, and sieving.

5.4 Grade standards

5.4.1 Classification for cocoa beans

Any lot of cocoa beans shall be classified according to the categories listed below. Either <u>Table 1</u>, <u>Table 2</u>, or <u>Table 3</u> shall be used for the classification. For all three types of classifications, the proportion of defective beans shall be determined by the test method specified in ISO 1114. As an exception, for the purpose of <u>Table 3</u>, germinated and flat beans shall not be considered defective.

Table 1 — Producing country internal classification for fermented beans

| Crado | Percentage of beans | | | | |
|-------|---------------------|-------|-------------------------------------|--|--|
| Grade | Mouldy | Slaty | Insect damaged, germinated, or flat | | |
| 1 | 3 | 3 | 3 | | |
| 2 | 4 | 8 | 6 | | |

The percentages are the maximum. The percentages given in the last column apply to the combined total of all the defects specified in the column header.

Table 2 — Producing country internal classification for unfermented beans

| Crada | Percentage of beans | | | |
|-------|---------------------|-------|-------------------------------------|--|
| Grade | Mouldy | Slaty | Insect damaged, germinated, or flat | |
| 1 | 3 | ≥20 | 3 | |
| 2 | 4 | ≥20 | 6 | |

The percentages are the maximum except for slaty, where the percentage is the minimum. The percentages given in the last column apply to the combined total of all the defects specified in the column header.

Table 3 — International trade classification for fermented beans

| Crado | Percentage of beans | | |
|----------------|---------------------|------------------------------|--|
| Grade | Slaty | Mouldy and/or insect damaged | |
| Good fermented | 5 | 5 | |
| Fair fermented | 10 | 10 | |

The percentages are the maximum. The percentages given in the last column apply to all the combined total of all defects specified in the column header.

When a bean has several defects, it shall be classified in one category only, i.e. the least favourable. The decreasing order of gravity is as follows:

- mouldy beans;
- slaty beans;
- insect-damaged beans;
- germinated beans, flat beans (not applicable to <u>Table 3</u>).

5.4.2 Substandard cocoa (applicable to <u>Tables 1</u> and <u>2</u> only)

Any lot of fermented cocoa beans, which exceeds one of the limits accepted for grade 2 shall be regarded as substandard and marked "SS". Any lot of unfermented cocoa beans, which either does not meet the minimum level of slaty specified or exceeds one of the other limits accepted for grade 2 shall be regarded as substandard and marked "SS". Substandard cocoa shall only be marketed under special contract.

5.5 Bean size standards

Bean size is defined by the bean count and is usually expressed by the number of beans per 100 g.

- a) Large beans: bean count of less or equal to 100.
- b) Medium beans: bean count of 101 to 120.
- c) Small beans: bean count greater than 120.

5.6 Sieving standards

The mass of the sieving carried out in accordance with the method specified in $\underline{\text{Annex D}}$ should not exceed 1,5 % of the mass of the whole sample.

6 Sampling

Sampling shall be carried out in accordance with the requirements of ISO 2292.

7 Methods of test

Testing shall be carried out in accordance with the requirements of ISO 1114, ISO 2291, and the methods specified in Annexes \underline{C} through \underline{E} .

8 Packaging

Bags for packaging shall be clean, sound, sufficiently strong, and properly sewn.

Cocoa shall be shipped in new bags only.

BS ISO 2451:2014 **ISO 2451:2014(E)**

Bags and liners, if used, shall be of food grade materials.

Ink or paint used for marking shall be food grade.

9 Marking

Each bag of cocoa beans shall be officially sealed. The bag or seal shall show at least the following information:

- a) the producing country;
- b) the name of the product and the grade or the marks to indicate substandard cocoa ("SS" for English-speaking countries; "HS" for French-speaking countries);
- c) any other identification marks necessary according to the national regulations in force;
- d) lot number.

Annex A (informative)

Storage

A.1 Consignments of cocoa beans should be placed in warehouses constructed and used in such a way as to keep their moisture content sufficiently low and consistent with local conditions.

The beans should be stored on gratings or deckings giving a clear space above ground of at least 7 cm for air circulation.

Measures should be taken to prevent infestation by insects, rodents, and other pests.

- **A.2** The bags of cocoa beans should be stacked in such a way that:
- a) individual grades and brands are separated by a passage at least 60 cm wide, similar to that which should be left between the bags and the walls of the warehouse;
- b) disinfestation by fumigation and/or careful spraying with suitable insecticides can be carried out if necessary;
- c) contamination by odours or flavours, or by dust from other products such as other foods, or by products such as oil, cement, and tar should be avoided.
- **A.3** Periodically during storage and immediately before shipment, the moisture content of each lot should be checked.

Annex B

(informative)

Disinfestation

If the use of pesticides to control insects, rodents, and other pests in cocoa is necessary, any residues should not exceed the maximum residue limits indicated for the pesticides used as prescribed by the FAO/WHO Codex Committee on Pesticides, FAO/WHO Expert Committee on Pesticide Residues, and by the Government of the importing country. Great care should be exercised in the choice of pesticides and in the technique of their application to avoid incurring risk of tainting or the addition of toxic residues to cocoa.

Annex C (normative)

Method for assessing the bean count

C.1 Principle

The count is to determine the average number of whole cocoa beans that weigh 100 g.

C.2 Preparation of the test sample

After sieving in accordance with this International Standard, the sample shall be emptied onto a clean, dry, flat surface and then thoroughly mixed.

A test sample of not less than 600 g shall be obtained by using a flat-bottomed shovel drawn across the middle of the whole sample and weighed to the nearest 1 g.

Divide/split the sample to a quarter fraction by using a splitter/divider, or split by quartering by hand. This fraction shall be weighed; the mass can fluctuate but shall be a quarter of the total mass of the entire sample.

C.3 Determination

The residue, foreign matter, flat beans, and any bean clusters shall be removed from the test sample, and then weighed and replaced by an equivalent mass of whole beans taken randomly from the remainder of the whole sample. The total number of beans in the test sample shall then be counted and the resulting number is known as the bean count and shall be expressed by the number of beans per 100 g.

C.4 Expression of result

The bean count, n_{BEAN}, shall be expressed as number of beans per 100 g, as given by Formula (C.1):

Bean count =
$$\frac{n_{\text{WHOLE}} \times 100}{m_{\text{WHOLE}}}$$
 (C.1)

where

 n_{WHOLE} is the number of whole beans;

 m_{WHOLE} is the mass of whole beans (g).

Annex D

(normative)

Method for assessing the sievings

D.1 Preparation of the sample

The entire sample $^{1)}$ shall be weighed, well mixed, and then sieved through a screen with round holes the diameter of which shall be 5 mm.

The quantity passing through the sieve, which is known as the sieving, shall be collected and weighed.

The percentage of the sieving is obtained by comparing the mass of the sieving against the total net mass of the whole sample multiplied by 100.

Once the measurement has been effected, the matter which has been extracted for testing shall NOT be re-integrated into the arbitration sample $^{2)}$.

D.2 Expression of result

The value of the sieving, S (%), is given by Formula (D.1):

$$S = \frac{m \times 100}{m_{\text{TOTAL}}} \tag{D.1}$$

where

m is the mass of the sieving;

 $m_{\rm TOTAL}$ is the total mass of the sample.

¹⁾ Or divide/split the sample to a quarter fraction by using a splitter/divider, or split by quartering by hand. This fraction shall be weighed; the mass can fluctuate but shall be a quarter of the total mass of the entire sample.

²⁾ The sample from which the test sample used for estimating the sievings were obtained.

Annex E

(normative)

Method for assessing residue, flat beans, bean clusters, foreign matter

E.1 Preparation of the sample

The entire sample³⁾ shall be prepared in accordance with the method described in ISO 2292.

E.2 Determination

The entire sample shall be emptied into a tray of sufficient size to facilitate the measurement of residue, flat beans, bean clusters, and foreign matter.

Each category i.e. residue, flat beans, bean clusters, and foreign matter shall be separated, aggregated and weighed and the mass shall be expressed in relation to the mass of the entire sample multiplied by 100.

Once the measurement has been effected, the matter which has been extracted for testing shall NOT be re-integrated into the arbitration sample.

E.3 Expression of result

The quality parameter, P_{QUALITY} (%), is given by Formula (E.1):

$$P_{\text{QUALITY}} = \frac{m_{\text{QP}} \times 100}{m_{\text{TOTAL}}} \tag{E.1}$$

where

 $m_{\rm QP}$ is the mass of the quality parameter;

 $m_{\rm TOTAL}$ is the total net mass of the sample.

³⁾ Or divide/split the sample to a quarter fraction by using a splitter/divider, or split by quartering by hand. This fraction shall be weighed; the mass can fluctuate but shall be a quarter of the total mass of the entire sample.



British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com
Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

