

# Composition cork — Expansion joint fillers — Specifications, packaging and marking

ICS 79.100; 91.100.50

## National foreword

This British Standard reproduces verbatim ISO 3869:2001 and implements it as the UK national standard.

The UK participation in its preparation was entrusted to Technical Committee PRI/81, Cork-INT, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

### Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

**Compliance with a British Standard does not of itself confer immunity from legal obligations.**

### Summary of pages

This document comprises a front cover, an inside front cover, ISO title page, pages ii and iii, a blank page, pages 1 and 2, an inside back cover and a back cover.

The BSI copyright date displayed in this document indicates when the document was last issued.

### Amendments issued since publication

Amd. No.	Date	Comments

This British Standard, having been prepared under the direction of the Sector Policy and Strategy Committee for Materials and Chemicals, was published under the authority of the Standards Policy and Strategy Committee on 15 October 2001

© BSI 15 October 2001

ISBN 0 580 38566 3

# INTERNATIONAL STANDARD

**ISO  
3869**

Second edition  
2001-07-01

---

---

## **Composition cork — Expansion joint fillers — Specifications, packaging and marking**

*Aggloméré composé de liège — Matériau pour le remplissage de joints de  
dilatation — Spécifications, emballage et marquage*



Reference number  
ISO 3869:2001(E)



## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 3869 was prepared by Technical Committee ISO/TC 87, *Cork*, using the standard ASTM D 1752:1984 as the basis for the work.

This second edition cancels and replaces the first edition (ISO 3869:1981), which has been technically revised.



# Composition cork — Expansion joint fillers — Specifications, packaging and marking

## 1 Scope

This International Standard specifies the characteristics of composition cork intended to be used as expansion joint filler between concrete or other construction products.

## 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 633, *Cork — Vocabulary*

ISO 3867, *Composition cork — Expansion joint fillers — Test methods*

## 3 Terms and definitions

For the purposes of this International Standard, the terms and definitions given in ISO 633 apply.

## 4 Characteristics

### 4.1 Types

For the purposes of this International Standard, composition cork can be designated as being of one of the following two types:

Type II<sup>1)</sup> — composition cork;

Type III<sup>1)</sup> — self-expanding agglomerated cork.

### 4.2 Materials

Composition cork intended to be used as expansion joint filler shall consist of sheets or preformed strips formed from composition cork produced with clean granulated cork bonded with non-soluble synthetic resin. Sheets or preformed strips of composition cork for expansion joint fillers shall be of such a nature that they do not deform or break during ordinary handling when exposed to atmospheric conditions.

1) ASTM D 1752 refers to Type I as “another material”; Types II and III are maintained in this International Standard to harmonize the designations in both standards, ASTM and ISO.

### 4.3 Dimensions and tolerances

Composition cork shall be tested in accordance with ISO 3867; the dimensions of sheets or preformed strips, Type II and Type III, shall be agreed between the supplier and client.

The following tolerances shall be observed on declared values of Type II:

- on the length:  $\pm 6$  mm;
- on the width:  $\pm 3$  mm;
- on the thickness:  $\pm 1,5$  mm.

### 4.4 Recovery

Composition cork shall be tested in accordance with ISO 3867. The recovery shall not be less than 90 % of the thickness before the test.

### 4.5 Compression

Composition cork shall be tested in accordance with ISO 3867. The compression shall be between 340 kPa and 1 035 kPa.

### 4.6 Extrusion

Composition cork shall be tested in accordance with ISO 3867. The extrusion shall not be greater than 6 mm.

### 4.7 Expansion in water

Self-expanded cork shall be tested in accordance with ISO 3867. The increase in thickness shall not be less than 140 % of the thickness before the test.

### 4.8 Apparent density

Composition cork shall be tested in accordance with ISO 3867. The manufacturer shall declare the apparent density.

## 5 Packaging

Composition cork intended to be used as expansion joint filler shall be stored and transported on pallets or other suitable flat surfaces to prevent breakage and permanent deformation due to weather conditions.

Self-expanding agglomerated cork shall be wrapped in waterproof paper and sealed, to prevent the entrance of moisture, and packaged in convenient sizes for handling on site.

## 6 Marking

Packages shall show the following information:

- reference to this International Standard, i.e. ISO 3869;
- the product designation;
- the manufacturer's identification;
- the source.





---

---

## BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

### Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

### Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001. Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

### Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001. Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

### Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.