BS ISO 5718:2013



BSI Standards Publication

Harvesting equipment — Blades for agricultural rotary mowers — Requirements



BS ISO 5718:2013 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of ISO 5718:2013. It supersedes BS ISO 5718:2002 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee AGE/32, Agricultural implements and trailers.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 72694 1

ICS 65.060.50

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2014.

Amendments issued since publication

Date Text affected

INTERNATIONAL STANDARD

ISO 5718:2013 ISO 5718

Second edition 2013-12-15

Harvesting equipment — Blades for agricultural rotary mowers — Requirements

Matériel de récolte — Lames pour faucheuses rotatives agricoles — Prescriptions



BS ISO 5718:2013 **ISO 5718:2013(E)**



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Con	tents Page
Forew	vordiv
1	Scope1
2	Normative references1
3	Terms and definitions1
4	Requirements for blades34.1 Material requirements34.2 Test procedures for blades3
5	Marking and documentation85.1 Marking85.2 Documentation8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 7, *Equipment for harvesting and conservation*.

This second edition cancels and replaces the first edition (ISO 5718:2002), which has been technically revised.

Harvesting equipment — Blades for agricultural rotary mowers — Requirements

1 Scope

This International Standard specifies requirements for blades used on rotary disk mowers and rotary drum mowers, mounted, semi-mounted, trailed, or self-propelled, as used for forage crop harvesting in agriculture only.

It specifies requirements for testing and marking of such blades.

NOTE 1 The main purpose of this International Standard is to set material characteristics. Blades on agricultural rotary mowers are exposed to considerable centripetal forces and impacts with foreign objects. A bend test and impact test to check the brittleness and toughness of the material is therefore included in this International Standard.

NOTE 2 This International Standard does not specify dimensional requirements.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6508-1, Metallic materials — Rockwell hardness test — Part 1: Test method (scales A, B, C, D, E, F, G, H, K, N, T)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

rotary mower

mower in which one or more functional components cut or shear forage crop by impact without mulching and rotate about a vertical axis

3.1.1

drum mower

rotary mower (3.1) where the drive line is above the path of the cutting elements

Note 1 to entry: See Figure 1.




Figure 1 — Drum mower

3.1.2

rotary disc mower

rotary mower (3.1) where the drive line is below the path of the cutting elements

Note 1 to entry: See Figure 2.




Figure 2 — Disc mower

3.2

blades

pivoting element, which can be flat, twisted, wrenched, or deformed, otherwise performing the cutting of the crop

3.3

bending zone

area in which the blade is deformed by the bend test

Note 1 to entry: See Figure 3.

4 Requirements for blades

4.1 Material requirements

Blades shall be made of steel chosen by the manufacturer. The values of Rockwell hardness shall be at least 38 HRC, in accordance with ISO 6508-1. The degree of brittleness shall meet the requirements of 4.2.

4.2 Test procedures for blades

4.2.1 Bend test

The blade shall progressively be bent within the bending zone with an inside radius r=16 mm (see Figure 3), at least through an angle α (see Table 1), and with a minimum test speed of the ram of 20 mm/s. The width of the ram and of the bearings shall be at least equal to or greater than the width of the blade to be tested.

Table 1

s mm	α degrees (°)
<3,5	75
≥3,5 to <4,5	45
≥4,5	30

Blades which are not flat shall be tested in the most unfavourable position. The middle of the bending zone shall be at the middle of the total length of the blade. The distance, *l*, between the bearings shall be calculated using Formula (1):


$$l = (32 + 3s) \pm s/2 \tag{1}$$

and shall be constant during the bend test. The bearings shall have an outside radius r_b = 10 mm and shall be mounted rotatable.

A spring-back rate is not taken into account.

After the bend test, the blade shall not present any visible cracks.

Dimensions in millimetres



Key

- 1 ram
- 2 blade
- 3 bearings
- 4 bending zone
- NOTE 1 The rollers are one example of bearings.
- NOTE 2 The flat blade shown is only one example of blades covered by this International Standard.

Figure 3 — Bend test

4.2.2 Impact test

4.2.2.1 General


This test is only applicable for blades made of non-homogenous material and/or non-homogenous metallurgic properties and/or which are only partly heat treated. For homogenous material, it is only necessary for one blade out of each heat of steel.

NOTE Typically, heats are over 50 tons with many mills running heats about 300 tons.


4.2.2.2 Test fixture

All blades selected for impact testing shall be tested on a test fixture with a pitch circle diameter of between 320 mm and 500 mm (see Figure 4).


Dimensions in millimetres




a) steel rod insertion on a straight line perpendicular into the path of the blade



b) steel rod insertion on a straight line tangential into the path of the blade



c) steel rod insertion on a circular line into the path of the blade



d) steel rod insertion on a straight line from below into the path of the blade

Key

- 1 rotating blade
- 2 steel rod
- 3 path of the steel rod
- 4 path of the blade
- 5 test fixture for the steel rod


Figure 4 — Example of a blade impact test fixture

4.2.2.3 Test procedure

4.2.2.3.1 The blade shall be fixed into the test fixture as it is fixed on the disc or drum. The test fixture with the blade shall be rotated with a rotating speed of minimum 90 m/s and maximum 96,5 m/s measured at the outer blade tip circle. When at specified rotating speed, insert a steel rod with a diameter of 30 mm having a minimum tensile strength R_m of 490 N/mm² into the path of the rotating blade as follows (see Figure 4).

The steel rod is oriented vertically to the plane of the rotating blade.

- The steel rod is inserted parallel to the plane of the rotating blade with an insert speed of between 3 m/s and 5 m/s. The path of insertion can be either straight line or circular. In the latter case, the minimum radius of the circular path shall be 250 mm.
- The distance between the cutting plane of the rotating blade and the steel rod is at least 30 mm from the top surface of the rod clamp, but not more than 2/3 of the total length of the steel rod exposed above the clamp surface (see Figure 5). The minimum length of the steel rod above the clamp surface is at least 90 mm.
- The position of insertion shall be such that the whole cross section of the steel rod is just covered by the outermost path of the blade.
- The dwell period of the steel rod shall be between 1 s and 2 s. Afterwards, the steel rod shall be removed from the blade path.



Key

- 1 blade
- 2 steel rod
- 3 cutting plane
- 4 rod clamp

Figure 5 — Test rod and cutting plane intersection

- **4.2.2.3.2** Blades having two cutting edges shall be tested on both cutting edges.
- **4.2.2.3.3** After each test run, prior to the next test run, the steel rod shall be either replaced or rotated to a location not damaged.

4.2.2.4 Test acceptance

4.2.2.4.1 After the test, the blade can show deformation but shall not show any visible cracks.

4.2.2.4.2 The loss of mass shall be not more than 5 % of the total initial mass of the blade.

5 Marking and documentation

5.1 Marking

For identification, traceability, and safety purposes, the following shall be marked on each blade:


- name of the manufacturer or trademark;
- date, or lot number, or production run number, or another production marking;
- if necessary, the direction of movement.

Additional markings such as the dimensions of the blade are allowed.

These indications, as appropriate, shall be labelled on the outside of the packing in addition to the number of this International Standard (i.e. "ISO 5718").

5.2 Documentation

For purposes of traceability, the performance of the tests including the test results shall be documented.





British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com
Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

