BS ISO 8017:2007



BSI Standards Publication

Tools for moulding — Guide pillars, straight and shouldered, and locating guide pillars, shouldered



BS ISO 8017:2007 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of ISO 8017:2007.

The UK participation in its preparation was entrusted to Technical Committee MTE/12, Tools for pressing and moulding.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016. Published by BSI Standards Limited 2016

ISBN 978 0 580 95533 4

ICS 25.120.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2016.

Amendments/corrigenda issued since publication

Date Text affected

INTERNATIONAL STANDARD

ISO 8017

Second edition 2007-02-01

Tools for moulding — Guide pillars, straight and shouldered, and locating guide pillars, shouldered

Outillage de moulage — Colonnes de guidage, droites et épaulées, et épaulées avec plot de centrage



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8017 was prepared by Technical Committee ISO/TC 29, Small tools, Subcommittee SC 8, Tools for pressing and moulding.

This second edition cancels and replaces the first edition (ISO 8017:1985), of which it constitutes a minor revision. In particular, the references given in Clause 2, which are not mentioned in the text, have been listed in a Bibliography, and the indication of surface textures has been updated in accordance with ISO 1302:2002.

Tools for moulding — Guide pillars, straight and shouldered, and locating guide pillars, shouldered

1 Scope


This International Standard specifies the dimensions and tolerances, in millimetres, for headed, straight and shouldered guide pillars and shouldered locating guide pillars intended for use in moulds.

2 Dimensions

2.1 Guide pillars, straight - Type A

The dimensions of straight guide pillars of type A shall conform to the indications of Figure 1 and Table 1.

Surface roughness values in micrometres



NOTE The sketch is an example only.

Key

- a Optional centre holes.
- b Blending radius or a recess.
- c Recess if required.

Figure 1 — Guide pillars, straight — Type A

Table 1 — Dimensions of guide pillars, straight — Type A


D ^a	- 12		16				_	0			2	_		2	^	40			50			
D_1^a							2	0			2	5		3	2							
D_2	16		20			25					3	2		4	0	48						
S	4			6			6				6				8	3	8					
L		L_1																				
	20	25	32	25	32	40	25	32	40	50	25	32	40	50	40	50	50	63	80	63	80	100
40	×																					
50	×			×			×				×											
63	×			×			×				×											
80		×		×			×				×											
90		×		×			×					×			×							
100		×		×			×					×			×							
125			×		×			×					×		×							
160			×		×				×				×			×	×			×		
200						×			×					×		×	×			×		
250										×				×		×		×			×	
315																		×			×	
400																			×			×

For use in exceptional cases, for instance, to prevent incorrect assembly of the upper and lower plates of the mould in relation to each other, the following additional values for diameters D and D_1 are recommended: 11, 15, 19, 24, 30, 38 and 48.

2.2 Guide pillars, shouldered - Type B

The dimensions of shouldered guide pillars of type B shall conform to the indications of Figure 2 and Table 2.

Surface roughness values in micrometres



NOTE The sketch is an example only.

Key

- a Optional centre holes.
- b Blending radius or a recess.
- c Recess if required.

Figure 2 — Guide pillars, shouldered — Type B

Table 2 — Dimensions of guide pillars, shouldered — Type B


Da			1	2					1	6					2	Λ			25								
—				8			16 22								2				32								
D_1																											
D_2				2			26								3				36								
S		4 6													6	3			6								
L_2				ı									L_{1}														
	16	20	25	32	40	50	25	32	40	50	63	80	32	40	50	63	80	100	32	40	50	63	80	100	125		
25	×	×	×																								
32	×	×	×	×	×	×																					
40	×	×	×	×	×	×	×	×	×	×	×	×	X	×	×				×	×	×						
50	×	×	×	×	×	×	×	×	×	×	×	×	X	×	×	×			×	×	×	×					
63	×	×	×	×	×	×	×	×	×	×	×	×	X	×	×	×	X	×	×	×	×	×	×	×			
80							×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
100										×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
125																	X	×			×	×	×	×	×		
160																											
200																											
Б.	2	1					2								40							50					
Di		\vdash	32												40												
D	1	40 50 63											63														
-		+					_																				
D_{i}	2						5								56							71					
-	2						5																				
D ₂	2														56							71					
D ₂	2	40		50	63		3	100	12	5	160	63	_	1 0	56	12:	5	160	80	10	00	71	16	60	200		
D ₂ S L ₂ 25	2	40		50	63		3	100	12	5	160	63	_		56 8	12:	5	160	80	10	00	71	16	60	200		
D: SS L: 25 32	2 2 5	40		50	63		3	100	12	5	160	63	_		56 8	12:	5	160	80	10	00	71	16	60	200		
25 32 40	2 5 2 0	40		50	63		3	100	12	5	160	63	_		56 8	12:	5	160	80	11	00	71	16	60	200		
25 32 40	2 2 5 2 0 0 0 0	40		50	63		3	100	12	5	160	63	_		56 8	12:	5	160	80	11	00	71	16	60	200		
25 32 40 63	2 ² 2 ² 2 ² 2 ² 2 ³ 2 ³ 2 ³ 2 ³	40 ×		50 ×	63 ×	8	3	100 ×	12	5	160	63 ×	8		56 8	122	5	160	80	10	000	71	16	60	200		
25 32 40 50 63	22 22 25 5 22 2					8	3		12		1160		8	0	56 8	12:	5	160	80 ×	11	000	71	16	60	200		
250 32 40 50 63 80	22 22 55 22 00 00	×		×	×	8	3 50 ×	×			160 ×	×	3	×	56 8	12:		160 ×			000 ×	71	16		2000 ×		
25 32 40 50 63 80 10	2 ² 2 ² 2 ² 3 ³ 3 0 0 5	×		×	×	8	33 00 ××	×	×			×	2	× ×	56 8				×			71 8 125		(
250 32 40 50 63 80	22 22 22 22 22 22 23 33 33 30 55 00	×		× ×	×	3 3 3 3	× × × ×	× × ×	×		×	× × ×	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	× × ×	56 8 100 ×	×		×	× ×		×	71 8 125	×	************************************	×		

^a For use in exceptional cases, for instance, to prevent incorrect assembly of the upper and lower plates of the mould in relation to each other, the following additional values for diameter *D* are recommended: 11, 15, 19, 24, 30, 38 and 48.

2.3 Guide pillars, shouldered locating — Type C

The dimensions of shouldered locating guide pillars of type C, shall conform to the indications of Figure 3 and Table 3.

Surface roughness values in micrometres



NOTE The sketch is an example only.

Key

- a Optional centre holes.
- b Blending radius or a recess.
- c Recess if required.

Figure 3 — Guide pillars, shouldered locating — Type C

Table 3 — Dimensions of guide pillars, shouldered locating — Type C

Da			1	2					1	6					2	0			25								
D_1			1	8					2	2					2	8			32								
D_2			2	2					2	:6					3	2			36								
S			4	1			6								(6			6								
S ₁			4	1			6								(3						6					
,													L_1														
L_2	16	20	25	32	40	50	25	32	40	50	63	80	32	40	50	63	80	100	32	40	50	63	80	100	125		
25	×	×	×																								
32	×	×	×	×	×	×																					
40	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×				×	×	×						
50	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×			×	×	×	×					
63	×	×	×	×	×	X	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×			
80							×	×	×	×	×	×	×	×	×	×	X	×	×	×	×	×	×				
100										×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
125																	X	×			×	×	×	×	×		
160																											
200																											
D	а					.3	2								40							50					
D							0					50							63								
D							.5						56							71							
S							3						8							8							
S							8						8							8							
													1	Z ₁													
L_{z}	2	40)	50	63	8	80	100	12	5	160	63	\top	30	100	12	5	160	80	1	00	125	16	60	200		
2	5																+			t				\dagger			
32	2																										
4(0																										
50	0																										
63	3	×		×	×	:	×	X			×	×															
80	0	×		×	X		×	×	×			×		×					×	\perp							
10		×		×	×	:	×	×	×		×	×		×	×	×		×	×		×	×	×	:	×		
12				×	X		×	X	×		X	X		×	×	×	\perp	X	×	_	×	×	×		×		
16				×	×	:	×	X	×		X	×	_	×	×	×	_	X	×	_	×	×	×	:	×		
20	0								1							1			×		×	×	×	:	×		

^a For use in exceptional cases, for instance, to prevent incorrect assembly of the upper and lower plates of the mould in relation to each other, the following additional values for diameter *D* are recommended: 11, 15, 19, 24, 30, 38 and 48.

3 Designation

A guide pillar in accordance with this International Standard shall be designated by:

- a) "guide pillar";
- b) a reference to this International Standard, i.e. ISO 8017;
- c) type of guide pillar (A, B or C);
- d) its diameter (D);
- e) its length (L for type A and $L_2 \times L_1$ for types B and C).

EXAMPLE Guide pillar ISO 8017 – A 12 × 40

Guide pillar ISO 8017 – B $12 \times 25 \times 16$

Guide pillar ISO 8017 – C $12 \times 25 \times 16$

Bibliography

- [1] ISO 1302:2002, Geometrical Product Specifications (GPS) Indication of surface texture in technical product documentation
- [2] ISO 4957:1999, Tool steels
- [3] ISO 6753-2:1998, Tools for pressing and moulding Machined plates Part 2: Machined plates for moulds
- [4] ISO 8018, Tools for moulding Guide bushes, headed, and locating guide bushes, headed

Price based on 8 pages



British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible
 by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced in any format to create an additional copy.
 This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com **Email (enquiries):** cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

 $\textbf{Email:} \ knowledge centre @bsigroup.com$

Copyright & Licensing

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

