

# Information and documentation — Bibliographic data element directory for use in data exchange and enquiry

ICS 01.140.20; 35 240.30

## National foreword

This British Standard is the UK implementation of ISO 8459:2009. It supersedes BS ISO 8459-3:1994 and BS ISO 8459-2:1992 which are withdrawn.

The UK participation in its preparation was entrusted to Technical Committee IDT/2/7, Computer applications in information and documentation.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2009

© BSI 2009

ISBN 978 0 580 58479 4

### Amendments/corrigenda issued since publication

| Date | Comments |
|------|----------|
|      |          |
|      |          |
|      |          |
|      |          |

# INTERNATIONAL STANDARD

**ISO**  
**8459**

First edition  
2009-05-15

---

---

## **Information and documentation — Bibliographic data element directory for use in data exchange and enquiry**

*Information et documentation — Répertoire pour l'échange des  
éléments de données bibliographiques et la recherche*



Reference number  
ISO 8459:2009(E)

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Page

|   |     |
|---|-----|
| Foreword.....   | iv  |
| Introduction .....  | v   |
| 1 Scope .....   | 1   |
| 2 Terms and definitions .....   | 2   |
| 3 Directory .....   | 6   |
| 3.1 General.....  | 6   |
| 3.2 Organization of elements by class and sub-class .....                   | 7   |
| 4 Alphabetically ordered list of data elements, examples and synonyms ..... | 66  |
| Bibliography .....  | 140 |

### Tables

|   |    |
|---|----|
| Table 1 — Summary of classes .....                                | 6  |
| Table 2 — Class: Address.....                                     | 7  |
| Table 3 — Class: Database record.....                             | 10 |
| Table 4 — Class: Finance .....                                    | 16 |
| Table 5 — Class: Holdings (physical or electronic copies).....    | 21 |
| Table 6 — Class: Party .....                                      | 26 |
| Table 7 — Class: Party — Group.....                               | 29 |
| Table 8 — Class: Party — Person (involved in a transaction) ..... | 30 |
| Table 9 — Class: Request.....                                     | 34 |
| Table 10 — Class: Resource.....                                   | 44 |
| Table 11 — Class: Search (including database elements) .....      | 53 |
| Table 12 — Class: Transaction.....                                | 60 |
| Table 13 — Alphabetically ordered list of data elements .....     | 66 |

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8459 was prepared by Technical Committee ISO/TC 46, *Information and documentation*, Subcommittee SC 4, *Technical Interoperability*.

This first edition cancels and replaces ISO 8459-1, ISO 8459-2, ISO 8459-3, ISO 8459-4 and ISO 8459-5, which have been technically revised.

It contains the data elements still in force today and incorporates a number of new ones linked to new types of resources into a single document. It is presented in two basic parts:

- a) a data element directory (Clause 3) where the different data elements are regrouped in different columns, specifying for each of them its rank (a sequence number is allocated to each element), class, entry, definition, examples and synonyms when existent;
- b) an alphabetical sequence (Clause 4) which lists for each element its entry, equivalence, name, class and sub-class.

## Introduction

This International Standard specifies and describes data elements required in the interchange of data between bibliographic systems (i.e. terminal or browser to computer or computer to computer). Data are interchanged for the purpose of starting or supporting a process. In order to transmit information required to support a process, the various elements of data in the interchanged messages must be fully understandable to the processes concerned.

This International Standard is seen as serving as a resource tool for interoperability among standards in bibliographic and library domains. It serves to harmonize the various different standards in these domains, comprising content schemas, protocols, profiles and models. To this end, data elements are defined at various levels because they may be defined at different levels in different protocols and schemas. The focus of the standard is to provide common definitions for data elements that are exchanged in protocol messages between systems.

System developers typically employ multiple standards and thus can profit from the identified inter-relationships and definitions in their database designs to achieve dynamic inter-operability when employing various standards.

This International Standard is also intended as a foundation for new standards. By inheriting element names and definitions, new standards can be achieved in an efficient way that directly relates them with existing standards in the field.

The inclusion of multiple examples and synonyms is also intended to assist in the translation of the standard into other languages.

The elements from the previously published five parts of ISO 8459 have been examined, updated where necessary and consolidated into a single set of elements such that this International Standard replaces these previous parts.

There are no referenced documents that are indispensable for the application of this International Standard. The Bibliography indicates sources consulted and used in the construction of this International Standard.

The standards cited in the Bibliography are examples for data elements in this International Standard but are not prescriptive.

The list also contains reference to the protocol and schema standards that were used to validate the data elements and concepts in this International Standard.





# Information and documentation — Bibliographic data element directory for use in data exchange and enquiry

## 1 Scope

This International Standard describes, in the form of a directory, data elements used to support the processes of acquisition, resource description and cataloguing, searching and requesting loan or copy by an end user or an institution.

This International Standard includes data elements that are exchanged or are potentially exchanged among bibliographic systems. Those data elements that are not exchanged or not likely to be exchanged are ignored as they do not need standardization. Data elements being handled by transport protocols are not included, only those related to application level protocols.

As part of the consolidation phase, the data elements were broadly classed and sub-classed and are presented in two sequences, one by class and sub-class and the other by an alphabetical sequence. The alphabetical sequence includes examples and synonyms identified during the consolidation phase and those found in related interchange protocols and schemas.

As the grouping of data elements may differ among different protocols and record schemas, the data elements have been broadly classed and grouped, but no further structure has been made. Similarly, the sequence of data elements, whether or not a data element is mandatory or how it is structured and validated may vary according to its employment and consequently these data element attributes are outside the scope of this International Standard.

As new ways of inter-operating evolve, some new data elements may evolve, but the biggest change is usually in the way that existing data elements are grouped. For example, whether a purchase transaction is carried out manually or electronically, the base data elements of the transaction, requester, supplier and object of purchase remain constant, and this is reflected in the fact that most data elements in this International Standard originated several decades ago. To accommodate the potential changing grouping of data elements, an attempt has been made to identify common concepts across processes. For example, a new focus on end user delivery is causing diverse delivery options to be grouped together such that purchase, loan and inter-library loan processes are presented as alternatives; therefore, the identification of common concepts in all these processes is necessary for the development of seamless user interfaces.

**NOTE** The French version of this International Standard does not contain the column entitled “Synonyms” in Tables 2 to 12 for the following reasons:

- a large number of the variant data element names translate to the same data element name in French;
- a number of the variant data element names have been taken from standards which have not been translated into French.

The difference between the English and French versions is particularly noticeable in Table 13.

## 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

- 2.1 acquisition**  
work of increasing and bringing up to date the stock of a library or documentation centre or service according to the collection policy of the institution
- 2.2 address**  
group of data elements that give a geographic or electronic location or place associated with an individual or institution
- 2.3 attribute**  
characteristic or property of a party or item
- 2.4 authentication**  
establishment of the identity of a person or party in a transaction
- 2.5 authorization**  
establishment of rights to services once the identity of a requester has been ascertained via an authentication process
- 2.6 authority record**  
record in a cataloguing system that describes, analyses and controls the standardized form of a name, subject, series or other heading
- 2.7 bibliographic resource**  
entity, either serial or non-serial, that forms the basis for a single resource description
- 2.8 bibliographic record**  
record in a cataloguing system that describes, analyses and controls a bibliographic resource
- 2.9 booking**  
reservation of an item or a location for a fixed time period and duration
- 2.10 catalogue record**  
record in a cataloguing system that describes, analyses and controls bibliographic, authority or holdings data
- 2.11 cataloguing**  
process of compiling a record for inclusion in one or more catalogues or indexes, which describes an entity and assists in its retrieval
- 2.12 circulation**  
work of controlling the loan and supply, user identification, status, return, recall, associated fees, bookings and reservations for items or copies thereof of the physical holdings of a library

**2.13**

**character string**

combination of letters, digits, punctuation marks or other symbols

**2.14**

**component**

unique bibliographic part of a set, such as a volume of a serial or multi-volume work

**2.15**

**copy**

tangible instance of a bibliographic resource or set, whether physical or electronic, comprising one or more pieces

**2.16**

**data element**

basic unit of identifiable and definable data, having a data element name represented by a tag as identifier and one or more values for expressing one or more particular facts

**2.17**

**data element directory**

listing of data elements with specifications of representative data element values, as appropriate

**2.18**

**data element group**

set of related data elements

**2.19**

**data element group name**

one or more words in a natural language identifying a data element group

**2.20**

**data element name**

one or more words in a natural language identifying a data element

**2.21**

**data element value**

fact expressed by codes, digits or natural language corresponding to the data element description and representation

**2.22**

**database**

collection of machine-readable information organized so that it can be easily accessed, managed and updated

**2.23**

**finance**

data elements concerning monetary information associated with a transaction

**2.24**

**holdings**

information that describes, analyses and controls copies associated with a bibliographic resource

**2.25**

**holdings record**

record in a cataloguing system that describes, analyses and controls holdings associated with a bibliographic record

**2.26**  
**holdings statement**

summary of the locations of a specific bibliographic resource and, optionally, the units of that item held at a location

**2.27**  
**identifier**

data string or pointer that establishes the identity of an item, institution or person alone or in combination with other elements

**2.28**  
**information retrieval**

action, methods and procedures for recovering information on a given matter or references to pertinent documents from stored data

**2.29**  
**interloan**  
**inter-library loan**

loan of a document or documents from one institution to another or the supply of a substitute for the requested document or documents

**2.30**  
**loan**

temporary transfer of custody of a copy to another individual or institution

**2.31**  
**message**

structured combination of data elements used in a transaction

**2.32**  
**metadata**

structured data associated with data that describe the data or provide additional information not contained within the data themselves

**2.33**  
**party**

person or group performing a role in relation to the business of a specific community or domain

**2.34**  
**piece**  
**item**

unit of a copy on which transactions can be made, such as a physical part that can be lent or reserved or an electronic file that can be downloaded or accessed

**2.35**  
**record**

group of data elements usually treated as a unit and often organized into sub-units called fields, which identifies, describes and facilitates retrieval of an entity

**2.36**  
**representation**

method by which a particular data element value is expressed using one or more numbers, letters or symbols

**2.37**  
**request**

transaction that initiates purchase, loan, inter-library loan, copy or access to an item

**2.38**

**reservation**

request by a person or group to be placed on a holding (waiting) queue for a bibliographic resource that is temporarily unavailable; also called a hold

**2.39**

**resource**

work, created as a result of intellectual effort, that may be expressed in physical or digital form

**2.40**

**result set**

group of metadata records, citations or other information units retrieved by a search

**2.41**

**scan**

positioning within an index or other ordered data sequence in order to retrieve and to view index entries by moving forwards and backwards within the sequence

**2.42**

**selective dissemination of information**

**SDI**

service that re-enacts a standard search or searches against one or more databases to provide regular updated information

**2.43**

**search**

structured query describing data elements and their values necessary for retrieving data from a database

**2.44**

**serial issue**

unit of a bibliographic resource that is issued in successive parts at regular or irregular intervals and intended to be continued indefinitely

**2.45**

**session**

period of time during which a user is connected online to a system

**2.46**

**set**

collection of components of a bibliographic resource including multi-volume publications and resources published serially, often received by a subscription purchase

**2.47**

**tag**

identifier allocated for use in place of a data element name or data element group name

**2.48**

**task**

operation performed by a system that may be performed online, in background or in batch mode, thus not necessarily tied to a specific session

**2.49**

**transaction**

creation or modification of a message required to support a process

### 3 Directory

#### 3.1 General

The directory is organized, by class and sub-class, into a series of tables. The data element name is the persistent identifier. A table is given for each class, and within the class, table row numbers have been assigned so that when this International Standard is translated into other languages, there is an easy reference to each data element and a clear sequence. The table row numbers are not unique, as each table has its own sequence and they are not intended to be used as persistent identifiers of the data elements.

Table 1 summarizes the classes.

**Table 1 — Summary of classes**

| <b>Class</b>                               | <b>Subclause</b> | <b>Table number</b> |
|--|------------------|---------------------|
| Address                                    | 3.2.1            | 2                   |
| Database record                            | 3.2.2            | 3                   |
| Finance                                    | 3.2.3            | 4                   |
| Holdings (physical or electronic copies)   | 3.2.4            | 5                   |
| Party                                      | 3.2.5            | 6                   |
| Party — Group                              | 3.2.6            | 7                   |
| Party — Person (involved in a transaction) | 3.2.7            | 8                   |
| Request                                    | 3.2.8            | 9                   |
| Resource                                   | 3.2.9            | 10                  |
| Search (including database elements)       | 3.2.10           | 11                  |
| Transaction                                | 3.2.11           | 12                  |

### 3.2 Organization of elements by class and sub-class

#### 3.2.1 Organization by "Address" class

Table 2 — Class: Address

| Row | Class   | Sub-class          | Data element name         | Description  | Examples   | Synonyms                               |
|-----|---------|--------------------|---------------------------|--|--|--|
| 01  | Address |                    | Address                   | Group of data elements that give a geographic or electronic location or place associated with an individual or institution   | Address of user  | Communication details                  |
| 02  | Address | Address            | Address label             | Code, word or phrase that defines the nature of a given address where there are multiple addresses associated with an institution or individual                    | Business address, Home address, Parents' address   |  |
| 03  | Address | Address            | Address role              | Word or code that indicates the type of message or mail that is sent to an address where there are multiple addresses associated with an institution or individual | Agency address role type, Billing address, Delivery address, Invoice address, Return to address, Ship to, Shipping address, User address information | Address instruction, Address role type |
| 04  | Address | Address            | Address status            | Code, word or phrase that indicates which address of a series of addresses associated with an institution or individual is preferred                               |  | Current address flag                   |
| 05  | Address | Address            | Address type              | Indicates the form of communication associated with an address, physical or electronic   |  | Delivery method type                   |
| 06  | Address | Address            | Contact person            | Name of an individual associated with an address in a particular role  | Custodian, Invoice enquiries, Reference enquiries  | Care of                                |
| 07  | Address | Address            | Date/time address invalid | Date and time from which an address is no longer valid for use   | Agency address: valid to date, User address: valid to date   |  |
| 08  | Address | Address            | Date/time address valid   | Date and time from which an address is valid for use   | Agency address: valid from date, User address: valid from date   |  |
| 09  | Address | Address            | Unstructured address      | Address where the components of the address are not distinguished and where the structure may be limited to the inclusion of line breaks                           |  |  |
| 10  | Address | Electronic address | e-delivery description    | Human readable text identifying an electronic delivery service   |  |  |

Table 2 (continued)

| Row | Class   | Sub-class          | Data element name           | Description   | Examples   | Synonyms  |
|-----|---------|--------------------|-----------------------------|---|--|---|
| 11  | Address | Electronic address | e-delivery details          | Information concerning the nature of electronic delivery of a particular document   |  |   |
| 12  | Address | Electronic address | e-delivery service          | Name of an electronic delivery service  |  |   |
| 13  | Address | Electronic address | Electronic address          | Unique identifier used to identify a device or location within a communications network or service                                  | Administration email, Email address, IP address (Internet Protocol), Telephone | Electronic address data, Telecom service address, Telenetwork address |
| 14  | Address | Electronic address | Electronic address type     | Form of electronic communication used by an address, including electronic mail, Internet Protocol (IP) address and telephone number |  |   |
| 15  | Address | Electronic address | Electronic delivery service | Group of data elements providing details of how a document should be delivered electronically                                       |  | Name or code  |
| 16  | Address | Electronic address | Electronic delivery time    | Normal interval between a request and electronic delivery provided by an electronic delivery service                                |  | Delivery time   |
| 17  | Address | Electronic address | Electronic mail identifier  | Unique number assigned to an electronic mail box or service connection  |  | Electronic address, Telenetwork address                               |
| 18  | Address | Electronic address | Telecommunication carrier   | Code, word, phrase or initialism used to identify the telecommunications carrier facilities being used to access a remote system    |  | Telecom service identifier  |
| 19  | Address | Electronic address | Telefacsimile number        | Telecommunications number used for sending and receiving telefacsimiles   |  |   |
| 20  | Address | Electronic address | Telephone number            | Unique number assigned to a telephone line  |  |   |
| 21  | Address | Physical address   | Address line                | Phrase, usually numbered, intended to be used for printing or displaying an address with the address elements in sequence           | Line 1, Line 2   | Address detail, Address part  |
| 22  | Address | Physical address   | Building                    | Phrase used to identify a particular edifice within a building complex  |  | Building name, House name   |
| 23  | Address | Physical address   | City                        | Word or phrase used to identify an urban area, including a city, suburb or postal area  |  |   |
| 24  | Address | Physical address   | Country                     | Word or phrase used to identify a country   |  |   |



Table 2 (continued)

| Row | Class   | Sub-class        | Data element name        | Description   | Examples  | Synonyms  |
|-----|---------|------------------|--------------------------|---|---|-----------|
| 25  | Address | Physical address | Delivery service         | Code, word or phrase that indicates the mail service that may be used to deliver to an address                              | Campus mail, Internal courier, National mail service        | Transport |
| 26  | Address | Physical address | District                 | Word or phrase identifying a sub-entity within a country, including a parish, county or district, usually not an urban area |   | Locality  |
| 27  | Address | Physical address | Location within building | Code, number and/or phrase used to identify a location within a building or building complex                                | Children's library, Level 4, Reserve reading room, Suite 42 |           |
| 28  | Address | Physical address | Physical address         | Group of data elements giving location information for an institution or person   | Structured address  |           |
| 29  | Address | Physical address | Physical address type    | Characteristics of an address that may restrict delivery services   | Post office box address, Postal address                     |           |
| 30  | Address | Physical address | Post office box          | Number of a receptacle assigned by a postal authority for saving mail for later collection                                  |   |           |
| 31  | Address | Physical address | Postal code              | Code assigned by the postal authorities of a country that uniquely identifies an address or group of addresses              |   |           |
| 32  | Address | Physical address | Region                   | Word or phrase identifying a large area within a country including province, state and department                           |   |           |
| 33  | Address | Physical address | Street name              | Phrase used to identify a route within a city, rural or local area, including street, road, boulevard and avenue            |   | Street    |
| 34  | Address | Physical address | Street number            | Number and/or phrase used to identify a location of a building within a route   |   |           |

3.2.2 Organization by “Database record” class

Table 3 — Class: Database record

| Row | Class           | Sub-class  | Data element name               | Description  | Examples   | Synonyms   |
|-----|-----------------|------------|---------------------------------|--|--|--|
| 01  | Database record |            | Record                          | Group of data elements usually treated as a unit and often organized into sub-units called fields, which identifies, describes and facilitates retrieval of an entity  | Catalogue record, Metadata record  |  |
| 02  | Database record |            | Record wrapper                  | Packet within a message that combines a database record with its schema identifier   |  |  |
| 03  | Database record | Attributes | Attributes                      | Group of data elements, organized into sub-units called fields, which identifies, describes and facilitates retrieval of a particular entity                           |  |  |
| 04  | Database record | Attributes | Date/time of automatic deletion | Date and time on which the information in a database record may be deleted   |  |  |
| 05  | Database record | Attributes | Date/time of last update        | Date and time of the latest change to the content of a record  |  |  |
| 06  | Database record | Attributes | Date/time record created        | Date and time of addition of a record on a database  |  | Date/time bibliographic record created             |
| 07  | Database record | Attributes | Date/time record modified       | Latest date and time of update of a database record  |  | Date/time bibliographic record updated, Time stamp |
| 08  | Database record | Attributes | Language of cataloguing         | Code or word indicating the language used for the creation of a metadata record or indicating the language of a bibliographic record or part of a bibliographic record |  | Catalogue record language                          |
| 09  | Database record | Attributes | Link hierarchical relationship  | Code or phrase that indicates the level at which two bibliographic or authority records or parts of records are related  | Equal, Higher to lower, Lower to higher  |  |
| 10  | Database record | Attributes | Link type                       | Code or phrase that indicates the relationship between two resources or database records or parts of records   | Acronym, Analytic, Broader form, Continuation, Earlier form, Later form, Narrower form, Pseudonym, Real name, Related form | Relation   |
| 11  | Database record | Attributes | Permission to use this record   | Indication of the extent to which a database record may be accessed or used  |  |  |

**Table 3 (continued)**

| Row | Class           | Sub-class  | Data element name             | Description  | Examples  | Synonyms  |
|-----|-----------------|------------|-------------------------------|--|---|---|
| 12  | Database record | Attributes | Record availability flag      | Flag sent by a database provider, which indicates that a record is currently unavailable for modification or presentation  | Record available, Record locked as per request, Record unavailable  |   |
| 13  | Database record | Attributes | Record character set          | Code or word used to identify a character set in which data is encoded or to indicate the capability of systems hardware and software to process data encoded in one or more scripts |   | Catalogue record character set, Supported character set   |
| 14  | Database record | Attributes | Record retrieval elements     | Elements of a database record that may be used to retrieve the record  |   | Agency element type, Item element type, User element type |
| 15  | Database record | Attributes | Record schema                 | Abstract record structure, providing a commonly understood definition of data elements within a record   | Dublin core, Edit/replace schema, GILS (Global Information Locator Service), Update schema, WAIS (Wide Area Information Server)   | Metadata format, Schema, Schema id                        |
| 16  | Database record | Attributes | Record status                 | Code or phrase that indicates the stage in the progression of the update of a record or the degree of the completeness of an update  | Deleted record  | Catalogue record status                                   |
| 17  | Database record | Attributes | Record syntax                 | Code or phrase identifying the structure of a record or records contained within a message   | GRS-1 (General Record Syntax), HTML (Hypertext Markup Language), MAB (Maschinelle Austauschformat für Bibliotheken), MARC (Machine Readable Cataloguing), SGML (Standard Generalized Markup Language), SUTRS (Simple Unstructured Record Syntax) and XML (Extensible Markup Language) | Preferred record syntax, Record packing                   |
| 18  | Database record | Attributes | Record transliteration scheme | Code or phrase used to identify a scheme for transforming the characters of one writing script to another  | ISO 9, ISO 233, ISO 259, ISO 843, ISO 3602, ISO 7098  | Cataloguing record transliteration scheme                 |

Table 3 (continued)

| Row | Class           | Sub-class        | Data element name              | Description   | Examples  | Synonyms              |
|-----|-----------------|------------------|--------------------------------|---|---|-----------------------|
| 19  | Database record | Attributes       | Record type                    | Code or phrase that indicates the nature of the contents of a record  | Authority record, Bibliographic record, Classification record, Community information record, Electronic resource metadata record, Holdings (copies) record                      | Catalogue record type |
| 20  | Database record | Authority record | Alternative heading form       | Phrase indicating a form of a name, subject, title or other heading type not used for database storage and retrieval but linked to another form of the same heading |   | See reference         |
| 21  | Database record | Authority record | Authorized indicator           | Code indicating the effect of comparing a new heading with existing authority headings already in a database  |   |                       |
| 22  | Database record | Authority record | Authority information          | Group of data elements comprising information specific to an authority record   |   |                       |
| 23  | Database record | Authority record | Authority status               | Code or phrase indicating whether or not a heading has been authorized  | Authorized, Unauthorized or undetermined  |                       |
| 24  | Database record | Authority record | Bibliographic occurrence count | Count of the number of bibliographic records in a database that are directly associated with an authority record  |   |                       |
| 25  | Database record | Authority record | Established heading            | Phrase indicating a standardized form of a name, title, subject or other heading type, designed to facilitate storage and retrieval of database records             |   |                       |
| 26  | Database record | Authority record | Heading type                   | Code or phrase indicating a grouping of headings to which a particular heading relates for purposes of data comparison and standardization of heading data          | Collective uniform title, Corporate name, Family name, Name/collective uniform title, Name/title, Personal name, Territorial or geographic name, Topical subject, Uniform title |                       |
| 27  | Database record | Change data      | Change data                    | Group of data elements indicating data to be changed and the way they are changed   |   |                       |
| 28  | Database record | Change data      | Change data new value          | Phrase containing a data string that will replace a designated data string in a record or will be added to a record   |   | New value             |

Table 3 (continued)

| Row | Class           | Sub-class   | Data element name                  | Description  | Examples  | Synonyms          |
|-----|-----------------|-------------|------------------------------------|--|---|-------------------|
| 29  | Database record | Change data | Change data new version identifier | Group of data elements identifying a field or other sub-element of a metadata record that should become the location of new or changed data        |   |                   |
| 30  | Database record | Change data | Change data old value              | Phrase containing a data string that is to be replaced or deleted  |   | Old value         |
| 31  | Database record | Change data | Change data old version identifier | Group of data elements identifying a field or other element of a metadata record that contains data to be changed                                  |   |                   |
| 32  | Database record | Change data | Conditional data identifier        | Group of data elements identifying a field or other sub-element of a metadata record that contains data to be tested before other data are changed |   | Conditional field |
| 33  | Database record | Change data | Conditional data value             | Phrase containing a data string that is to be tested before other data are changed   |   |                   |
| 34  | Database record | Change data | Date/time record lock expires      | Date and time on which a locked database record will automatically become available again for modification   |   | Lock expiry       |
| 35  | Database record | Change data | Duplicate test flag                | Code or phrase indicating whether or not a record may duplicate another already in existence in a database   | Confirmed duplicate, Not a duplicate, Suspected duplicate                                     |                   |
| 36  | Database record | Change data | Edit/replace type                  | Code or phrase indicating the nature of editing to be performed on a record or nominated group of records  | Field delete, Field insert, Field replace, Subfield delete, Subfield insert, Subfield replace |                   |
| 37  | Database record | Change data | Record lock description            | Phrase indicating a reason for preventing changes to a database record and, optionally, indicating the party who set the lock                      |   | Lock description  |
| 38  | Database record | Change data | Record lock set                    | Indication by a database server that an update restriction has been set on a database record   |   | Lock set          |
| 39  | Database record | Change data | Review code                        | Indication that a record submitted for update should be examined by a third party before a database record is updated                              |   |                   |

Table 3 (continued)

| Row | Class           | Sub-class        | Data element name         | Description  | Examples   | Synonyms  |
|-----|-----------------|------------------|---------------------------|--|--|---|
| 40  | Database record | Change data      | Set lock flag             | Indication in a message that requests a change in the update status of a database record to restrict change to, or deletion of, the record | Lock record, Unlock record   | Set lock  |
| 41  | Database record | Change data      | Update action             | Code that indicates the nature of the update being requested or performed  | Element update, Record delete, Record insert, Record replace   | Action  |
| 42  | Database record | Change data      | Update action qualifier   | Code or phrase that indicates further information essential to the performance of a transaction update                                     | Bulk edit/replace qualifier, Edit/replace qualifier, Merge qualifier   | Action qualifier  |
| 43  | Database record | Change data      | Update information        | Group of data elements that give information essential to identify data to be updated and the way in which the update should be processed  |  |   |
| 44  | Database record | Copy information | Holdings encoding level   | Code that indicates the level of detail of a bibliographic holdings record   | Locations only (1), Locations plus general extent information (2), Locations plus summary extent of holdings (3) |   |
| 45  | Database record | Description      | Free text note            | Phrase relating to a database record, carrying additional information  | Extra term information, Review note  | Note  |
| 46  | Database record | Description      | Free text note code       | Code, defined internally by a system, identifying the nature of the contents of a free text note   |  | Free text note content, Instructions  |
| 47  | Database record | Identifier       | Check digit algorithm     | Name of an algorithm used for generating a check digit in an identification number   |  | Item number check digit algorithm   |
| 48  | Database record | Identifier       | Record identifier         | Data string that identifies a database record including a catalogue or metadata record or document   |  | Bibliographic record identifier, Catalogue record identifier, Identifier, Record id |
| 49  | Database record | Identifier       | Record identifier code    | Code or phrase used to identify a numbering system for a database or cataloguing record  | Bibliographic record identifier code, LCCN (Library of Congress control number)                                  | Catalogue record identifier code  |
| 50  | Database record | Record field     | Character set change flag | Code indicating that the data following the flag use a different character set from preceding data   |  |   |

Table 3 (continued)

| Row | Class           | Sub-class    | Data element name        | Description  | Examples | Synonyms                      |
|-----|-----------------|--------------|--------------------------|--|----------|-------------------------------|
| 51  | Database record | Record field | Field                    | Group of data elements forming a sub-unit of a record containing information relevant to a particular fact or facts relevant to the resource that the record describes         |          | Cataloguing field information |
| 52  | Database record | Record field | Field attributes         | Group of data elements defining attributes of data within a field of a database record   |          |                               |
| 53  | Database record | Record field | Field description        | Phrase that defines the nature of the contents of a field of a database record   |          |                               |
| 54  | Database record | Record field | Field indicator          | Code associated with a field that supplies additional information about the contents of the field and about the relationships between the field and other fields in the record |          |                               |
| 55  | Database record | Record field | Field sequence number    | Number that defines the position of a field within a record  |          |                               |
| 56  | Database record | Record field | Field tag                | Data string that serves as an identifier of a field  |          | Field identifier, Field label |
| 57  | Database record | Record field | Non-sort begin           | Code indicating that the data following it are not used in the construction of an index entry, retrieval or filing key   |          |                               |
| 58  | Database record | Record field | Non-sort end             | Code indicating the end of a data string that is not used in the construction of an index entry, retrieval or filing key   |          |                               |
| 59  | Database record | Record field | Subfield                 | Defined unit of information within a field   |          |                               |
| 60  | Database record | Record field | Subfield attributes      | Group of data elements defining attributes of data within a subfield   |          |                               |
| 61  | Database record | Record field | Subfield identifier      | Code identifying an individual subfield within a field of variable length  |          |                               |
| 62  | Database record | Record field | Subfield sequence number | Number that defines the position of a subfield within a field within a database record   |          |                               |
| 63  | Database record | Record field | Validation indicator     | Code or phrase indicating whether data within a record may or may not contain errors   |          |                               |

3.2.3 Organization by “Finance” class

Table 4 — Class: Finance

| Row | Class   | Sub-class | Data element name                                  | Description   | Examples                                | Synonyms  |
|-----|---------|-----------|--|---|---|---|
| 01  | Finance |           | Monetary information                               | Group of data elements that indicate the financial transactions associated with a transaction or service                      |   | Cost, Fiscal transaction description, Fiscal transaction information  |
| 02  | Finance | Account   | Account holder name                                | Phrase indicating a person or institution owning an account   | Credit card holder name                 |   |
| 03  | Finance | Account   | Account identifier                                 | Code or phrase representing a budget or fund to which chargeable transactions are attributed                                  | Authorization account                   | Account details, Account number, Budget/fund information, Fund identifier, User fiscal account                                |
| 04  | Finance | Account   | Account institution                                | Phrase indicating the name of an institution that manages an account  |   |   |
| 05  | Finance | Account   | Date/time financial transaction validity commences | Date and time from which it is valid to post a transaction against an account   |   | Fiscal transaction information: valid from date   |
| 06  | Finance | Account   | Date/time financial transaction validity ends      | Date and time after which it is no longer valid to post a financial transaction to an account                                 |   | Fiscal transaction information: valid to date   |
| 07  | Finance | Account   | Date/time of accrual                               | Date and time on which a financial transaction is applied to an account, usually resulting in a change in the account balance |   | Accrual date  |
| 08  | Finance | Account   | Financial account balance                          | Positive or negative sum of money currently available in an account   |   | Account balance   |
| 09  | Finance | Account   | Financial action type                              | Processing required in applying a sum of money to a financial account   |   | Fiscal action type  |
| 10  | Finance | Account   | Financial transaction identifier                   | Unique string or code that identifies a particular update within a financial account  | Related fiscal transaction reference id | Fiscal transaction reference id   |
| 11  | Finance | Cost      | Amount   | Sum of money required for a purchase or service or fine   | Cost estimate                           | Acknowledged fee amount, Amount of fee, Charge amount, Cost, Fee amount, Monetary amount, Monetary value, Required fee amount |



Table 4 (continued)

| Row | Class   | Sub-class | Data element name    | Description   | Examples   | Synonyms  |
|-----|---------|-----------|----------------------|---|--|---|
| 12  | Finance | Cost      | Currency code        | Code indicating the type of currency of a particular sum of money   |  | Currency, Order currency  |
| 13  | Finance | Cost      | Discount             | Fixed amount or calculated percentage or rate by which a charge is reduced  |  | Expected terms  |
| 14  | Finance | Cost      | Extended price       | Cost of a multi-copy order  |  |   |
| 15  | Finance | Cost      | Fee type             | Code representing the reason for a charge such as a service charge, fine or fee   | Administrative or service fee, Damage fine, Digitization fee, Insurance charge, Insurance charges, Insured for, Invoice charges, Item charge, Loan or rental fee, Net cataloguing service price, Overdue fine, Processing fee, Reference look-up fee, Replacement fee, Reproduction cost, Reservation fee, Service charge, Small invoice fee, Special charges and taxes, Supply or reproduction fee, Transportation charge, Unit cataloguing service price, User privilege fee | Charge type, Cost info type, Cost type, Fee reason, Fiscal transaction type |
| 16  | Finance | Cost      | Fee unit             | Code or phrase indicating the coverage of a fee amount  |  | Increment   |
| 17  | Finance | Cost      | List price           | Basic price of an item as published in a catalogue, price list or advertisement which may be subject to trade, quantity and other discounts |  |   |
| 18  | Finance | Cost      | Maximum cost         | Maximum amount that a requester will pay for a service  |  | Authorization limit, Cost constraint, Not to exceed amount, Will pay fee    |
| 19  | Finance | Cost      | Net price            | Unit price of one copy of an item ordered less any discount   |  |   |
| 20  | Finance | Cost      | Not to exceed action | Action to be taken by a supplier when a request includes a maximum monetary value   | Cancel balance of order exceeding amount, Cancel entire order, No action   |   |

Table 4 (continued)

| Row | Class   | Sub-class | Data element name         | Description  | Examples  | Synonyms             |
|-----|---------|-----------|---------------------------|--|---|----------------------|
| 21  | Finance | Cost      | Price qualifier           | Word or code that denotes special factors determining the price of an item                                     | Bid price, Educational institution price, Firm price, Library price, Prepaid price, Remainder price | Price qualifier code |
| 22  | Finance | Cost      | Reciprocal agreement      | Arrangement between two parties to provide services or materials without charging                              |   | Consortium agreement |
| 23  | Finance | Cost      | Tax                       | Group of data elements indicating a supplementary charge imposed by a government on a service or item for sale |   |                      |
| 24  | Finance | Cost      | Tax amount                | Sum of money owed to a government agency relating to a service or item for sale                                |   |                      |
| 25  | Finance | Cost      | Tax identifier            | Code or phrase identifying a particular type of tax  | GST (Goods and Services Tax), VAT (Value Added Tax)   |                      |
| 26  | Finance | Cost      | Tax payee                 | Party responsible for collecting tax in relation to a particular service or item for sale                      |   |                      |
| 27  | Finance | Cost      | Unit cost                 | Rate applied to each unit of resources used in a session   |   |                      |
| 28  | Finance | Cost      | Unit price                | Price of one copy of an item that can be ordered   |   |                      |
| 29  | Finance | Credit    | Credit amount             | Monetary value or other count credited to a customer's account   |   |                      |
| 30  | Finance | Credit    | Credit confirmation       | Code or phrase that confirms that a credit adjustment has been made to a customer's account                    |   |                      |
| 31  | Finance | Credit    | Credit justification      | Reason or reasons given explaining why a credit or rebate is requested or confirmed                            | Cancelled order, Defective merchandise, Error on invoice, Short assignment, Tax credit              |                      |
| 32  | Finance | Credit    | Credit memo date and time | Date and time on which a credit memo was issued  |   |                      |
| 33  | Finance | Invoice   | Billing information       | Phrase indicating instructions for billing a particular party  |   |                      |

Table 4 (continued)

| Row | Class   | Sub-class | Data element name              | Description  | Examples  | Synonyms                                 |
|-----|---------|-----------|--------------------------------|--|---|--|
| 34  | Finance | Invoice   | Deferred billing date and time | Invoice date that post-dates shipment  |   | Delayed billing date and time            |
| 35  | Finance | Invoice   | Invoice copies                 | Number of copies of an invoice pertaining to a particular shipment   |   |  |
| 36  | Finance | Invoice   | Invoice date and time          | Date and time on which an invoice was prepared that is used to determine the due date of payment   |   | Billing date                             |
| 37  | Finance | Invoice   | Invoice identifier             | Number or phrase assigned by a party to identify an invoice  |   |  |
| 38  | Finance | Invoice   | Invoice status                 | Phrase or code that indicates whether an invoice has been accepted and approved or paid  | Invoice cleared, Invoice paid   |  |
| 39  | Finance | Invoice   | Invoice total                  | Total amount to be paid for all line items of an invoice   |   |  |
| 40  | Finance | Payment   | Mode of payment                | Means used by an institution to pay an invoice or fee  | Bank cheque, Credit card, Deposit account, Voucher                    | Billing method type, Payment method type |
| 41  | Finance | Payment   | Payment authorization          | Group of data elements giving details of an institution that authorizes a request including authorization details, account details and period of time of the validity of the authorization |   |  |
| 42  | Finance | Payment   | Payment date and time          | Date on which a sum of money is sent or received to settle an invoice, fee, fine or charge in full or in part  |   |  |
| 43  | Finance | Payment   | Payment enclosures             | Information required by a supplier to accompany a payment in order to facilitate matching the payment to a corresponding invoice   | Copy of invoice returned, Invoice number on cheque stub, No enclosure | Payment provided                         |
| 44  | Finance | Payment   | Self payment                   | Group of data elements giving details of how a requester intends to pay and the maximum he or she is prepared to pay   |   |  |

**Table 4 (continued)**

| <b>Row</b> | <b>Class</b> | <b>Sub-class</b> | <b>Data element name</b>                   | <b>Description</b>  | <b>Examples</b>   | <b>Synonyms</b> |
|------------|--------------|------------------|--|---|---|-----------------|
| 45         | Finance      | Payment          | Terms of payment                           | Terms according to which a specific invoice or fee is to be paid                      |   | Payment terms   |
| 46         | Finance      | Payment          | Transportation payment terms (terms added) | Indication of who pays shipping charges and when, including how they will be invoiced | Charged to customer,<br>Collected on delivery, Pre-paid by vendor |                 |

3.2.4 Organization by “Holdings” class

Table 5 — Class: Holdings (physical or electronic copies)

| Row | Class    | Sub-class    | Data element name              | Description  | Examples  | Synonyms   |
|-----|----------|--------------|--------------------------------|--|---|--|
| 01  | Holdings |              | Holdings                       | Data structure describing a bibliographic resource or group of like or similar resources and one or more institution's copies of the resource or resources |   |  |
| 02  | Holdings | Availability | Availability policy            | Phrase or structure indicating restrictions which apply in relation to loan, copy or access  | Available for supply without return, Circulation limited by user type, In library use only, Indeterminate loan period flag, Non returnable flag, Not for loan, Overnight only, Semester loan, Term loan | Circulation category, Item use restriction type, Lending policy, Loan availability, Policy |
| 03  | Holdings | Availability | Available count                | Count of the number of physical or digital copies of a resource available for use or delivery in the context of a particular request                       |   |  |
| 04  | Holdings | Availability | Available for                  | Code or phrase indicating the nature of service available in relation to a specific bibliographic resource   | Digital copy, Loan, Online access, Physical copy, Reference look-up   |  |
| 05  | Holdings | Availability | Available via                  | Code or phrase indicating a licensor or vendor facilitating access to a virtual holding of an electronic resource  |   |  |
| 06  | Holdings | Availability | Circulation status             | Code that indicates the actual availability of a copy or group of copies for access, copy or loan  | Available, Not available, Pending, Possibly available, Reported lost, Reported missing, Reported never borrowed, Reported returned  | Availability status  |
| 07  | Holdings | Availability | Electronic access restrictions | Code or phrase that indicates authentication or other requirements necessary in order to access an electronic resource at a specific address               | Access restricted URL based, Access with authorization, No online access, Preview only, Restrictions unspecified, Unrestricted access   | Access restrictions  |
| 08  | Holdings | Availability | Reservation policy             | Code or phrase indicating whether a party owning or managing a resource will accept reservations for the resource  | Will accept, Will not accept, Will possibly accept  |  |

Table 5 (continued)

| Row | Class    | Sub-class    | Data element name                 | Description   | Examples   | Synonyms                          |
|-----|----------|--------------|-----------------------------------|---|--|-----------------------------------|
| 09  | Holdings | Availability | Summary policy                    | Group of data elements for a resource or set of resources and their copies summarizing availability policy, conditions and charges  |  |                                   |
| 10  | Holdings | Copy history | Borrower relationship to copy     | Code indicating the status of the relationship between a user and a specific copy of a resource   | Current booking user, Current borrower, Current requester, Current reserving user, Last borrower, Second last borrower |                                   |
| 11  | Holdings | Copy history | Copy history information          | Group of data elements giving information on the circulation transaction history of a copy or group of copies of a resource   |  | Item history information          |
| 12  | Holdings | Copy history | Count period                      | Time period used to calculate a statistical total   | Total loans count period   |                                   |
| 13  | Holdings | Copy history | Count period end                  | Last date of a period used for counting   |  |                                   |
| 14  | Holdings | Copy history | Count period start                | Earliest date of a period used for counting   |  |                                   |
| 15  | Holdings | Copy history | Date/time of copy's last activity | Date and time on which a copy or any copy or a group of copies was last involved in a circulation or delivery transaction that implied it was physically handled or electronically accessed, such as a loan, return or transfer |  | Date/time of item's last activity |
| 16  | Holdings | Copy history | Date/time of last return          | Date and time on which a borrower returned a copy of a resource   |  |                                   |
| 17  | Holdings | Copy history | Date/time of last transfer        | Date and time on which a copy of a resource changed from one location to another  |  | Location: valid from date         |
| 18  | Holdings | Copy history | Last activity type                | Code or phrase indicating the nature of the last activity of a copy of a bibliographic resource   | Return, Stocktake, Transfer  |                                   |
| 19  | Holdings | Copy history | Total access count                | Number of times that any copy of a resource or group of resources has been accessed in a given time period that implied physical handling or electronic access  |  |                                   |
| 20  | Holdings | Copy history | Total circulation count           | Number of times that any copy of a resource or group of resources has been lent in a given time period, including external loans  |  |                                   |

Table 5 (continued)

| Row | Class    | Sub-class           | Data element name                  | Description  | Examples | Synonyms                                      |
|-----|----------|---------------------|------------------------------------|--|----------|---|
| 21  | Holdings | Copy history        | Total DCB count                    | Number of times that any copy of a resource or group of resources has been lent directly to an external user (Direct Consortia Borrowing) in a given time period           |          |   |
| 22  | Holdings | Copy history        | Total inter-library loans borrowed | Number of times that any copy of a resource or a group of resources has been borrowed from another library or copied from another library in a given period                |          | Total ILL borrowed                            |
| 23  | Holdings | Copy history        | Total inter-library loans count    | Number of inter-library loan transactions with external libraries in a given period, including incoming and outgoing loans and copies for a resource or group of resources |          | Total ILL count                               |
| 24  | Holdings | Copy history        | Total inter-library loans lent     | Number of times that any copy of a resource or a group of resources has been lent to another library or copied for another library in a given period                       |          | Total ILL lent                                |
| 25  | Holdings | Copy history        | Total loans count                  | Number of times that any copy or group of copies of a resource has been lent in a given time period, not including external loans  |          |   |
| 26  | Holdings | Copy history        | Total reservations count           | Number of times that a resource or copy of a resource was reserved for use in a given period   |          |   |
| 27  | Holdings | Copy identification | Accession number                   | Number assigned to a copy according to the order of its entry into a collection  |          |   |
| 28  | Holdings | Copy identification | Copy number                        | Number or phrase added to a copy shelf locator to distinguish a particular copy from other copies of the same bibliographic resource                                       |          |   |
| 29  | Holdings | Copy identification | Copy shelf locator                 | String of characters that identifies a copy's or a set's shelving scheme within its sub-location in relation to other copies   |          | Call number, Local call number, Shelf locator |
| 30  | Holdings | Copy identification | Electronic locator                 | Text string or pointer such as a URL indicating availability and location of an electronic resource  |          |   |

Table 5 (continued)

| Row | Class    | Sub-class           | Data element name      | Description   | Examples  | Synonyms  |
|-----|----------|---------------------|------------------------|---|---|---|
| 31  | Holdings | Copy identification | Permanent location     | Name or code of a section and/or collection of a library or other institution that normally stores a copy or set when it is not in use, on loan or on the reservation shelves |   |   |
| 32  | Holdings | Copy identification | Piece identifier       | Number or phrase that identifies a specific instance of a resource  | Accession number, Barcode, URI (Uniform Resource Identifier; either URL or URN) | Copy identification number, Copy identifier, Internal item identification, Item description, Item id, Item identification, Item identification number, Unique identifier value, Unique item id, Visible item identifier |
| 33  | Holdings | Copy identification | Set                    | Collection of components of a bibliographic resource including multi-volume publications and resources published serially, often received by a subscription purchase          |   |   |
| 34  | Holdings | Copy identification | Set label              | Number or phrase serving to identify a set of copies such as a subscription for a resource that is published in multiple parts serially                                       |   | Label   |
| 35  | Holdings | Copy identification | Temporary location     | Name or code of a section and/or collection of a library that has been allocated to store a copy for a defined period, overriding the normal permanent location               |   |   |
| 36  | Holdings | Copy information    | Binding type           | Type of cover of a copy   | Cloth, Library binding, Paperback   |   |
| 37  | Holdings | Copy information    | Copy description level | Number or phrase indicating whether the detail given in the description of a multi-piece copy is for all pieces or the copy as a whole  |   | Item description level  |
| 38  | Holdings | Copy information    | Copy information       | Group of data elements providing details of a specific copy of a physical or digital resource   |   | Item description  |
| 39  | Holdings | Copy information    | Current location       | Name or code of a section within a library at which a copy is located at a particular point in time, or where it was last lent, returned or sighted                           |   |   |
| 40  | Holdings | Copy information    | Physical condition     | Description of the state of wear of a particular copy of a resource   | Physical condition details, Physical condition type                             | Technical defects   |



Table 5 (continued)

| Row | Class    | Sub-class        | Data element name                     | Description   | Examples | Synonyms   |
|-----|----------|------------------|---------------------------------------|---|----------|--|
| 41  | Holdings | Copy information | Security marker                       | Device placed in a physical piece that is used by a machine sensor to detect whether or not the piece is being legitimately removed from a premises   |          |  |
| 42  | Holdings | Copy information | Sensitization flag                    | Indication that a physical piece cannot be passed through a magnetic de-sensitization process   |          |  |
| 43  | Holdings | Copy information | Value                                 | Estimate of the cost of replacing a copy of a resource or an indication of the value placed on a copy   |          | Appraised value, Value of item                       |
| 44  | Holdings | Holding          | Copies summary                        | Group of data elements summarizing the number of copies of a bibliographic resource or group of resources and their availability  |          |  |
| 45  | Holdings | Holding          | Copy                                  | Tangible instance of a bibliographic resource or set, whether physical or electronic, comprising one or more pieces   |          |  |
| 46  | Holdings | Holding          | Date/time holdings statement reported | Latest date and time of update of a holdings statement  |          |  |
| 47  | Holdings | Holding          | Holding simple                        | Group of data elements containing information for a resource or group of resources summarizing number of copies, and the number actually available  |          |  |
| 48  | Holdings | Holding          | Holding structured                    | Group of data elements providing descriptive information and an indication of the coverage, completeness, availability and service policy of a bibliographic resource that is published serially or in multiple parts |          |  |
| 49  | Holdings | Holding          | Summary holdings statement            | Phrase indicating the beginning, ending and completeness of holdings of a bibliographic resource that is published in parts   |          | Unstructured holdings,<br>Unstructured holdings data |

3.2.5 Organization by “Party” class

**Table 6 — Class: Party**

| Row | Class | Sub-class  | Data element name              | Description   | Examples   | Synonyms                      |
|-----|-------|------------|--------------------------------|---|--|-------------------------------|
| 01  | Party |            | Transaction participant        | Data that identify an institution or individual that participates in a transaction            | From agency id, From system id, Initiator of most recent service, Intermediary id, On behalf of agency, Requester id, To agency id, To system id   | Party                         |
| 02  | Party | Attributes | Borrowed copies count          | Total of copies of a resource on loan to a user at any given point in time                    |  | Loaned item count value       |
| 03  | Party | Attributes | Date/time of registration      | Date and time on which a user's privileges begin  |  |                               |
| 04  | Party | Attributes | Date/time registration expires | Date and time after which a user's privileges cease   |  |                               |
| 05  | Party | Attributes | Participant type               | Indicates whether a participant is an institution, a system or a person                       |  | Party type                    |
| 06  | Party | Attributes | Participant's function         | Word or code specifying the function or role performed by a party in a session or transaction | Authorizing officer, Bill to party, Buyer party, Database provider, Interloan function, Interloan officer, Intermediary, OpenURL referent, OpenURL referrer, OpenURL requester, Originator, Referent, Referrer, Request transfer message referent, Request transfer message referrer, Request transfer message requester, Requester, Ship from party, Ship to party, Supplier, User, Vendor/supplier, Verifier | Institution role, User's role |

Table 6 (continued)

| Row | Class | Sub-class       | Data element name                    | Description   | Examples   | Synonyms   |
|-----|-------|-----------------|--------------------------------------|---|--|--|
| 07  | Party | Identification  | Party identifier                     | Number or phrase presented to a system to identify an institution or person   | Additional party id, Client barcode, Initial requester id, Institution, Institution identification, Institution identifier, Institution identifier code, ISIL (ISO 15511), Library code or symbol, Person or institution symbol, Responder id, Supplier id, User's internal identification | Client id, Client identifier, Client identifier value, Party id, Unique agency id, Unique user id, User id, User identifier, User identification, User identification number, User identifier value, User's identifier, Visible user id, Visible user identifier, Visible user identifier type |
| 08  | Party | Privileges      | Access and use privileges            | Services permitted to a party upon successful connection to a system  |  | Access privileges, User privilege, User privilege description  |
| 09  | Party | Privileges      | Access or use privilege constraint   | Limitation applied to permission to gain access, borrow or use a resource or particular copy of a resource or service | Use in library only  |  |
| 10  | Party | Privileges      | Access or use privilege requirement  | Condition that must be met in order for access privileges to be valid for a party                                     | Presentation of identification; Signing a copyright statement  |  |
| 11  | Party | Privileges      | Date/time access privilege commences | Date and time when access privileges assigned to a party start  |  | Date of user privilege status, User privilege status: valid from date  |
| 12  | Party | Privileges      | Date/time access privilege ends      | Date and time when access privileges assigned to a party terminate  |  | Date/time authorization expires, User privilege status: valid to date  |
| 13  | Party | Privileges      | Privilege note                       | Free text note that qualifies or explains the current privileges of a party   | Overdue charges are waived temporarily   |  |
| 14  | Party | Privileges      | Security level                       | Phrase or code used to specify the right of a party to access information at various levels of confidentiality        |  | Sensitive data flag  |
| 15  | Party | Privileges      | User group                           | Code or phrase given by a library or parent institution that signifies a user's normal privileges                     | House bound service, Military service and rank, Undergraduate  | Agency user privilege type, User category, User type, User types   |
| 16  | Party | Record relation | Date/time party relation commences   | Date and time when a relationship commences between an individual and an institution or between two individuals       |  |  |

**Table 6 (continued)**

| Row | Class | Sub-class       | Data element name             | Description   | Examples  | Synonyms                               |
|-----|-------|-----------------|-------------------------------|---|---|--|
| 17  | Party | Record relation | Date/time party relation ends | Date and time when a relationship ends between an individual and an institution or between two individuals              |   |  |
| 18  | Party | Record relation | Party relation                | Code or phrase that indicates an association between an individual or institution and another party                     |   | Personal/corporate responsibility flag |
| 19  | Party | Record relation | Party relation type           | Code or phrase that defines the relationship between an individual or institution and another individual or institution | Child, Child institution, Client proxy for, Family member, Parent, Parent institution, Partner, Proxy for, Spouse | Personal relationship to user          |

**3.2.6 Organization by “Party — Group” class**

**Table 7 — Class: Party — Group**

| Row | Class         | Sub-Class | Data element name                    | Description   | Examples | Synonyms  |
|-----|---------------|-----------|--------------------------------------|---|----------|---|
| 01  | Party — Group | Name      | Abbreviated name                     | Short form of an institution’s name   |          | Symbol for institution  |
| 02  | Party — Group | Name      | Main unit of institution name        | Base name of an institution, usually the name of the governing body                                   |          |   |
| 03  | Party — Group | Name      | Name of institution                  | Word, phrase or initialism intended to identify an institution or corporation                         |          | Corporate name, Institution name, Library name, Organization name information, Party name |
| 04  | Party — Group | Name      | Official seal of institution         | Design, initial or other device serving to identify an institution in an official manner              |          |   |
| 05  | Party — Group | Name      | Subordinate unit of institution name | Part of a name of an institution which defines a subdivision or department or unit of the institution |          | Institution section   |

3.2.7 Organization by “Party — Person” class

Table 8 — Class: Party — Person (involved in a transaction)

| Row | Class          | Sub-class         | Data element name                                  | Description   | Examples  | Synonyms  |
|-----|----------------|-------------------|--|---|---|---|
| 01  | Party — Person | Identification    | Alternative identity information                   | Group of data elements presented to a system as an alternative identification of an individual  |   | Alternative user identity information               |
| 02  | Party — Person | Identification    | Person's affiliation                               | Name of the system that has registered a unique number or code to identify an individual  |   | User affiliation, User's affiliation                |
| 03  | Party — Person | Identification    | Service point                                      | Code or phrase representing a location within or outside a library from which a user borrows library material                                     |   | Reservation collection location, User service point |
| 04  | Party — Person | Identification    | Signature  | Name, written in a person's own hand, often serving to indicate a person's accord   | Authorizing officer's signature, Originator's signature | Client signature                                    |
| 05  | Party — Person | Identification    | User's home library                                | Code or phrase representing a library at which a user is registered for borrowing and other privileges  |   |   |
| 06  | Party — Person | Identification    | User's home location or branch                     | Code or phrase representing a location within a library at which a user is registered for borrowing and other privileges                          |   |   |
| 07  | Party — Person | Identity document | Administrative authority issuing identity document | Government or other administrative authority issuing an identity document   |   |   |
| 08  | Party — Person | Identity document | Date/time identity document commences              | Date and time on which an individual's identity document becomes valid  |   |   |
| 09  | Party — Person | Identity document | Date/time identity document expires                | Date and time after which an individual's identity document will cease to be valid  |   |   |
| 10  | Party — Person | Identity document | Identity document                                  | Group of data elements describing a document, licence or card used to identify an individual, issued by a government or other administrative body |   |   |
| 11  | Party — Person | Identity document | Identity document number                           | Unique number or character string assigned by an administrative authority to identify an individual   |   |   |

Table 8 (continued)

| Row | Class          | Sub-Class                | Data element name                                 | Description   | Examples   | Synonyms   |
|-----|----------------|--------------------------|---|---|--|--|
| 12  | Party — Person | Identity document        | Other information related to an identity document | Information related to an identity document which clarifies the relationship of an individual to an administrative body issuing identification  | Academic affiliation, Military service and rank, Visa information                        |  |
| 13  | Party — Person | Identity document        | Type of identity document                         | Code or phrase indicating a document, licence or card used to identify an individual  |  | Identifier type  |
| 14  | Party — Person | Organization information | Date/time project or certificate commences        | Date and time an individual user commenced work on a project or certificate   |  |  |
| 15  | Party — Person | Organization information | Date/time project or certificate completes        | Date and time of expected completion of a project or an academic certificate, including degree, diploma and certificate   |  |  |
| 16  | Party — Person | Organization information | Organizational information                        | Phrase that provides information about a section of an organization with which a person is associated   |  | Additional general organization information, Department/school |
| 17  | Party — Person | Organization information | Person's activity                                 | Word, code or phrase that indicates a particular task being undertaken by an individual, either individually or as part of a group  | AIDS (Acquired Immunodeficiency Syndrome) research team; Ph.D. in Physics                | Course name number, User's activity                            |
| 18  | Party — Person | Organization information | Title in organization                             | Phrase defining a person's role and function within an organization   | Managing director, President, Professor, Research associate, Student, Visiting professor | User's title in organization                                   |
| 19  | Party — Person | Personal information     | Additional descriptive personal information       | Phrase containing information, defined by a local system, concerning an individual's relationship to that system  | Client other affiliation   | Miscellaneous user note, User note                             |
| 20  | Party — Person | Personal information     | Date of birth                                     | Day, month and year when an individual was born   |  |  |
| 21  | Party — Person | Personal information     | Language  | Code indicating the language in which an individual prefers to communicate  |  | Client contact language, User language                         |
| 22  | Party — Person | Personal information     | Minor flag  | Code indicating that an individual's age is lower than that of an adult and as a consequence another person, usually a parent, is responsible for his or her loans and financial transactions |  |  |
| 23  | Party — Person | Personal information     | Preferred contact mode                            | Code or phrase that indicates the means of communication preferred by an individual   |  | Client contact mode  |

Table 8 (continued)

| Row | Class          | Sub-Class            | Data element name                 | Description  | Examples                        | Synonyms   |
|-----|----------------|----------------------|-----------------------------------|--|---------------------------------|--|
| 24  | Party — Person | Personal information | Privacy information               | Group of data elements to protect the confidentiality of personal information  |                                 | User privacy information   |
| 25  | Party — Person | Personal information | Related personal user information | Group of data elements identifying another individual or user related to a user  |                                 |  |
| 26  | Party — Person | Personal information | Sex                               | Code indicating the gender of an individual  |                                 |  |
| 27  | Party — Person | Personal information | Type of alternative information   | Code or phrase that defines the nature of alternative personal information   | Maiden name, Pseudonym or alias |  |
| 28  | Party — Person | Personal name        | Given name                        | Simple, double or compound name that distinguishes an individual within a family carrying a common name  |                                 | Client given name, User given name, Christian name   |
| 29  | Party — Person | Personal name        | Initials                          | First letter of each component of a person's given name that distinguish an individual within a family carrying a common surname   |                                 | Client initials  |
| 30  | Party — Person | Personal name        | Numeric qualifier                 | Numeric element, either Arabic, Roman or other numeric type, that in conjunction with surname and given names, forms an integral part of a name, serving to identify an individual |                                 |  |
| 31  | Party — Person | Personal name        | Personal name                     | Group of data elements comprising the full name of an individual   |                                 | Client name, Name information, Personal name information, Structured personal user name, User's name |
| 32  | Party — Person | Personal name        | Personal name unstructured        | Text string giving the name of an individual without the elements being delimited  |                                 | Unstructured personal name, Unstructured personal user name  |
| 33  | Party — Person | Personal name        | Prefix                            | Text string, placed before other personal name elements, that serves to clarify an individual's identity, but does not form an integral part of a name                             |                                 | Client prefix  |
| 34  | Party — Person | Personal name        | Suffix                            | Text string placed on the end of a personal name that serves to clarify an individual's identity but does not form an integral part of a name                                      |                                 | Client suffix  |



Table 8 (continued)

| Row | Class          | Sub-Class       | Data element name                    | Description   | Examples  | Synonyms                     |
|-----|----------------|-----------------|--------------------------------------|---|---|------------------------------|
| 35  | Party — Person | Personal name   | Surname                              | Family name of an individual  |   | Client surname, User surname |
| 36  | Party — Person | Personal status | Date/time of user booking status     | Date and time on which a user's booking privileges last changed                               |   |                              |
| 37  | Party — Person | Personal status | Date/time of user loan status        | Date and time on which a user's loan privileges last changed                                  |   |                              |
| 38  | Party — Person | Personal status | Date/time of user reservation status | Date and time on which a user's reservation privileges last changed                           |   |                              |
| 39  | Party — Person | Personal status | Date/time of user's last activity    | Date of last transaction initiated by an individual   | Copy returned, Fee paid, Last loan, Reservation placed, Resource accessed |                              |
| 40  | Party — Person | Personal status | Fees outstanding                     | Total of all fees and fines owed by an individual to an institution                           |   |                              |
| 41  | Party — Person | Personal status | Party status note                    | Free text note that qualifies or explains the current status of a user                        | Borrower status note  |                              |
| 42  | Party — Person | Personal status | User booking status                  | Code or phrase that may indicate a modification to a user's normal booking privileges         |   |                              |
| 43  | Party — Person | Personal status | User loan status                     | Code or phrase that may indicate a modification to a user's borrowing and other privileges    | User: block or trap   | Client status, User status   |
| 44  | Party — Person | Personal status | User reservation status              | Code or phrase that may indicate a modification to a user's normal reservation privileges     |   |                              |
| 45  | Party — Person | Profile         | Profile starting date and time       | Date and time a set of preferences or privileges is activated for an individual by a system   |   |                              |
| 46  | Party — person | Profile         | Profile termination date and time    | Date and time a set of preferences or privileges is deactivated for an individual by a system |   |                              |
| 47  | Party — Person | Profile         | User profile                         | Data identifying various personal preferences and privileges                                  | Access privileges, Billing information, User's equipment                  |                              |

3.2.8 Organization by “Request” class

Table 9 — Class: Request

| Row | Class   | Sub-class     | Data element name                   | Description   | Examples  | Synonyms  |
|-----|---------|---------------|-------------------------------------|---|---|---|
| 01  | Request | Authorization | Copyright declaration               | Agreement by a user to respect the terms of copyright in relation to copying or receiving a copy of a requested resource            |   | Copyright compliance,<br>Copyright declaration<br>statement |
| 02  | Request | Authorization | Copyright declaration date and time | Date and time on which a copyright declaration statement was signed by an individual  |   |   |
| 03  | Request | Authorization | Loan authorization                  | Statement that a loan has been approved   |   |   |
| 04  | Request | Cancellation  | Confirm cancellation request        | Requester's instruction that a supplier confirm the cancellation of a specific purchase order                                       |   |   |
| 05  | Request | Cancellation  | Date/time of cancellation           | Date and time on which a request is cancelled, including purchase request, return request and credit request                        |   | Cancel date   |
| 06  | Request | Cancellation  | Number of items cancelled           | Word or code used to indicate whether or not a cancellation request applies to the entire contents of a request                     |   | Cancel quantity   |
| 07  | Request | Cancellation  | Reason for cancel                   | Requester's explanation for wanting to cancel a request   |   |   |
| 08  | Request | Cancellation  | Reason for return                   | Requester's explanation for wanting to return a requested item  | Arrived too late, Damaged,<br>Order cancelled, Order<br>duplicated, Overstock, Wrong<br>binding, Wrong title ordered,<br>Wrong title sent |   |
| 09  | Request | Claim         | Claim number                        | Indicates the number of previous claims to a supplier or reminders to a borrower for a requested copy of a resource or copy on loan |   | Claim history, Overdue notice<br>number, Reminder level     |
| 10  | Request | Claim         | Date/time last issue received       | Date and time on which the last issue of a serial publication was received  |   |   |
| 11  | Request | Claim         | Date/time of claim                  | Date and time on which a claim notice concerning the receipt or return of an item is sent or will be sent                           |   | Claim date, Date recalled,<br>Date/time overdue notice sent |

Table 9 (continued)

| Row | Class   | Sub-class | Data element name     | Description   | Examples  | Synonyms  |
|-----|---------|-----------|-----------------------|---|---|---|
| 12  | Request | Claim     | Notice content        | Standard text string that is used in conjunction with dynamic details to create a claim or advice notice                                      |   |   |
| 13  | Request | Claim     | Notice type           | Code or phrase indicating the context of a notice sent to a party   | Claim, Overdue, Recall, Reservation available for collection  | Notice  |
| 14  | Request | Claim     | Reason for claim      | Code or string that identifies a problem or problems resulting in a demand for rectification, usually supply or re-supply of a requested item | Damaged supply, Invoice not received, Overdue loan, Overdue supply, Request for early return of a loan                                      |   |
| 15  | Request | Claim     | Response to claim     | Notification by a supplier of the actions taken to rectify a problem with the receipt of a requested item                                     | Delay in publication, Never published, Not identified as cited, Out of print  |   |
| 16  | Request | Detail    | Acquisitions priority | Word or code indicating the degree of urgency applying to a request for an item   | Routine, Rush   | Order priority code   |
| 17  | Request | Detail    | Acquisitions type     | Word or code describing the conditions under which an item is being acquired, permanently or temporarily                                      | Approval request, Confirmation, Copy request, Deposit, Exchange, Inter-library loan (ILL), Loan, Membership, Purchase, Shipped service type | ILL service type, Order type code, Request type, Service required |
| 18  | Request | Detail    | Back order code       | Instruction as to whether an unfilled order is to be retained by the supplier for future delivery   | Back order if not yet published, Back order if out of stock, Do not back order  | Order fill terms  |
| 19  | Request | Detail    | Cataloguing quantity  | Number of a cataloguing product including records, cards and kits requested to accompany an ordered item                                      |   |   |
| 20  | Request | Detail    | Cataloguing service   | Cataloguing products requested from a supplier vendor for an ordered item, including records, cards and kits                                  |   | Cataloguing instructions  |
| 21  | Request | Detail    | Date/time ordered     | Date and time on which a request for acquisition or loan was sent   |   | Date placed, Reference date                                       |
| 22  | Request | Detail    | Date/time selected    | Date and time on which an item is selected for ordering   |   | Date of user request  |

Table 9 (continued)

| Row | Class   | Sub-class | Data element name                        | Description   | Examples                     | Synonyms                               |
|-----|---------|-----------|--|---|------------------------------|--|
| 23  | Request | Detail    | Date/time subscription renewal effective | Date and time on which a renewal of a periodical subscription becomes effective   |                              |  |
| 24  | Request | Detail    | Do not ship before date and time         | Date and time before which a shipment should not be sent  |                              | Earliest date needed                   |
| 25  | Request | Detail    | Expiry flag                              | Indication that a request may or may not have a limited validity period   |                              |  |
| 26  | Request | Detail    | ILL request type                         | Indicates the complexity of an interloan request and the method used to manage possible suppliers   | Chained, Partitioned, Simple | Service request type, Transaction type |
| 27  | Request | Detail    | Invoicing instructions                   | Code or text indicating requirements for separate or combined invoices for a requested item or group of items   |                              |  |
| 28  | Request | Detail    | Mandated action                          | Indicates that a responding application shall honour a request because the initiating application has already acted upon the update                               |                              |  |
| 29  | Request | Detail    | Multi-item indicator                     | Word or code used to indicate that a request such as an acquisitions transaction applies to more than one item  |                              |  |
| 30  | Request | Detail    | Notice of non-receipt responsibility     | Statement that a requesting institution is required to notify a supplier in case of non-receipt of a requested item within a specified time period                |                              | Notice of non-receipt                  |
| 31  | Request | Detail    | Number of copies requested               | Indication of quantity requested of a particular requested item   |                              | Quantity ordered                       |
| 32  | Request | Detail    | Order line number                        | Sequential number pertaining to an item in a multi-item document or message   |                              | Item number, Subline number            |
| 33  | Request | Detail    | Place reservation                        | Indication in a loan or copy request that a requestor wishes a reservation to be made if a resource or particular copy of a resource is not immediately available |                              | Place on hold                          |
| 34  | Request | Detail    | Purchase authorization                   | Statement or other indication that a purchase request has been validated  |                              | Approved by                            |

Table 9 (continued)

| Row | Class   | Sub-class  | Data element name                   | Description   | Examples   | Synonyms  |
|-----|---------|------------|-------------------------------------|---|--|---|
| 35  | Request | Detail     | Request conditions                  | Restrictions and prerequisites necessary for the fulfillment of a request   |  |   |
| 36  | Request | Detail     | Resource available in system        | Indication as to whether a resource suggested for acquisition is already available within a library   |  | Item available in system  |
| 37  | Request | Detail     | Resource desired in response        | Indicates that a requester desires an electronic resource be transmitted as part of a request response                                      |  | Resource desired  |
| 38  | Request | Detail     | Resource identification instruction | Instruction to a supplier to identify a requested resource by specific data elements, such as identification number, author and title       |  | Item identification instruction   |
| 39  | Request | Detail     | Respond within                      | Word, code or phrase that indicates a time period, usually a number of days since the date of a request within which a response is required |  | Desired due date, Need before date, Response time   |
| 40  | Request | Detail     | Search effort                       | Specification of the effort to be made in obtaining a requested resource  |  | Search type   |
| 41  | Request | Detail     | Substitute option                   | Indication that another resource may or may not be substituted for a requested resource   | Binding substitution, Different binding, Different edition                     | This edition only   |
| 42  | Request | Detail     | Type of reproduction                | Physical form in which a requested copy is to be produced   | Microform negative, Microform positive, Photocopy negative, Photocopy positive |   |
| 43  | Request | Identifier | Request identifier                  | Code, number or string that uniquely identifies a request   | Local request number, Reference number, Standard request number                | Correspondence reference, Order number, Request identifier value, Request number, Unique request id |
| 44  | Request | Loan       | Date/time of renewal                | Date and time on which a copy on loan was renewed for a further loan period   |  | Date renewed  |
| 45  | Request | Loan       | Date/time of return                 | Date and time on which a copy was returned from loan to a library location  |  | Date reported returned, Date returned   |
| 46  | Request | Loan       | Renewal number                      | Number representing the number of times the time period of a loan has been extended   |  | Renewal count   |
| 47  | Request | Locations  | Possible locations                  | List of institutions that may possess a requested resource  |  | Locations results, Possible suppliers, Send-to list   |

Table 9 (continued)

| Row | Class   | Sub-class | Data element name                        | Description  | Examples  | Synonyms  |
|-----|---------|-----------|--|--|---|---|
| 48  | Request | Locations | Possible locations — Already-trying list | Indication of possible sources that have already been approached and are not able to fulfill a request at a certain point in time              |   | Already-trying list   |
| 49  | Request | Locations | Preferred supplier                       | Indicates a preference from a list of potential supply sources   |   | Preference  |
| 50  | Request | Locations | Sources checked                          | Listing of bibliographic sources, including union catalogues, that have been searched in attempting to identify or locate a requested resource |   | Catalogues searched   |
| 51  | Request | Reply     | Conditions of use                        | Specification of restrictions imposed on the supply or use of a copy at the time of a request  | May not be photocopied, No restriction, Prepayment, Renewable, Renewal not permitted, Reproduction restrictions, Use in air conditioned room only, Use in rare book room only, Use outside library building not permitted | Acknowledged item use restriction type, Availability, Conditions, Item use restriction type, Required item use restriction type, Shipped conditions |
| 52  | Request | Reply     | Date/time due                            | Date and time on which a copy is to be returned to the library or lending institution  | Desired date for return, Desired due date, Location: valid to date  | Date due, Date for return, Due date   |
| 53  | Request | Reply     | Date/time of earliest recall             | Date and time before which it is not possible to recall a copy that is on loan   |   |   |
| 54  | Request | Reply     | Date/time of loan                        | Date and time on which a copy was lent to a user   |   | Date checked out  |
| 55  | Request | Reply     | Date/time resource available             | Date and time on which a resource will be ready for delivery or access   | Consumer on sale data   | Date available, Date/time item available, Date to send, Date will send, Earliest despatch date, Estimated date available, Expected ship date        |
| 56  | Request | Reply     | Reapplication date and time              | Date when a request should be resubmitted  |   |   |

Table 9 (continued)

| Row | Class   | Sub-class               | Data element name                        | Description   | Examples  | Synonyms                      |
|-----|---------|-------------------------|--|---|---|-------------------------------|
| 57  | Request | Reply                   | Reason unfulfilled                       | Explanation given for the permanent or temporary inability to fulfill a request   | Copyright compliance lacking, Cost exceeds limit, In process, In use, Lost, Non-circulating, Not on shelf, Not owned, Not yet published, Out of print, Reason will supply           |                               |
| 58  | Request | Reply                   | Referral forwarded date and time         | Date and time when a request was forwarded to another potential supplier  |   |                               |
| 59  | Request | Reply                   | Reservation made                         | Indication that a reservation or hold has been placed for a requested resource that is temporarily unavailable                        |   | Hold placed results           |
| 60  | Request | Reply                   | Retry results                            | Indication of temporary unavailability of a requested copy of a resource or temporary inability to supply as requested                | At bindery, Cost exceeds limit, In process, In use, Lacks copyright compliance, Not found as cited, On hold, On loan, On order, Prepayment required, Volume issue not yet available |                               |
| 61  | Request | Reply                   | Transaction results                      | Reason or reasons given for not immediately fulfilling a request  | Conditional, Estimate, Hold placed, Locations provided, Retry, Unfilled, Will supply  |                               |
| 62  | Request | Reservation and booking | Booking location                         | Location within a library where a user has booked a particular copy of a resource for a particular time period                        | Reserve book room, Video branch library   |                               |
| 63  | Request | Reservation and booking | Date/time booking ends                   | Date and time on which a fixed time period reservation for a particular copy of a resource finishes for a particular user             |   |                               |
| 64  | Request | Reservation and booking | Date/time booking starts                 | Date and time on which a user is scheduled to collect a copy of a resource reserved for a specific time period                        |   |                               |
| 65  | Request | Reservation and booking | Date/time of reservation collection      | Date and time on which a user is scheduled to collect or has collected a reserved copy  |   | Hold pickup date, Pickup date |
| 66  | Request | Reservation and booking | Date/time reservation advice notice sent | Date and time on which a notice indicating availability of a requested resource or a particular copy of a resource was sent to a user |   |                               |

**Table 9 (continued)**

| Row | Class   | Sub-class               | Data element name                   | Description  | Examples | Synonyms   |
|-----|---------|-------------------------|-------------------------------------|--|----------|--|
| 67  | Request | Reservation and booking | Date/time reservation expires       | Date and time after which a user no longer wishes to reserve a resource or a particular copy of a resource   |          | Block or trap valid to date, Expiry date, Need before date, Pickup expiry date |
| 68  | Request | Reservation and booking | Date/time reservation required      | Earliest date and time on which a user wishes a reservation to become effective  |          | Block or trap valid from date  |
| 69  | Request | Reservation and booking | Requested resources count           | Total number of resources on request for a person  |          | Requested copies count, Requested items count, Requested items count value     |
| 70  | Request | Reservation and booking | Reservation advice notice required  | Code that indicates whether or not a user requires an advice notice to be sent when a reserved resource or a particular copy of a resource becomes available |          |  |
| 71  | Request | Reservation and booking | Reservation and booking information | Group of data elements concerning reservations on resources and copies within a library collection and bookings for specific time periods                    |          |  |
| 72  | Request | Reservation and booking | Reservation queue length            | Count of the number of people in a reservation queue for a particular resource or a particular copy of a resource  |          | Hold queue length  |
| 73  | Request | Reservation and booking | Reservation queue position          | Position of an individual in a reservation queue for a particular resource or a particular copy of a resource  |          | Hold queue position  |
| 74  | Request | Reservation and booking | Reservation status                  | Indication of progress of a request to supply a particular resource or a particular copy of a resource   |          |  |
| 75  | Request | Reservation and booking | Reservation target location         | Name of a location within an institution holding a resource or several resources that can fulfill an individual's reservation request                        |          |  |
| 76  | Request | Reservation and booking | Reservation type                    | Code or phrase that indicates the scope of a reservation, defining a group of resources and their copies to which a reservation applies                      |          | Block or trap type, Request scope type   |
| 77  | Request | Shipping and packing    | Bin number                          | Text string identifying a temporary storage location used during the transfer process of a physical piece  |          |  |



Table 9 (continued)

| Row | Class   | Sub-class            | Data element name              | Description   | Examples            | Synonyms   |
|-----|---------|----------------------|--------------------------------|---|---------------------|--|
| 78  | Request | Shipping and packing | Routing destination            | Location or temporary bin number to which a physical piece is being transferred                                       |                     | Destination  |
| 79  | Request | Shipping and packing | Routing information            | Group of data elements identifying the intended location of a requested physical piece and the means of getting there |                     |  |
| 80  | Request | Shipping and packing | Routing instructions           | Text string giving particulars about the transfer of a physical piece to an intended location                         |                     |  |
| 81  | Request | Shipping and packing | Shipping instructions          | Information in a request specifying shipment preferences such as the preferred carrier and packaging requirements     | Airmail instruction |  |
| 82  | Request | Status               | Acquisitions number            | Identifier of an item in all documents or messages associated with the acquisition of that item                       |                     |  |
| 83  | Request | Status               | Date/time acquisitions status  | Latest date and time of update of the request and receipt status of an item   |                     |  |
| 84  | Request | Status               | Date/time of status response   | Date and time on which a status response is sent  |                     |  |
| 85  | Request | Status               | Number of items outstanding    | Quantity of an ordered item that has not yet been despatched by a supplier and has been back ordered                  |                     |  |
| 86  | Request | Supply               | Combined shipment              | Number of orders represented in a single shipment on a single invoice   |                     |  |
| 87  | Request | Supply               | Damaged on receipt             | Indication that a requested item has been received in a damaged state or with a part or parts missing                 |                     | Damaged details  |
| 88  | Request | Supply               | Date/time item received        | Date and time on which the delivery of a requested item was accepted  |                     | Date checked in, Date received, Date shipment received   |
| 89  | Request | Supply               | Date/time item sent or shipped | Date and time when a requested item was sent to a requester   |                     | Date sent, Date shipped, Ship notice date, Shipping date |
| 90  | Request | Supply               | Date/time replacement sent     | Date and time on which a replacement for a missing or damaged item was sent   |                     |  |

Table 9 (continued)

| Row | Class   | Sub-class | Data element name                 | Description  | Examples  | Synonyms  |
|-----|---------|-----------|-----------------------------------|--|---|---|
| 91  | Request | Supply    | Electronic resource provided flag | Indicates that an electronic resource has been transmitted as part of a request response                                       |   |   |
| 92  | Request | Supply    | Free on board (FOB)               | Location from which shipping charges are computed  |   |   |
| 93  | Request | Supply    | Invoice location                  | Indication of where an invoice slip or slips can be found with a shipment  | Enclosed, Mailed under separate cover, Outside of package   |   |
| 94  | Request | Supply    | Loan period                       | Period of time expressed in hours, days, weeks or months designated for a loan   |   |   |
| 95  | Request | Supply    | Number of cartons                 | Total number of packages used in a single shipment   |   | Number of packages  |
| 96  | Request | Supply    | Number of items delivered to date | Quantity of a requested item despatched by a supplier on or before a given date  |   |   |
| 97  | Request | Supply    | Reason for supply                 | Code or phrase given with the supply of bibliographic or authority records, indicating the action that caused the supply       | Accompanying a diagnostic message, Record changed, Response to online request, Response to persistent query | Record type   |
| 98  | Request | Supply    | Reproduction policy               | Phrase or code that indicates whether or not a resource or a particular copy of a resource may be reproduced for supply        | Will not reproduce, Will reproduce  |   |
| 99  | Request | Supply    | Request status                    | Code indicating the receipt status of an ordered item  | Completed, Currently received (serial), Not currently received (serial), On order                           | Acquisitions status, Order line status, Order status, Request status type, Status |
| 100 | Request | Supply    | Return instructions               | Instructions by a lending institution regarding the means and methods by which a requested item should be returned             |   |   |
| 101 | Request | Supply    | Re-use package                    | Instruction from a lending institution that the same packaging is to be used to return a requested item as was used to send it |   |   |
| 102 | Request | Supply    | Shipping note                     | Information pertaining to the shipment of an item such as carrier and packaging  |   |   |
| 103 | Request | Supply    | Shipping reference                | Identifier assigned by a supplier or carrier to assist in tracking of a parcel or shipment of parcels                          |   |   |

Table 9 (continued)

| Row | Class   | Sub-class               | Data element name                    | Description  | Examples   | Synonyms  |
|-----|---------|-------------------------|--------------------------------------|--|--|---|
| 104 | Request | Supply                  | Substitute item                      | Group of data elements describing an item that has been supplied instead of a requested item, including identification, description, pricing detail and delivery information           |  |   |
| 105 | Request | Supply                  | Total titles                         | Total number of distinct bibliographic resources relating to a transaction, such as an invoice, purchase order or shipment note  |  | Number of lines   |
| 106 | Request | Supply                  | Total units                          | Total number of physical units relating to a transaction such as an invoice, purchase order or shipment  |  | Chargeable units, Units shipped   |
| 107 | Request | Supply                  | Total weight                         | Total weight of a single shipment  |  |   |
| 108 | Request | Supply                  | Transportation mode                  | Means of delivering a requested item or items  | Air cargo, Airmail, Book rate, Express, Hold for pickup, Parcel post, Ship best method | Physical delivery, Returned via   |
| 109 | Request | Third party information | Permission to chain                  | Indicates that a request may be referred and then subsequently referred again without needing to notify the requester  |  |   |
| 110 | Request | Third party information | Permission to change send to list    | Indicates that a list of preferred sources may be changed by deleting existing or adding new sources   |  |   |
| 111 | Request | Third party information | Permission to forward                | Indicates that a request may be referred to an institution other than that which received the request  |  |   |
| 112 | Request | Third party information | Permission to partition              | Indicates that it is possible to split a request and send the parts to two or more institutions  |  |   |
| 113 | Request | Third party information | Third party info type                | Information concerning the role and rights of intermediaries in transactions where more than two parties are involved  |  |   |
| 114 | Request | Verification            | Degree of bibliographic verification | Indication of the accuracy of data elements used to identify a resource, including discrepancies between its description in the request and its description in the verification source |  |   |
| 115 | Request | Verification            | Verification source                  | Authoritative source of bibliographic information used to identify or locate a resource  |  | Bibliographic verification, Reference source, Verification reference source |

3.2.9 Organization by “Resource” class

Table 10 — Class: Resource

| Row | Class    | Sub-class                         | Data element name                 | Description   | Examples   | Synonyms                         |
|-----|----------|-----------------------------------|-----------------------------------|---|--|----------------------------------|
| 01  | Resource | Additional data retrieval element | Abstract or description           | Textual description of the content of a bibliographic resource  |  |                                  |
| 02  | Resource | Additional data retrieval element | Additional data retrieval element | Group of data elements which is added to a bibliographic or metadata record to facilitate the retrieval of a bibliographic resource         |  |                                  |
| 03  | Resource | Additional data retrieval element | Classification                    | Structured data string applied to a bibliographic resource that indicates the subject of a resource and sequences it with similar resources | Bliss Classification, Dewey Decimal Classification (DDC), Library of Congress Classification, Universal Decimal Classification (UDC) | Classification scheme identifier |
| 04  | Resource | Additional data retrieval element | Edition of classification scheme  | Identification of the edition of the classification scheme from which a classification number was taken                                     |  |                                  |
| 05  | Resource | Additional data retrieval element | Keyword                           | Word extracted from descriptive metadata or assigned to assist in the retrieval of a bibliographic resource                                 |  |                                  |
| 06  | Resource | Additional data retrieval element | Subject                           | Phrase indicating the topic of a bibliographic resource   |  |                                  |
| 07  | Resource | Additional data retrieval element | Subject retrieval code            | Code that describes an attribute of the subject of a bibliographic resource, designed to facilitate the retrieval of the resource           | Geographic area code, Historical period code   |                                  |
| 08  | Resource | Bibliographic description         | Accompanying material             | Description of other material associated with a resource  |  |                                  |
| 09  | Resource | Bibliographic description         | Author or creator                 | Person or organization primarily responsible for creating the intellectual content of a bibliographic resource                              | Article author, Author of article, Author of component   | Author                           |
| 10  | Resource | Bibliographic description         | Bibliographic note                | Word or phrase providing additional information about a bibliographic resource  | Binding note, Reproduction note  | Supplemental item description    |

Table 10 (continued)

| Row | Class    | Sub-class                 | Data element name               | Description  | Examples   | Synonyms   |
|-----|----------|---------------------------|---------------------------------|--|--|--|
| 11  | Resource | Bibliographic description | Dissertation level              | Signification of merit given by an institution to an original intellectual work  |  | Level  |
| 12  | Resource | Bibliographic description | Dissertation thesis information | Group of data elements providing information on a document recording original intellectual work pertaining to the environment in which a work was created                    |  |  |
| 13  | Resource | Bibliographic description | Edition                         | Identifier of a group of copies of a resource produced from one master copy or produced with substantially the same type image and having the same content                   |  | Edition statement  |
| 14  | Resource | Bibliographic description | Form of contents                | Code or phrase that describes the nature or genre of the contents or part of the contents of a bibliographic resource  | Abstract or summary, Bibliography, Catalogue, Dictionary, Directory, Dissertation, Encyclopaedia, Index, Patent, Technical report  | Document type, Resource type   |
| 15  | Resource | Bibliographic description | Form (technical specifications) | Physical or digital characteristics of a manifestation of a bibliographic resource, often constraining its use or indicating software that can read and display the resource | Computer media, Diskette format, Film gauge, JPEG (Joint Photographic Experts Group), Microcomputer software version, MPEG (Motion Picture Experts Group), PDF (Portable Document Format), Reduction ratio of microfilm, Size of computer disk or cassette | Document type, Electronic data format type, Electronic resource, Form of item, Format of item (technical specifications), Held medium type, Medium type, Requested material format, Supply medium type |
| 16  | Resource | Bibliographic description | Frequency                       | Interval between the publication date of two issues of a serial resource   | Annually, Biennially, Bi-monthly, Bi-weekly, Daily, Irregularly, Monthly, Quarterly, Semi-annually, Semi-monthly, Semi-weekly, Three times a year, Triennial, Weekly   |  |
| 17  | Resource | Bibliographic description | Issue identification            | Group of data elements intended to identify a unit of a resource that is published in parts and identify the relationship of the part to the whole resource                  |  |  |

Table 10 (continued)

| Row | Class    | Sub-class                 | Data element name    | Description   | Examples  | Synonyms                              |
|-----|----------|---------------------------|----------------------|---|---|---------------------------------------|
| 18  | Resource | Bibliographic description | Language of resource | Code or word indicating the language of the intellectual content of a resource  |   | Language, Requested material language |
| 19  | Resource | Bibliographic description | Number of volumes    | Number of physical volumes, including fiche, reels, records, boxes and kits comprising a resource   |   |                                       |
| 20  | Resource | Bibliographic description | Other contributor    | Person or organization, not specified as a creator, who has made a significant intellectual contribution to a bibliographic resource but whose contribution is secondary                    | Editor, Illustrator, Transcriber, Translator  |                                       |
| 21  | Resource | Bibliographic description | Pagination           | Numbering of the pages of a resource  |   |                                       |
| 22  | Resource | Bibliographic description | Place of publication | Geographical location of a publisher or manufacturer  |   | City of publication                   |
| 23  | Resource | Bibliographic description | Publisher            | Organization responsible for making a bibliographic resource available  |   | Publisher name                        |
| 24  | Resource | Bibliographic description | Record content type  | Word or code identifying the content of a bibliographic resource  | Cartographic material, Computer media, Multimedia, Music score, Projected and video material, Sound recording (musical), Sound recording (non-musical), Text, Three-dimensional artefacts and realia, Two-dimensional graphic | Product form                          |
| 25  | Resource | Bibliographic description | Resource coverage    | Statement of the extent or scope of the content of a bibliographic resource   |   |                                       |
| 26  | Resource | Bibliographic description | Resource source      | Reference to a bibliographic resource from which the present bibliographic resource is derived  |   |                                       |
| 27  | Resource | Bibliographic description | Series               | Name given to a number of separate publications related to one another by the fact that each bears a collective title applying to the group or subgroup as a whole as well as its own title |   | Series title, Series title number     |

Table 10 (continued)

| Row | Class    | Sub-class                 | Data element name                     | Description   | Examples  | Synonyms   |
|-----|----------|---------------------------|---------------------------------------|---|---|--|
| 28  | Resource | Bibliographic description | Size of resource                      | Physical dimensions of a resource   |   | Size code, Size of item                                  |
| 29  | Resource | Bibliographic description | Sponsoring body                       | Organization that issued a resource or provided assistance in the publication or diffusion of a resource  |   |  |
| 30  | Resource | Bibliographic description | Title                                 | Name given to a bibliographic resource  | Article title, Key title, Parallel title, Principal title, Title of article, Title of component, Uniform title                      |  |
| 31  | Resource | Bibliographic information | Bibliographic description             | Set of bibliographic data recording and identifying a resource  |   | Item description, Item information, Resource description |
| 32  | Resource | Bibliographic information | Bibliographic encoding level          | Code or phrase that indicates the completeness and quality of the cataloguing content of a bibliographic record   | Level 1 ( item not examined),<br>Level 2 [pre-publication (CIP)],<br>Level 3 (less than complete),<br>Not CIP (copy in publication) |  |
| 33  | Resource | Bibliographic information | Bibliographic information             | Group of data elements comprising information specific to a bibliographic record  |   |  |
| 34  | Resource | Bibliographic information | Bibliographic level                   | Word or code used to characterize the publication level of a resource   | Analytic or component part,<br>Collection, Integrating resource, Monograph, Serial  |  |
| 35  | Resource | Bibliographic information | Date/time of creation                 | Date and time when a resource is made   |   |  |
| 36  | Resource | Bibliographic information | Date/time of publication              | Date and time when a bibliographic resource is made available   | Article publication date,<br>Publication date of component  | Date, Publication date, Year, Year of publication        |
| 37  | Resource | Bibliographic information | Non-descriptive bibliographic element | Group of data elements identifying coded, retrieval, note and other information parts of a bibliographic record that do not describe the bibliographic resource |   |  |
| 38  | Resource | Bibliographic information | Resource supply factors               | Group of data elements estimating the ease of locating and obtaining a copy of a particular bibliographic resource  | Copyright status, In print status, Rareness   |  |

Table 10 (continued)

| Row | Class    | Sub-class  | Data element name      | Description   | Examples   | Synonyms        |
|-----|----------|------------|------------------------|---|--|-----------------|
| 39  | Resource | Collection | Collection             | Group of data elements that describe and define a group of resources and their associated copies within an institution's bibliographic resources                    |  |                 |
| 40  | Resource | Collection | Collection code        | Code or text string that identifies an attribute of a collection  |  |                 |
| 41  | Resource | Collection | Collection description | Description of a property or properties that are common to all copies of a collection   |  |                 |
| 42  | Resource | Collection | Collection profile     | Group of data elements describing and differentiating a collection, including location and material type attributes   |  |                 |
| 43  | Resource | Collection | Completeness           | Code or phrase indicating the level of holdings of a copy set ranging from complete to signalling gaps or substantial gaps  | Complete, Incomplete, Very incomplete or scattered   |                 |
| 44  | Resource | Collection | Locations count        | Count of the number of physical locations having one or more copies of a bibliographic resource   |  |                 |
| 45  | Resource | Collection | On order count         | Count of the number of physical or digital copies ordered and awaiting receipt, or received and not yet processed   |  |                 |
| 46  | Resource | Collection | Retention policy       | Code or phrase that indicates the extent to which individual issues of a serial or multi-part resource are retained and the time period for which they are retained | Not retained, Permanently retained, Retained except where updated, Retained for a limited period, Retained until replaced by cumulation, Retained until replaced by microform, Sample issue retained | Disposal policy |
| 47  | Resource | Collection | Total acquired         | Number of copies of a resource or group of resources that were acquired by purchase or other means in a given time period   |  |                 |
| 48  | Resource | Collection | Total collection count | Number of copies of a resource or group of resources that are included in a collection  |  |                 |



Table 10 (continued)

| Row | Class    | Sub-class  | Data element name          | Description   | Examples      | Synonyms   |
|-----|----------|------------|----------------------------|---|---------------|--|
| 49  | Resource | Collection | Total copies count         | Number of copies of a resource or group of resources that were owned, rented or accessible by an institution in a given time period   |               | Copies count, Number of units, Total copies held |
| 50  | Resource | Collection | Total discarded            | Number of copies of a resource or group of resources that were discarded from a collection in a given time period   |               |  |
| 51  | Resource | Collection | Total ordered              | Number of copies requested for acquisition in a given time period   |               |  |
| 52  | Resource | Component  | Alternative numbering      | Code indicating that an enumeration and chronology is a secondary or parallel sequence  |               |  |
| 53  | Resource | Component  | Chronology                 | Phrase expressing a time period identifying a unit of a resource which is published in parts and identifying the relationship of the part to the whole resource                                       |               | Chronology value                                 |
| 54  | Resource | Component  | Chronology caption         | Label describing the contents and level of a chronological element  |               |  |
| 55  | Resource | Component  | Chronology level           | Number indicating the hierarchical sequence of a chronological element in relation to other similar elements in an enumeration and chronology group with the broadest element having the lowest level |               |  |
| 56  | Resource | Component  | Component                  | Unique bibliographic part of a set, such as a volume of a serial or multi-volume work   |               |  |
| 57  | Resource | Component  | Enumeration                | Number, letter or word identifying a unit of a resource that is published in parts and identifying the relationship of the part to the whole resource   | Issue, Volume | Enumeration value, Volume or part                |
| 58  | Resource | Component  | Enumeration and chronology | Group of data elements identifying a unit of a resource that is published in parts  |               | Volume issue                                     |
| 59  | Resource | Component  | Enumeration caption        | Label describing the contents and level of an enumeration element   |               |  |

**Table 10** (continued)

| Row | Class    | Sub-class  | Data element name     | Description  | Examples  | Synonyms  |
|-----|----------|------------|-----------------------|--|---|---|
| 60  | Resource | Component  | Enumeration level     | Number indicating the hierarchical sequence of an enumeration element in relation to other similar elements in an enumeration and chronology group with the broadest element having the lowest level |   |   |
| 61  | Resource | Component  | Unit type             | Code or phrase qualifying enumeration and chronology to indicate the type of the part being enumerated   | Basic, Index, Supplement  |   |
| 62  | Resource | Identifier | Issue identifier      | Number or phrase uniquely identifying a unit of a resource that is published in parts  | SACI (Serial Article Contribution Identifier)   |   |
| 63  | Resource | Identifier | Part detail           | Text string identifying a resource in relation to its parent resource  |   |   |
| 64  | Resource | Identifier | Reference to resource | Information in the form of an electronic address that points to an electronic resource or group of resources   | OpenURL, URI (Uniform Resource Identifier; either URL or URN), URL (Uniform Resource Locator) | Base URL (Uniform Resource Locator)                           |
| 65  | Resource | Identifier | Resource identifier   | Unique identifier of a bibliographic resource or its metadata record   | Component identifier, International standard number, National bibliographic number            | Bib number, Bibliographic item identifier, Product identifier |

**Table 10** (continued)

| Row | Class    | Sub-class         | Data element name         | Description  | Examples   | Synonyms  |
|-----|----------|-------------------|---------------------------|--|--|---|
| 66  | Resource | Identifier        | Resource identifier code  | Code or phrase used to identify the numbering system or type of retrieval data of a resource identifier                                    | British National Bibliography number (BNB), Component identifier type, DOI (Digital Object Identifier), International standard numbering code, International standard numbering code name, ISBN (ISO 2108), ISMN (ISO 10957), ISRC (ISO 3901), ISSN (ISO 3297), ISTD (ISO 21047), National bibliographic authority, PURL, Report document number, Unique bibliographic id, URI (Uniform Resource Identifier; either URL or URN), URL (Uniform Resource Locator), URN (Uniform Resource Name) | Bibliographic item identifier code, Type of number                  |
| 67  | Resource | Identifier        | Supplemental identifier   | Phrase that, when combined with a resource identifier, allows unique identification of a database record or resource                       | Sub transaction qualifier  | Additional identifiers, Additional numbers/letters, Supplemental id |
| 68  | Resource | Rights management | Date/time rights commence | Date and time when entitlements or intellectual rights to a resource start   |  |   |
| 69  | Resource | Rights management | Date/time rights end      | Date and time when entitlements or intellectual rights to a resource finish  |  |   |
| 70  | Resource | Rights management | Owner of rights           | Person, organization or service possessing intellectual and/or distribution rights to a bibliographic resource                             |  |   |
| 71  | Resource | Rights management | Receiver of rights        | Person or organization entitled to access, copy, modify or delete a bibliographic resource   |  |   |
| 72  | Resource | Rights management | Rights                    | Statement of the intellectual or distribution entitlements in relation to access, copying, modifying and deleting a bibliographic resource |  | Authorization detail, Rights information type                       |

**Table 10** (*continued*)

| Row | Class    | Sub-class         | Data element name         | Description  | Examples  | Synonyms           |
|-----|----------|-------------------|---------------------------|--|---|--------------------|
| 73  | Resource | Rights management | Rights accorded by        | Identification of an individual or institution owning rights or granting rights pertaining to a particular bibliographic resource      | Author, Authorization institution, Copyright Clearance Agency, Publisher, Requester |                    |
| 74  | Resource | Rights management | Rights information detail | Code or string indicating details of an individual's right to a resource or a particular copy of a resource                            | Authorization code, Copyright declaration   |                    |
| 75  | Resource | Rights management | Rights management         | Group of data elements describing intellectual entitlements and distribution entitlements to access, copy, modify or delete a resource |   | Rights information |

3.2.10 Organization by “Search” class

Table 11 — Class: Search (including database elements)

| Row | Class  | Sub-class            | Data element name                  | Description  | Examples                  | Synonyms   |
|-----|--------|----------------------|------------------------------------|--|---------------------------|--|
| 01  | Search | Database information | Coverage                           | Set of dates, subject terms or volume designators used to indicate the scope of a database                             |                           | Description  |
| 02  | Search | Database information | Database identifier                | Unique name or code specifying a collection of one or more databases   |                           | Database name, Repository name                       |
| 03  | Search | Database information | Database producer                  | Name or code used to identify the creator of a given database  |                           |  |
| 04  | Search | Database information | Database size                      | Number of records in a database as of a specific date  |                           |  |
| 05  | Search | Database information | Earliest date stamp                | Earliest date and time that can be specified for harvesting records from a database or repository                      |                           |  |
| 06  | Search | Database information | Index entry                        | Character string that points to one or more database records   |                           | Entries, Terms                                       |
| 07  | Search | Database information | Index identifier                   | Code or phrase used to name an index to a database   |                           | Index name, Term list and start point, Use attribute |
| 08  | Search | Database information | Information service provider (ISP) | Name or code used to identify the organization that makes a database available   |                           |  |
| 09  | Search | Database information | Latest update of database          | Date and time used to indicate when new or revised information was last added to a given database                      |                           |  |
| 10  | Search | Database information | Time stamp granularity             | Degree of precision of date and time applied to records in a database or repository                                    | YYYYMMDD;<br>YYYYMMDDHHSS | Granularity  |
| 11  | Search | Query                | Boolean operator                   | Reserved term or symbol used to express logical relationships between search terms, results sets or both               | Boolean modifiers         | Boolean, Operand                                     |
| 12  | Search | Query                | Completeness attribute             | Phrase or code that specifies whether search results should match a search expression exactly or may merely contain it |                           |  |

Table 11 (continued)

| Row | Class  | Sub-class | Data element name                    | Description  | Examples   | Synonyms                               |
|-----|--------|-----------|--------------------------------------|--|--|--|
| 13  | Search | Query     | Connector                            | Symbol that introduces a qualifier used in conjunction with a search term  |  |  |
| 14  | Search | Query     | Data case sensitivity                | Code indicating whether or not upper and lower case within a data string is significant  |  | Case, Case insensitive, Case sensitive |
| 15  | Search | Query     | Data truncation attribute            | Code or phrase indicating whether or not data is truncated and the nature of the truncation  | Conditional truncation attribute, Old value truncation attribute   | Truncation attribute                   |
| 16  | Search | Query     | Level of normalization for collation | Degree to which different characters are considered equal for retrieval and sorting purposes, including data case, diacritic marks and other script-specific manipulations | Collation level (UNICODE)  | UNICODE level                          |
| 17  | Search | Query     | Masking symbol                       | Designated character within a character set that is used to indicate that the exact value is non-critical for a specific number of characters of a search term             |  |  |
| 18  | Search | Query     | Positional attribute                 | Attribute that specifies the position of a type of search term (such as name and subject) within a search expression   | Anywhere, First in field   | Position attribute                     |
| 19  | Search | Query     | Proximity operator                   | Code or phrase used to specify the sequence of and distance between search terms   |  |  |
| 20  | Search | Query     | Query note                           | Codes used to specify a common format recognised by both the origin (requesting computer) and the target (responding computer)   |  |  |
| 21  | Search | Query     | Query type                           | Identifies the syntax of a query   | Common command (ISO 8777), Common Query Language (CQL), Reverse Polish Notation (RPN), Z39.50 type 101 (ERP), Z39.58 | Search type                            |
| 22  | Search | Query     | Ranging operator                     | Code or phrase used to assign ranges of consecutive values to search parameters  |  | Comparator symbol                      |
| 23  | Search | Query     | Related terms                        | Code or phrase indicating that the search is for entries that are logically related to the specified search term   |  |  |
| 24  | Search | Query     | Relational attribute                 | Code or phrase used to indicate relative values  | Relation modifiers   | Relation, Relation attribute           |

Table 11 (continued)

| Row | Class  | Sub-class | Data element name        | Description  | Examples     | Synonyms            |
|-----|--------|-----------|--------------------------|--|--------------|---------------------|
| 25  | Search | Query     | Restoration symbol       | One or more symbols or characters used to restore the literal meaning of reserved words, operators or symbols whenever they must be used as part or all of a search term |              |                     |
| 26  | Search | Query     | Search term              | One or more words, numbers or symbols used in a search statement of a command specification  |              |                     |
| 27  | Search | Query     | Separator                | Designated character used to mark off or set apart components of a command expression  |              |                     |
| 28  | Search | Query     | Stop word                | Discrete character string that is not used as an index term  |              |                     |
| 29  | Search | Query     | Term structure attribute | Attribute that specifies the structure of a search term  | Phrase, Word | Structure attribute |
| 30  | Search | Query     | Weighting factor         | Numeric value that is assigned to a search term or a command expression in order to rank or restrict the number of records that are retrieved                            |              |                     |
| 31  | Search | Request   | Command expression       | Request for the performance of an operation or for the execution of a particular computer program  | Scan clause  |                     |
| 32  | Search | Request   | Command identifier       | Number or code that is assigned to a command expression and that can be used to reference it   |              |                     |
| 33  | Search | Request   | Command specification    | String of characters following a command word and specifying how and on what the command expression is to operate  |              | Function            |
| 34  | Search | Request   | Command word             | Specific word or abbreviation used to initiate a command expression  |              |                     |
| 35  | Search | Request   | Data compression         | Method of compacting transmitted data  |              | Compression         |
| 36  | Search | Request   | Display constraints      | Limitations on the visual representation of data at a user's terminal or printer   |              |                     |
| 37  | Search | Request   | Hardware profile         | Hardware facilities for accessing and performing the functions required for the interchange of data between information retrieval systems                                |              |                     |

Table 11 (continued)

| Row | Class  | Sub-class | Data element name                    | Description  | Examples  | Synonyms  |
|-----|--------|-----------|--------------------------------------|--|---|---|
| 38  | Search | Request   | Large set lower bound                | Integer that indicates a threshold above which the user will only be informed about the size of the result set   |   |   |
| 39  | Search | Request   | Maximum record size                  | Codes that specify the maximum size of a record in a result set  |   |   |
| 40  | Search | Request   | Maximum segment count                | Total number of data segments that may be included in a search retrieve or response message  |   |   |
| 41  | Search | Request   | Maximum segment size                 | Largest number of octets occupied by response records in a search retrieve or response message   |   |   |
| 42  | Search | Request   | Medium set present number            | Integer that indicates the number of records to be returned with a search response wherever the result set size exceeds the small set upper bound and is less than the large set lower bound |   |   |
| 43  | Search | Request   | Number of records or terms requested | Indication in a request of the total number of records or index entries to return in the response  |   | Maximum records, Maximum terms, Number of records requested |
| 44  | Search | Request   | Output format                        | Visual arrangement of layout of data on a screen or hardcopy printout  | Preferred resource report format  | Display format  |
| 45  | Search | Request   | Output medium                        | Code or phrase used to specify the medium on which the results of a search should be saved or recorded   | CD-ROM, Computer output microform, Local disk, Magnetic tape, Paper, Screen               |   |
| 46  | Search | Request   | Preferred message size               | Indication during session initiation of the maximum size of response messages  | Exceptional record size   |   |
| 47  | Search | Request   | Record composition                   | Phrase or code indicating a subset of elements of an abstract database record  | Element set name, Medium set element set names, Record XPath, Small set element set names | Comp spec, Path   |
| 48  | Search | Request   | Replace indicator                    | Code which indicates whether an existing result set with the same name should be replaced or not   |   |   |



Table 11 (continued)

| Row | Class  | Sub-class | Data element name        | Description   | Examples                             | Synonyms  |
|-----|--------|-----------|--------------------------|---|--------------------------------------|---|
| 49  | Search | Request   | Small set upper bound    | Integer that indicates that all the records comprising a result set are to be returned if a result set size is equal to or less than this integer             |                                      |   |
| 50  | Search | Request   | Sort option              | Code or phrase that specifies the order in which items in a list are sorted   | Ascending, Descending, Missing value | Sort keys, Sort sequence  |
| 51  | Search | Request   | Thesaurus identifier     | Code or phrase used to identify a controlled vocabulary   |                                      |   |
| 52  | Search | Response  | Hit constraint           | Maximum number of records authorized to be retrieved in any given search  |                                      |   |
| 53  | Search | Response  | Index display code       | Code or number that is dynamically assigned to index terms during on-line display to enable users to easily reference a given term                            |                                      |   |
| 54  | Search | Response  | Next result set position | Position within the result set of the next record following the last record returned  |                                      | Next record position, Resumption token                          |
| 55  | Search | Response  | Posting                  | Number of records associated with an index entry  |                                      | Number of records   |
| 56  | Search | Response  | Present status           | Code or phrase indicating if some or all of the records can be supplied when search status is unsuccessful  |                                      |   |
| 57  | Search | Response  | Records returned or sent | Integer indicating the number of database and/or diagnostic records returned  |                                      | Number of records, Number of records returned, Records returned |
| 58  | Search | Response  | Response record          | Record created in answer to a database query that may be derived from a database or a diagnostic record explaining why a particular record cannot be returned |                                      | Record data, Records, Response records                          |
| 59  | Search | Response  | Search status            | Code or phrase indicating whether a search is in progress or completed and has produced a full, empty or incomplete result set                                | Partial results available            |   |
| 60  | Search | Response  | Stylesheet               | Template that can be combined with a database record to produce an enhanced display   |                                      |   |

Table 11 (continued)

| Row | Class  | Sub-class  | Data element name             | Description   | Examples  | Synonyms   |
|-----|--------|------------|-------------------------------|---|---|--|
| 61  | Search | Result set | Date/time results set created | Date and time on which a results set comprising a group of records obtained by a search or present operation was created on a target database |   | Creation date time   |
| 62  | Search | Result set | Delete operation status       | Code or phrase used to indicate the status of a delete result set operation   |   |  |
| 63  | Search | Result set | Extent of deletion            | Instruction to delete one or all sets   |   | Delete function  |
| 64  | Search | Result set | Number not deleted            | Numeric value indicating the number of result sets that failed to be deleted  |   |  |
| 65  | Search | Result set | Result set identifier         | Word, phrase or code assigned by a system to a result set of an executed search command   | Input result set, Result set list, Sorted result set                                      | Persistent result set package name, Result set id, Result set name, Set        |
| 66  | Search | Result set | Result set qualifier          | Code or phrase that qualifies a result set identifier   |   |  |
| 67  | Search | Result set | Result set size               | Numeric value that identifies the number of records that have been retrieved from an executed search command                                  |   | Number of records, Result count  |
| 68  | Search | Result set | Result set status             | Code or phrase indicating the availability of a group record assembled in response to a search request  | Bulk status, Delete list status, Interim, None, Result set idle time, Sort status, Subset |  |
| 69  | Search | Result set | Result set time to live       | Instruction by a requester indicating the preferred duration of a result set created from a request   |   | Result set TTL (time to live)  |
| 70  | Search | Result set | Start point                   | Position within a result set or index from which records or index entries will be returned  | Additional ranges   | Result set start point, Result set start position, Start record, Where in list |
| 71  | Search | Scan       | Display term                  | Text string intended for display in place of an actual index term that may include data such as stopwords that are not present in an index    |   |  |
| 72  | Search | Scan       | Position in response          | Indication in a scan command of the number of index entries to return that occur before the first entry that matches the requested scan term  |   | Response position  |

**Table 11** (*continued*)

| Row | Class  | Sub-class | Data element name                   | Description  | Examples | Synonyms   |
|-----|--------|-----------|-------------------------------------|--|----------|--|
| 73  | Search | Scan      | Step size                           | Indication in a scan command of a number of index entries to skip between each index entry selected for inclusion in a scan response |          |  |
| 74  | Search | SDI       | Last search execution date and time | Date and time on which a regular scheduled search (selective dissemination of information) was last run                              |          | From, Last SDI (Selective Dissemination of Information) execution date |
| 75  | Search | SDI       | Next search execution date and time | Date on which a regular scheduled search (selective dissemination of information) will next be run                                   |          | Next SDI (Selective Dissemination of Information) execution date, To   |
| 76  | Search | SDI       | Search frequency                    | Code or phrase used to indicate how frequently a search profile is to be executed  |          |  |
| 77  | Search | SDI       | Search profile                      | Named set of one or more command expressions which may be executed periodically against one or more databases                        |          |  |

3.2.11 Organization by “Transaction” class

Table 12 — Class: Transaction

| Row | Class       | Sub-class      | Data element name               | Description  | Examples  | Synonyms   |
|-----|-------------|----------------|---------------------------------|--|---|--|
| 01  | Transaction | Authentication | Authentication data             | Code or phrase used by a system to authenticate the identity of an individual or automated process that has requested or is using a system function or service                               | From agency authentication,<br>From system authentication   | Authentication input data,<br>Password, Security challenge response, User password |
| 02  | Transaction | Authentication | Authentication data format type | Physical format of data that is accepted by an institution or agency for authentication of a user  | Audio, Image, Text  | Authentication data format   |
| 03  | Transaction | Authentication | Authentication input type       | Identifies the nature of the data to be supplied to authenticate an individual   | Barcode id, IP address range (Internet Protocol), PIN (Personal Identification Number), User name and password                | Password type  |
| 04  | Transaction | Authentication | Password edition                | Code or phrase used to identify the current and previous password or passwords   |   |  |
| 05  | Transaction | Authentication | Security violation              | Phrase or code used to report a problem in carrying out an operation for security reasons  | Inappropriate authentication, Insufficient access rights, Invalid credentials, Invalid signature, Unrecognised security level |  |
| 06  | Transaction | Authentication | System prompt                   | Text string or multiple choice list used to support and guide user interaction with an automated system or to elicit information such as authentication information or confirmation of terms |   | Security challenge   |
| 07  | Transaction | Session        | Amount of usage                 | Figure that measures the values established under Resource usage type and System performance   |   | Resource report  |
| 08  | Transaction | Session        | Character set of dialogue       | Code or word used to identify the character set in which data are encoded or to indicate the capability of systems hardware and software to process data encoded in one or more scripts      |   | Character set, Supported character set   |
| 09  | Transaction | Session        | Continue flag                   | Instruction that processing should continue even though resource constraints have been exceeded  |   |  |

Table 12 (continued)

| Row | Class       | Sub-class | Data element name            | Description  | Examples   | Synonyms   |
|-----|-------------|-----------|------------------------------|--|--|--|
| 10  | Transaction | Session   | Date/time of last session    | Date and time that a user's last session ended   |  |  |
| 11  | Transaction | Session   | Date/time session ended      | Date and time a specific session ended   |  |  |
| 12  | Transaction | Session   | Date/time session started    | Date and time a specific session began   | Date/time current session begins   |  |
| 13  | Transaction | Session   | Initialization status        | Code or word indicating whether a request to initialize a session was successful or not  |  |  |
| 14  | Transaction | Session   | Language of dialogue         | Code or word used to select the language in which a user will issue system commands, receive system assistance and responses                                 |  |  |
| 15  | Transaction | Session   | Protocol control information | Codes used to control interactions between two independent systems   |  |  |
| 16  | Transaction | Session   | Protocol options             | Code, word or phrase that specifies capabilities that are supported by a service provider or user  | Application profile supported type, Application profile type   | Options  |
| 17  | Transaction | Session   | Protocol version indicator   | Number or word that indicates which edition or release of a given specification is being used  |  | Protocol version, Protocol version number, Version, Version indicator, Version number, Version supported |
| 18  | Transaction | Session   | Reason for close             | Explanation given by a database server for abnormally closing a session  |  | Close reason   |
| 19  | Transaction | Session   | Resource limitation          | Predefined value that imposes a limit on the amount of systems resources that may be consumed or, which if exceeded, will result in a specific system action |  |  |
| 20  | Transaction | Session   | Resource usage type          | Code or string used to indicate the type of system resource that has been used within a session or given time period   | Connect type, CPU (Central Processing Unit) time, Memory, Number of disk accesses, Number of sessions, Number of tapes, Packets transmitted, Terminal transactions |  |
| 21  | Transaction | Session   | Service profile              | Coded or free text statements that identify the policies, services, charges, service hours etc. pertaining to a service provider                             | Level of service   |  |

Table 12 (continued)

| Row | Class       | Sub-class | Data element name               | Description   | Examples  | Synonyms                     |
|-----|-------------|-----------|---------------------------------|---|---|------------------------------|
| 22  | Transaction | Session   | Session details                 | Data that identify various details about a specific session   |   |                              |
| 23  | Transaction | Session   | Session identifier              | Code or number used to identify a specific period of interaction between a user and an automated system   |   |                              |
| 24  | Transaction | Session   | Session length constraint       | Predefined time limit that, if exceeded, will result in a predefined system action  |   |                              |
| 25  | Transaction | Session   | Session parameters              | Set of phrases or codes used to convey default values (predefined by a system and/or selected by a user) and other variable, non instructional information pertinent to a system or session |   |                              |
| 26  | Transaction | Session   | Subsession identifier           | Code or number used to identify a period of interaction with one specific service provided within a single session on an automated system   |   |                              |
| 27  | Transaction | Session   | Suspend flag                    | Indication whether processing has been suspended whenever resource constraints have been exceeded   |   | Suspended flag               |
| 28  | Transaction | Session   | System performance              | Data collected to inform management about system performance  | Average response time, Number of system malfunctions, Number of telecommunication interruptions, Percentage of downtime, Start-up delay |                              |
| 29  | Transaction | System    | System identifier               | Code or phrase that identifies a computerized service involved in a transaction   | Implementation id, Implementation name, Requesting system   | Id/authentication, System id |
| 30  | Transaction | System    | System name                     | Word, or phrase or initialism intended to identify a computerized service   |   | System authority             |
| 31  | Transaction | Task      | Correlation information         | Phrase that serves to identify a record within a specific task  |   |                              |
| 32  | Transaction | Task      | Date/time task package created  | Date and time on which a task package was created   |   | Creation date time           |
| 33  | Transaction | Task      | Date/time task package modified | Latest date and time of update of a task package  |   |                              |

Table 12 (continued)

| Row | Class       | Sub-class | Data element name             | Description   | Examples  | Synonyms                        |
|-----|-------------|-----------|-------------------------------|---|---|---------------------------------|
| 34  | Transaction | Task      | Task package                  | Set of messages, grouped together in one message, for which common processing is requested  |   |                                 |
| 35  | Transaction | Task      | Task package description      | Phrase that indicates the contents and purpose of a task package  |   | Description                     |
| 36  | Transaction | Task      | Task package element set      | Phrase or code indicating a subset of elements of a task package record   |   |                                 |
| 37  | Transaction | Task      | Task package identifier       | Code or phrase that uniquely identifies a task package  |   | Package name                    |
| 38  | Transaction | Task      | Task package permission       | Code or phrase indicating one or more users who may gain access to or update a task package   |   | Permissions                     |
| 39  | Transaction | Task      | Task package retention period | Time period used to calculate a date and time after which a task package may be deleted   | 1 week, 2 hours, 3 days   | Retention time                  |
| 40  | Transaction | Task      | Task package target reference | Phrase indicating an identifier necessary for retrieving information from a target that is storing or processing a task package       |   | Target reference                |
| 41  | Transaction | Task      | Task package type             | Code that indicates the nature of contents within a task package  | Export, Export invocation, Item order, Periodic query schedule, Persistent query, Persistent result set, Update | Package type                    |
| 42  | Transaction | Task      | Task status                   | Code or phrase that indicates the stage in the progression towards completeness of a task or the nature of the completeness of a task | Aborted, Active, Complete, Pending  | Current state, Operation status |
| 43  | Transaction | Task      | Task update status            | Code or phrase indicating the success, partial success or failure of a completed update task  |   |                                 |

Table 12 (continued)

| Row | Class       | Sub-class   | Data element name                  | Description  | Examples  | Synonyms   |
|-----|-------------|-------------|------------------------------------|--|---|--|
| 44  | Transaction | Transaction | Additional transaction information | Any pertinent information that is not covered or amplified by a specific data element within a message or transaction                  | Additional search information, Echoed search retrieve request, Extra request data, Extra response data, Message, Note, Notification note, Order notes, Other information, Pre-defined message, Reason for request, Requester note, Responder note, Responder optional messages, Review instruction, Security restriction instruction, Transaction group qualifier | Free text instruction, Instruction code, Notes, Notes/remarks, Remarks, Transaction qualifier  |
| 45  | Transaction | Transaction | Date/time message received         | Date and time on which a message is received by a system   |   | Date message received  |
| 46  | Transaction | Transaction | Date/time of transaction           | Date and time on which a specific transaction was generated  | Date event occurred, Date of most recent service, Date/time of original service, Date/time of this service  | Document date/time, Issue date time, Service date/time   |
| 47  | Transaction | Transaction | Diagnostic code                    | Code or phrase to indicate that a process cannot be executed or a record cannot be returned because of errors or system limitations    |   |  |
| 48  | Transaction | Transaction | Error condition                    | Code or standardized phrase sent by a system to indicate the nature of an error condition in relation to a transaction or task request | Supplemental diagnostics  | Diagnostic information, Diagnostics, Error report, Global diagnostics, Messaging error, Operation diagnostics, Problem, Provider error report, Status report, Transaction error condition, User error report |
| 49  | Transaction | Transaction | Expiry date and time               | Date and time after which a transaction expires  | Date after which a copy may not be returned, Date after which a credit is requested, Date after which an order is invalid   |  |



Table 12 (continued)

| Row | Class       | Sub-class   | Data element name           | Description  | Examples   | Synonyms  |
|-----|-------------|-------------|-----------------------------|--|--|---|
| 50  | Transaction | Transaction | Instruction override        | Code, defined internally by a system, indicating the actions that may follow from a particular message or message part | Affirmation not required, Override not possible, Override possible, Override possible with password, Override possible with security clearance |   |
| 51  | Transaction | Transaction | Message identification      | Data used to identify a particular message   |  | Op id   |
| 52  | Transaction | Transaction | Message name                | Phrase or code identifying the function of a message   |  | Operation   |
| 53  | Transaction | Transaction | Operation confirmation      | User's authorization of a projected computer operation   |  |   |
| 54  | Transaction | Transaction | Time stamp                  | Time at which a transaction is sent, a message is sent or received or an event occurs                                  |  |   |
| 55  | Transaction | Transaction | Transaction completion flag | Code to indicate whether or not a transaction has been successful  |  |   |
| 56  | Transaction | Transaction | Transaction identifier      | Code or number assigned to an intersystem communication  |  | Op id, Reference id, Reference identifier, Transaction id, Transaction number |
| 57  | Transaction | Transaction | Wait action                 | Code that indicates how quickly a request should be processed in relation to acknowledging a request                   |  |   |

4 Alphabetically ordered list of data elements, examples and synonyms

Table 13 — Alphabetically ordered list of data elements

| Data element name, synonym, example | Equivalence | Data element name                                 | Class          | Sub-class                         |
|-------------------------------------|-------------|---|----------------|-----------------------------------|
| Abbreviated name                    |             |   | Party — Group  | Name                              |
| Aborted                             | Example     | Task status                                       | Transaction    | Task                              |
| Abstract or description             |             |   | Resource       | Additional data retrieval element |
| Abstract or summary                 | Example     | Form of contents                                  | Resource       | Bibliographic description         |
| Academic affiliation                | Example     | Other information related to an identity document | Party — Person | Identity document                 |
| Access and use privileges           |             |   | Party          | Privileges                        |
| Access or use privilege constraint  |             |   | Party          | Privileges                        |
| Access or use privilege requirement |             |   | Party          | Privileges                        |
| Access privileges                   | Synonym     | Access and use privileges                         | Party          | Privileges                        |
|                                     | Example     | User profile                                      | Party — Person | Profile                           |
| Access restricted URL based         | Example     | Electronic access restrictions                    | Holdings       | Availability                      |
| Access restrictions                 | Synonym     | Electronic access restrictions                    | Holdings       | Availability                      |
| Access with authorization           | Example     | Electronic access restrictions                    | Holdings       | Availability                      |
| Accession number                    | Example     | Piece identifier                                  | Holdings       | Copy identification               |
| Accompanying a diagnostic message   | Example     | Reason for supply                                 | Request        | Copy identification               |
| Accompanying material               |             |   | Resource       | Supply                            |
| Account balance                     | Synonym     | Financial account balance                         | Finance        | Bibliographic description         |
| Account details                     | Synonym     | Account identifier                                | Finance        | Account                           |
| Account holder name                 |             |   | Finance        | Account                           |
| Account identifier                  |             |   | Finance        | Account                           |
| Account institution                 |             |   | Finance        | Account                           |

Table 13 (continued)

| Data element name, synonym, example                     | Equivalence | Data element name                  | Class           | Sub-class                         |
|---|-------------|------------------------------------|-----------------|-----------------------------------|
| Account number  | Synonym     | Account identifier                 | Finance         | Account                           |
| Accrual date  | Synonym     | Date/time of accrual               | Finance         | Account                           |
| Acknowledged fee amount                                 | Synonym     | Amount                             | Finance         | Cost                              |
| Acknowledged item use restriction type                  | Synonym     | Conditions of use                  | Request         | Reply                             |
| Acquired Immunodeficiency Syndrome (AIDS) research team | Example     | Person's activity                  | Party — Person  | Organization information          |
| Acquisitions number                                     |             |                                    | Request         | Status                            |
| Acquisitions priority                                   |             |                                    | Request         | Detail                            |
| Acquisitions status                                     | Synonym     | Request status                     | Request         | Supply                            |
| Acquisitions type                                       |             |                                    | Request         | Detail                            |
| Acronym   | Example     | Link type                          | Database record | Attributes                        |
| Action  | Synonym     | Update action                      | Database record | Change data                       |
| Action qualifier  | Synonym     | Update action qualifier            | Database record | Change data                       |
| Active  | Example     | Task status                        | Transaction     | Task                              |
| Additional data retrieval element                       |             |                                    | Resource        | Additional data retrieval element |
| Additional description                                  | Example     | Bibliographic information          | Resource        | Bibliographic information         |
| Additional descriptive personal information             |             |                                    | Party — Person  | Personal information              |
| Additional general organization information             | Synonym     | Organizational information         | Party — Person  | Organization information          |
| Additional identifiers                                  | Synonym     | Supplemental identifier            | Resource        | Identifier                        |
| Additional numbers/letters                              | Synonym     | Supplemental identifier            | Resource        | Identifier                        |
| Additional party id                                     | Example     | Party identifier                   | Party           | Identification                    |
| Additional ranges                                       | Example     | Start point                        | Search          | Result set                        |
| Additional search information                           | Example     | Additional transaction information | Transaction     | Transaction                       |
| Additional transaction information                      |             |                                    | Transaction     | Transaction                       |
| Address   |             |                                    | Address         |                                   |

Table 13 (continued)

| Data element name, synonym, example                     | Equivalence | Data element name                       | Class           | Sub-class                |
|---|-------------|---|-----------------|--------------------------|
| Address detail  | Synonym     | Address line                            | Address         | Physical address         |
| Address instruction                                     | Synonym     | Address role                            | Address         | Address                  |
| Address label   |             |   | Address         | Address                  |
| Address line  |             |   | Address         | Physical address         |
| Address of user   | Example     | Address                                 | Address         |                          |
| Address part  | Synonym     | Address line                            | Address         | Physical address         |
| Address role  |             |   | Address         | Address                  |
| Address role type                                       | Synonym     | Address role                            | Address         | Address                  |
| Address status  |             |   | Address         | Address                  |
| Address type  |             |   | Address         | Address                  |
| Administration email                                    | Example     | Electronic address                      | Address         | Electronic address       |
| Administrative authority issuing identity document      |             |   | Party — Person  | Identity document        |
| Administrative or service fee                           | Example     | Fee type                                | Finance         | Cost                     |
| Affirmation not required                                | Example     | Instruction override                    | Transaction     | Transaction              |
| Agency address role type                                | Example     | Address role                            | Address         | Address                  |
| Agency address: valid from date                         | Example     | Date/time address valid                 | Address         | Address                  |
| Agency address: valid to date                           | Example     | Date/time address invalid               | Address         | Address                  |
| Agency element type                                     | Synonym     | Record retrieval elements               | Database record | Attributes               |
| Agency user privilege type                              | Synonym     | User group                              | Party           | Privileges               |
| AIDS (Acquired Immunodeficiency Syndrome) research team | Example     | Person's activity                       | Party — Person  | Organization information |
| Air cargo   | Example     | Transportation mode                     | Request         | Supply                   |
| Airmail   | Example     | Transportation mode                     | Request         | Supply                   |
| Airmail instruction                                     | Example     | Shipping Instructions                   | Request         | Shipping and packing     |
| Already tried list                                      | Synonym     | Possible locations — Already tried list | Request         | Locations                |

Table 13 (continued)

| Data element name, synonym, example   | Equivalence | Data element name                | Class           | Sub-class                 |
|---------------------------------------|-------------|----------------------------------|-----------------|---------------------------|
| Alternative heading form              |             |                                  | Database record | Authority record          |
| Alternative identity information      |             |                                  | Party — Person  | Identification            |
| Alternative numbering                 |             |                                  | Resource        | Component                 |
| Alternative user identity information | Synonym     | Alternative identity information | Party — Person  | Identification            |
| Amount                                | Synonym     | Amount                           | Finance         | Cost                      |
| Amount of fee                         | Synonym     | Amount                           | Finance         | Cost                      |
| Amount of usage                       |             |                                  | Transaction     | Session                   |
| Analytic                              | Example     | Link type                        | Database record | Attributes                |
| Analytic or component part            | Example     | Bibliographic level              | Resource        | Bibliographic information |
| Annually                              | Example     | Frequency                        | Resource        | Bibliographic description |
| Anywhere                              | Example     | Positional attribute             | Search          | Query                     |
| Application profile supported type    | Example     | Protocol options                 | Transaction     | Session                   |
| Application profile type              | Example     | Protocol options                 | Transaction     | Session                   |
| Appraised value                       | Synonym     | Value                            | Holdings        | Copy information          |
| Approval request                      | Example     | Acquisitions type                | Request         | Detail                    |
| Approved by                           | Synonym     | Purchase authorization           | Request         | Detail                    |
| Arrived too late                      | Example     | Reason for return                | Request         | Cancellation              |
| Article author                        | Example     | Author or creator                | Resource        | Bibliographic description |
| Article publication date              | Example     | Date/time of publication         | Resource        | Bibliographic information |
| Article title                         | Example     | Title                            | Resource        | Bibliographic description |
| Ascending                             | Example     | Sort option                      | Search          | Request                   |
| At bindery                            | Example     | Retry results                    | Request         | Reply                     |
| Attributes                            |             |                                  | Database record | Attributes                |
| Audio                                 | Example     | Authentication data format type  | Transaction     | Authentication            |
| Authentication data                   |             |                                  | Transaction     | Authentication            |
| Authentication data format            | Synonym     | Authentication data format type  | Transaction     | Authentication            |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name         | Class           | Sub-class                 |
|-------------------------------------|-------------|---------------------------|-----------------|---------------------------|
| Authentication data format type     |             |                           | Transaction     | Authentication            |
| Authentication input data           | Synonym     | Authentication data       | Transaction     | Authentication            |
| Authentication input type           |             |                           | Transaction     | Authentication            |
| Author                              | Synonym     | Author or creator         | Resource        | Bibliographic description |
| Author of article                   | Example     | Rights accorded by        | Resource        | Rights management         |
| Author of component                 | Example     | Author or creator         | Resource        | Bibliographic description |
| Author or creator                   | Example     | Author or creator         | Resource        | Bibliographic description |
| Authorization account               | Example     | Account identifier        | Finance         | Account                   |
| Authorization code                  | Example     | Rights information detail | Resource        | Rights management         |
| Authorization detail                | Synonym     | Rights                    | Resource        | Rights management         |
| Authorization institution           | Example     | Rights accorded by        | Resource        | Rights management         |
| Authorization limit                 | Example     | Maximum cost              | Finance         | Cost                      |
| Authorized                          | Example     | Authority status          | Database record | Authority record          |
| Authorized indicator                |             |                           | Database record | Authority record          |
| Authorizing officer                 | Example     | Participant's function    | Party           | Attributes                |
| Authorizing officer's signature     | Example     | Signature                 | Party — Person  | Identification            |
| Authority information               |             |                           | Database record | Authority record          |
| Authority record                    | Example     | Record type               | Database record | Attributes                |
| Authority status                    |             |                           | Database record | Authority record          |
| Availability                        | Synonym     | Conditions of use         | Request         | Reply                     |
| Availability policy                 |             |                           | Holdings        | Availability              |
| Availability status                 | Synonym     | Circulation status        | Holdings        | Availability              |
| Available                           | Example     | Circulation status        | Holdings        | Availability              |
| Available count                     |             |                           | Holdings        | Availability              |
| Available for                       |             |                           | Holdings        | Availability              |

Table 13 (continued)

| Data element name, synonym, example  | Equivalence | Data element name         | Class           | Sub-class                 |
|--------------------------------------|-------------|---------------------------|-----------------|---------------------------|
| Available for supply without return  | Example     | Availability policy       | Holdings        | Availability              |
| Available via                        |             |                           | Holdings        | Availability              |
| Average response time                | Example     | System performance        | Transaction     | Session                   |
| Back order code                      |             |                           | Request         | Detail                    |
| Back order if not yet published      | Example     | Back order code           | Request         | Detail                    |
| Back order if out of stock           | Example     | Back order code           | Request         | Detail                    |
| Bank cheque                          | Example     | Mode of payment           | Finance         | Payment                   |
| Barcode                              | Example     | Piece identifier          | Holdings        | Copy identification       |
| Barcode id                           | Example     | Authentication input type | Transaction     | Authentication            |
| Base URL (Uniform Resource Locator)  | Synonym     | Reference to resource     | Resource        | Identifier                |
| Basic                                | Example     | Unit type                 | Resource        | Component                 |
| Bib number                           | Synonym     | Resource identifier       | Resource        | Identifier                |
| Bibliographic description            |             |                           | Resource        | Bibliographic information |
| Bibliographic encoding level         |             |                           | Resource        | Bibliographic information |
| Bibliographic information            |             |                           | Resource        | Bibliographic information |
| Bibliographic item identifier        | Synonym     | Resource identifier       | Resource        | Identifier                |
| Bibliographic item identifier code   | Synonym     | Resource identifier code  | Resource        | Identifier                |
| Bibliographic level                  |             |                           | Resource        | Bibliographic information |
| Bibliographic note                   |             |                           | Resource        | Bibliographic description |
| Bibliographic occurrence count       |             |                           | Database record | Authority record          |
| Bibliographic record                 | Example     | Record type               | Database record | Attributes                |
| Bibliographic record identifier      | Synonym     | Record identifier         | Database record | Identifier                |
| Bibliographic record identifier code | Synonym     | Record identifier code    | Database record | Identifier                |
| Bibliographic verification           | Synonym     | Verification source       | Request         | Verification              |
| Bibliography                         | Example     | Form of contents          | Resource        | Bibliographic description |
| Bid price                            | Example     | Price qualifier           | Finance         | Cost                      |

Table 13 (continued)

| Data element name, synonym, example        | Equivalence | Data element name              | Class          | Sub-class                         |
|--|-------------|--------------------------------|----------------|-----------------------------------|
| Biennially                                 | Example     | Frequency                      | Resource       | Bibliographic description         |
| Bill to party                              | Example     | Participant's function         | Party          | Attributes                        |
| Billing address                            | Example     | Address role                   | Address        | Address                           |
| Billing date                               | Synonym     | Invoice date and time          | Finance        | Invoice                           |
| Billing information                        |             |                                | Finance        | Invoice                           |
| Billing information                        | Example     | User profile                   | Party — Person | Profile                           |
| Billing method type                        | Synonym     | Mode of payment                | Finance        | Payment                           |
| Bi-monthly                                 | Example     | Frequency                      | Resource       | Bibliographic description         |
| Bin number                                 |             |                                | Request        | Shipping and packing              |
| Binding note                               | Example     | Bibliographic note             | Resource       | Bibliographic description         |
| Binding substitution                       | Example     | Substitute option              | Request        | Detail                            |
| Binding type                               |             |                                | Holdings       | Copy information                  |
| Bi-weekly                                  | Example     | Frequency                      | Resource       | Bibliographic description         |
| Bliss classification                       | Example     | Classification                 | Resource       | Additional data retrieval element |
| Block or trap type                         | Synonym     | Reservation type               | Request        | Reservation and booking           |
| Block or trap valid from date              | Synonym     | Date/time reservation required | Request        | Reservation and booking           |
| Block or trap valid to date                | Synonym     | Date/time reservation expires  | Request        | Reservation and booking           |
| BNB (British National Bibliography number) | Example     | Resource identifier code       | Resource       | Identifier                        |
| Book rate                                  | Example     | Transportation mode            | Request        | Supply                            |
| Booking location                           |             |                                | Request        | Reservation and booking           |
| Boolean                                    | Synonym     | Boolean operator               | Search         | Query                             |
| Boolean modifiers                          | Example     | Boolean operator               | Search         | Query                             |
| Boolean operator                           |             |                                | Search         | Query                             |
| Borrowed copies count                      |             |                                | Party          | Attributes                        |
| Borrower relationship to copy              |             |                                | Holdings       | Copy history                      |



Table 13 (continued)

| Data element name, synonym, example        | Equivalence | Data element name         | Class           | Sub-class                 |
|--|-------------|---------------------------|-----------------|---------------------------|
| Borrower status note                       | Example     | Party status note         | Party — Person  | Personal status           |
| British National Bibliography number (BNB) | Example     | Resource identifier code  | Resource        | Identifier                |
| Broader form                               | Example     | Link type                 | Database record | Attributes                |
| Budget/fund information                    | Synonym     | Account identifier        | Finance         | Account                   |
| Building                                   |             |                           | Address         | Physical address          |
| Building name                              | Synonym     | Building                  | Address         | Physical address          |
| Bulk edit/replace qualifier                | Example     | Update action qualifier   | Database record | Change data               |
| Bulk status                                | Example     | Result set status         | Search          | Result set                |
| Business address                           | Example     | Address label             | Address         | Address                   |
| Buyer party                                | Example     | Participant's function    | Party           | Attributes                |
| Call number                                | Synonym     | Copy shelf locator        | Holdings        | Copy identification       |
| Campus mail                                | Example     | Delivery service          | Address         | Physical address          |
| Cancel balance of order exceeding amount   | Example     | Not to exceed action      | Finance         | Cost                      |
| Cancel date                                | Synonym     | Date/time of cancellation | Request         | Cancellation              |
| Cancel entire order                        | Example     | Not to exceed action      | Finance         | Cost                      |
| Cancel quantity                            | Synonym     | Number of items cancelled | Request         | Cancellation              |
| Cancelled order                            | Example     | Credit justification      | Finance         | Credit                    |
| Care of                                    | Synonym     | Contact person            | Address         | Address                   |
| Cartographic material                      | Example     | Record content type       | Resource        | Bibliographic description |
| Case                                       | Synonym     | Data case sensitivity     | Search          | Query                     |
| Case insensitive                           | Synonym     | Data case sensitivity     | Search          | Query                     |
| Case sensitive                             | Synonym     | Data case sensitivity     | Search          | Query                     |
| Catalogue                                  | Example     | Form of contents          | Resource        | Bibliographic description |
| Catalogue record                           | Example     | Record                    | Database record |                           |

Table 13 (continued)

| Data element name, synonym, example       | Equivalence | Data element name             | Class           | Sub-class    |
|---|-------------|-------------------------------|-----------------|--------------|
| Catalogue record character set            | Synonym     | Record character set          | Database record | Attributes   |
| Catalogue record identifier               | Synonym     | Record identifier             | Database record | Identifier   |
| Catalogue record identifier code          | Synonym     | Record identifier code        | Database record | Identifier   |
| Catalogue record language                 | Synonym     | Language of cataloguing       | Database record | Attributes   |
| Catalogue record status                   | Synonym     | Record status                 | Database record | Attributes   |
| Catalogue record type                     | Synonym     | Record type                   | Database record | Attributes   |
| Catalogues searched                       | Synonym     | Sources checked               | Request         | Locations    |
| Cataloguing field information             | Synonym     | Field                         | Database record | Record field |
| Cataloguing instructions                  | Synonym     | Cataloguing service           | Request         | Detail       |
| Cataloguing quantity                      |             |                               | Request         | Detail       |
| Cataloguing record transliteration scheme | Synonym     | Record transliteration scheme | Database record | Attributes   |
| Cataloguing service                       |             |                               | Request         | Detail       |
| CD-ROM                                    | Example     | Output medium                 | Search          | Request      |
| Central Processing Unit (CPU) time        | Example     | Resource usage type           | Transaction     | Session      |
| Chained                                   | Example     | ILL request type              | Request         | Detail       |
| Change data                               |             |                               | Database record | Change data  |
| Change data new value                     |             |                               | Database record | Change data  |
| Change data new version identifier        |             |                               | Database record | Change data  |
| Change data old value                     |             |                               | Database record | Change data  |
| Change data old version identifier        |             |                               | Database record | Change data  |
| Character set                             | Synonym     | Character set of dialogue     | Transaction     | Session      |
| Character set change flag                 |             |                               | Database record | Record field |
| Character set of dialogue                 |             |                               | Transaction     | Session      |
| Charge amount                             | Synonym     | Amount                        | Finance         | Cost         |
| Charge type                               | Synonym     | Fee type                      | Finance         | Cost         |
| Chargeable units                          | Synonym     | Total units                   | Request         | Supply       |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name                          | Class           | Sub-class                         |
|-------------------------------------|-------------|--|-----------------|-----------------------------------|
| Charged to customer                 | Example     | Transportation payment terms (terms added) | Finance         | Payment                           |
| Check digit algorithm               |             |  | Database record | Identifier                        |
| Child                               | Example     | Party relation type                        | Party           | Record relation                   |
| Child institution                   | Example     | Party relation type                        | Party           | Record relation                   |
| Children's library                  | Example     | Location within building                   | Address         | Physical address                  |
| Chronology                          |             |  | Resource        | Component                         |
| Chronology caption                  |             |  | Resource        | Component                         |
| Chronology level                    |             |  | Resource        | Component                         |
| Chronology value                    | Synonym     | Chronology                                 | Resource        | Component                         |
| Circulation category                | Synonym     | Availability policy                        | Holdings        | Availability                      |
| Circulation limited by user type    | Example     | Availability policy                        | Holdings        | Availability                      |
| Circulation status                  |             |  | Holdings        | Availability                      |
| City                                |             |  | Address         | Physical address                  |
| City of publication                 | Synonym     | Place of publication                       | Resource        | Bibliographic description         |
| Claim                               | Example     | Notice type                                | Request         | Claim                             |
| Claim date                          | Synonym     | Date/time of claim                         | Request         | Claim                             |
| Claim history                       | Synonym     | Claim number                               | Request         | Claim                             |
| Claim number                        |             |  | Request         | Claim                             |
| Classification                      |             |  | Resource        | Additional data retrieval element |
| Classification record               | Example     | Record type                                | Database record | Attributes                        |
| Classification scheme identifier    | Synonym     | Classification                             | Resource        | Additional data retrieval element |
| Client barcode                      | Example     | Party identifier                           | Party           | Identification                    |
| Client contact language             | Synonym     | Language                                   | Party — Person  | Personal information              |
| Client contact mode                 | Synonym     | Preferred contact mode                     | Party — Person  | Personal information              |
| Client given name                   | Synonym     | Given name                                 | Party — Person  | Personal name                     |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name                           | Class           | Sub-class                 |
|-------------------------------------|-------------|---|-----------------|---------------------------|
| Client id                           | Synonym     | Party identifier                            | Party           | Identification            |
| Client identifier                   | Synonym     | Party identifier                            | Party           | Identification            |
| Client identifier value             | Synonym     | Party identifier                            | Party           | Identification            |
| Client initials                     | Synonym     | Initials                                    | Party — Person  | Personal name             |
| Client name                         | Synonym     | Personal name                               | Party — Person  | Personal name             |
| Client other affiliation            | Example     | Additional descriptive personal information | Party — Person  | Personal information      |
| Client prefix                       | Synonym     | Prefix                                      | Party — Person  | Personal name             |
| Client proxy for                    | Example     | Party relation type                         | Party           | Record relation           |
| Client signature                    | Synonym     | Signature                                   | Party — Person  | Identification            |
| Client status                       | Synonym     | User loan status                            | Party — Person  | Personal status           |
| Client suffix                       | Synonym     | Suffix                                      | Party — Person  | Personal name             |
| Client surname                      | Synonym     | Surname                                     | Party — Person  | Personal name             |
| Close reason                        | Synonym     | Reason for close                            | Transaction     | Session                   |
| Cloth                               | Example     | Binding type                                | Holdings        | Copy information          |
| Collation level (UNICODE)           | Example     | Level of normalization for collation        | Search          | Query                     |
| Collected on delivery               | Example     | Transportation payment terms (terms added)  | Finance         | Payment                   |
| Collection                          |             |   | Resource        | Collection                |
| Collection code                     | Example     | Bibliographic level                         | Resource        | Bibliographic information |
| Collection description              |             |   | Resource        | Collection                |
| Collection profile                  |             |   | Resource        | Collection                |
| Collective uniform title            | Example     | Heading type                                | Database record | Authority record          |
| Combined shipment                   |             |   | Request         | Supply                    |
| Command expression                  |             |   | Search          | Request                   |
| Command identifier                  |             |   | Search          | Request                   |

**Table 13 (continued)**

| Data element name, synonym, example | Equivalence | Data element name               | Class           | Sub-class                 |
|-------------------------------------|-------------|---------------------------------|-----------------|---------------------------|
| Command specification               |             |                                 | Search          | Request                   |
| Command word                        |             |                                 | Search          | Request                   |
| Common command (ISO 8777)           | Example     | Query type                      | Search          | Query                     |
| Common Query Language (CQL)         | Example     | Query type                      | Search          | Query                     |
| Communication details               | Synonym     | Address                         | Address         |                           |
| Community information record        | Example     | Record type                     | Database record | Attributes                |
| Comp spec                           | Synonym     | Record composition              | Search          | Request                   |
| Comparator symbol                   | Synonym     | Ranging operator                | Search          | Query                     |
| Complete                            | Example     | Completeness                    | Resource        | Collection                |
|                                     |             | Task status                     | Transaction     | Task                      |
| Completed                           | Example     | Request status                  | Request         | Supply                    |
| Completeness                        |             |                                 | Resource        | Collection                |
| Completeness attribute              |             |                                 | Search          | Query                     |
| Component                           |             |                                 | Resource        | Component                 |
| Component identifier                | Example     | Resource identifier             | Resource        | Identifier                |
| Component identifier type           | Example     | Resource identifier code        | Resource        | Identifier                |
| Compression                         | Synonym     | Data compression                | Search          | Request                   |
| Computer media                      | Example     | Form (technical specifications) | Resource        | Bibliographic description |
|                                     |             | Record content type             | Resource        | Bibliographic description |
| Computer output microform           | Example     | Output medium                   | Search          | Request                   |
| Conditional                         | Example     | Transaction results             | Request         | Reply                     |
| Conditional data identifier         |             |                                 | Database record | Change data               |
| Conditional data value              |             |                                 | Database record | Change data               |
| Conditional field                   | Synonym     | Conditional data identifier     | Database record | Change data               |
| Conditional truncation attribute    | Example     | Data truncation attribute       | Search          | Query                     |
| Conditions                          | Synonym     | Conditions of use               | Request         | Reply                     |

Table 13 (continued)

| Data element name, synonym, example                            | Equivalence | Data element name                 | Class           | Sub-class           |
|--|-------------|-----------------------------------|-----------------|---------------------|
| Conditions of use  |             |                                   | Request         | Reply               |
| Confirm cancellation request                                   |             |                                   | Request         | Cancellation        |
| Confirmation   | Example     | Acquisitions type                 | Request         | Detail              |
| Confirmed duplicate  | Example     | Duplicate test flag               | Database record | Change data         |
| Connect type   | Example     | Resource usage type               | Transaction     | Session             |
| Connector  |             |                                   | Search          | Query               |
| Consortium agreement   | Synonym     | Reciprocal agreement              | Finance         | Cost                |
| Consumer on sale date  | Example     | Date/time resource available      | Request         | Reply               |
| Contact person   |             |                                   | Address         | Address             |
| Continuation   | Example     | Link type                         | Database record | Attributes          |
| Continue flag  |             |                                   | Transaction     | Session             |
| Conversion of Greek characters into Latin characters (ISO 843) | Example     | Record transliteration scheme     | Database record | Attributes          |
| Copies count   | Synonym     | Total copies count                | Resource        | Collection          |
| Copies summary   |             |                                   | Holdings        | Holding             |
| Copy   |             |                                   | Holdings        | Holding             |
| Copy description level   |             |                                   | Holdings        | Copy information    |
| Copy history information                                       |             |                                   | Holdings        | Copy history        |
| Copy identification number                                     | Synonym     | Piece identifier                  | Holdings        | Copy identification |
| Copy identifier  | Synonym     | Piece identifier                  | Holdings        | Copy identification |
| Copy information   |             |                                   | Holdings        | Copy information    |
| Copy number  |             |                                   | Holdings        | Copy identification |
| Copy of invoice returned                                       | Example     | Payment enclosures                | Finance         | Payment             |
| Copy request   | Example     | Acquisitions type                 | Request         | Detail              |
| Copy returned  | Example     | Date/time of user's last activity | Party — Person  | Personal status     |
| Copy shelf locator   |             |                                   | Holdings        | Copy identification |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name         | Class           | Sub-class                 |
|-------------------------------------|-------------|---------------------------|-----------------|---------------------------|
| Copyright clearance agency          | Example     | Rights accorded by        | Resource        | Rights management         |
| Copyright compliance                | Synonym     | Copyright declaration     | Request         | Authorization             |
| Copyright compliance lacking        | Example     | Reason unfiled            | Request         | Reply                     |
| Copyright declaration               |             |                           | Request         | Authorization             |
| Copyright declaration               | Example     | Rights information detail | Resource        | Rights management         |
| Copyright declaration date and time |             |                           | Request         | Authorization             |
| Copyright declaration statement     | Synonym     | Copyright declaration     | Request         | Authorization             |
| Copyright status                    | Example     | Resource supply factors   | Resource        | Bibliographic information |
| Corporate name                      | Synonym     | Name of institution       | Party — Group   | Name                      |
|                                     | Example     | Heading type              | Database record | Authority record          |
| Correlation information             |             |                           | Transaction     | Task                      |
| Correspondence reference            | Synonym     | Request identifier        | Request         | Identifier                |
| Cost                                | Synonym     | Amount                    | Finance         | Cost                      |
|                                     |             | Monetary information      | Finance         | Cost                      |
| Cost constraint                     | Synonym     | Maximum cost              | Finance         | Cost                      |
| Cost estimate                       | Example     | Amount                    | Finance         | Cost                      |
| Cost exceeds limit                  | Example     | Reason unfiled            | Request         | Reply                     |
|                                     |             | Retry results             | Request         | Reply                     |
| Cost info type                      | Synonym     | Fee type                  | Finance         | Cost                      |
| Cost type                           | Synonym     | Fee type                  | Finance         | Cost                      |
| Count period                        |             |                           | Holdings        | Copy history              |
| Count period end                    |             |                           | Holdings        | Copy history              |
| Count period start                  |             |                           | Holdings        | Copy history              |
| Country                             |             |                           | Address         | Physical address          |
| Course name number                  | Synonym     | Person's activity         | Party — Person  | Organization information  |
| Coverage                            |             |                           | Search          | Database information      |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name              | Class       | Sub-class                 |
|-------------------------------------|-------------|--------------------------------|-------------|---------------------------|
| CPU (Central Processing Unit) time  | Example     | Resource usage type            | Transaction | Session                   |
| CQL (Common Query Language)         | Example     | Query type                     | Search      | Query                     |
| Creation date time                  | Synonym     | Date/time results set created  | Search      | Result set                |
| Credit amount                       |             | Date/time task package created | Transaction | Task                      |
| Credit card                         | Example     |                                | Finance     | Credit                    |
| Credit card holder name             | Example     | Mode of payment                | Finance     | Payment                   |
| Credit confirmation                 |             | Account holder name            | Finance     | Account                   |
| Credit justification                |             |                                | Finance     | Credit                    |
| Credit memo date and time           |             |                                | Finance     | Credit                    |
| Currency                            | Synonym     | Currency code                  | Finance     | Cost                      |
| Currency code                       |             |                                | Finance     | Cost                      |
| Current address flag                | Synonym     | Address status                 | Address     | Address                   |
| Current booking user                | Example     | Borrower relationship to copy  | Holdings    | Copy history              |
| Current borrower                    | Example     | Borrower relationship to copy  | Holdings    | Copy history              |
| Current location                    |             |                                | Holdings    | Copy information          |
| Current requester                   | Example     | Borrower relationship to copy  | Holdings    | Copy history              |
| Current reserving user              | Example     | Borrower relationship to copy  | Holdings    | Copy history              |
| Current state                       | Synonym     | Task status                    | Transaction | Task                      |
| Currently received (serial)         | Example     | Request status                 | Request     | Supply                    |
| Custodian                           | Example     | Contact person                 | Address     | Address                   |
| Daily                               | Example     | Frequency                      | Resource    | Bibliographic description |
| Damage fine                         | Example     | Fee type                       | Finance     | Cost                      |
| Damaged                             | Example     | Reason for return              | Request     | Cancellation              |
| Damaged details                     | Synonym     | Damaged on receipt             | Request     | Supply                    |
| Damaged on receipt                  |             |                                | Request     | Supply                    |



Table 13 (continued)

| Data element name, synonym, example         | Equivalence | Data element name                    | Class          | Sub-class                 |
|---|-------------|--------------------------------------|----------------|---------------------------|
| Damaged supply                              | Example     | Reason for claim                     | Request        | Claim                     |
| Data case sensitivity                       |             |                                      | Search         | Query                     |
| Data compression                            |             |                                      | Search         | Request                   |
| Data truncation attribute                   |             |                                      | Search         | Query                     |
| Database identifier                         |             |                                      | Search         | Database information      |
| Database name                               | Synonym     | Database identifier                  | Search         | Database information      |
| Database producer                           |             |                                      | Search         | Database information      |
| Database provider                           | Example     | Participant's function               | Party          | Attributes                |
| Database size                               |             |                                      | Search         | Database information      |
| Date  | Synonym     | Date/time of publication             | Resource       | Bibliographic information |
| Date after which a copy may not be returned | Example     | Expiry date and time                 | Transaction    | Transaction               |
| Date after which a credit is requested      | Example     | Expiry date and time                 | Transaction    | Transaction               |
| Date after which an order is invalid        | Example     | Expiry date and time                 | Transaction    | Transaction               |
| Date available                              | Synonym     | Date/time resource available         | Request        | Reply                     |
| Date checked in                             | Synonym     | Date/time item received              | Request        | Supply                    |
| Date checked out                            | Synonym     | Date/time of loan                    | Request        | Reply                     |
| Date due                                    | Synonym     | Date/time due                        | Request        | Reply                     |
| Date event occurred                         | Example     | Date/time of transaction             | Transaction    | Transaction               |
| Date for return                             | Synonym     | Date/time due                        | Request        | Reply                     |
| Date message received                       | Synonym     | Date/time message received           | Transaction    | Transaction               |
| Date of birth                               |             |                                      | Party — Person | Personal information      |
| Date of most recent service                 | Example     | Date/time of transaction             | Transaction    | Transaction               |
| Date of user privilege status               | Synonym     | Date/time access privilege commences | Party          | Privileges                |
| Date of user request                        | Synonym     | Date/time selected                   | Request        | Detail                    |
| Date placed                                 | Synonym     | Date/time ordered                    | Request        | Detail                    |

Table 13 (continued)

| Data element name, synonym, example                | Equivalence  | Data element name                | Class           | Sub-class               |
|--|--------------|----------------------------------|-----------------|-------------------------|
| Date qualifier code                                | Broader than | Do not ship before date and time | Request         | Detail                  |
|  |              | Expiry date and time             | Transaction     | Transaction             |
| Date recalled                                      | Synonym      | Date/time of claim               | Request         | Claim                   |
| Date received                                      | Synonym      | Date/time item received          | Request         | Supply                  |
| Date renewed                                       | Synonym      | Date/time of renewal             | Request         | Loan                    |
| Date reported returned                             | Synonym      | Date/time of return              | Request         | Loan                    |
| Date returned                                      | Synonym      | Date/time of return              | Request         | Loan                    |
| Date sent  | Synonym      | Date/time item sent or shipped   | Request         | Supply                  |
| Date shipment received                             | Synonym      | Date/time item received          | Request         | Supply                  |
| Date shipped                                       | Synonym      | Date/time item sent or shipped   | Request         | Supply                  |
| Date/time access privilege commences               |              |                                  | Party           | Privileges              |
| Date/time access privilege ends                    |              |                                  | Party           | Privileges              |
| Date/time acquisitions status                      |              |                                  | Request         | Status                  |
| Date/time address invalid                          |              |                                  | Address         | Address                 |
| Date/time address valid                            |              |                                  | Address         | Address                 |
| Date/time authorization expires                    | Synonym      | Date/time access privilege ends  | Party           | Privileges              |
| Date/time bibliographic record created             | Example      | Date/time record created         | Database record | Attributes              |
| Date/time bibliographic record updated             | Example      | Date/time record modified        | Database record | Attributes              |
| Date/time booking ends                             |              |                                  | Request         | Reservation and booking |
| Date/time booking starts                           |              |                                  | Request         | Reservation and booking |
| Date/time current session begins                   | Example      | Date/time session started        | Transaction     | Session                 |
| Date/time due                                      |              |                                  | Request         | Reply                   |
| Date/time financial transaction validity commences |              |                                  | Finance         | Account                 |
| Date/time financial transaction validity ends      |              |                                  | Finance         | Account                 |

Table 13 (continued)

| Data element name, synonym, example   | Equivalence | Data element name                 | Class           | Sub-class                 |
|---------------------------------------|-------------|-----------------------------------|-----------------|---------------------------|
| Date/time holdings statement reported |             |                                   | Holdings        | Holding                   |
| Date/time identity document commences |             |                                   | Party — Person  | Identity document         |
| Date/time identity document expires   |             |                                   | Party — Person  | Identity document         |
| Date/time item available              | Synonym     | Date/time resource available      | Request         | Reply                     |
| Date/time item received               |             |                                   | Request         | Supply                    |
| Date/time item sent or shipped        |             |                                   | Request         | Supply                    |
| Date/time last issue received         |             |                                   | Request         | Claim                     |
| Date/time message received            |             |                                   | Transaction     | Transaction               |
| Date/time of accrual                  |             |                                   | Finance         | Account                   |
| Date/time of automatic deletion       |             |                                   | Database record | Attributes                |
| Date/time of cancellation             |             |                                   | Request         | Cancellation              |
| Date/time of claim                    |             |                                   | Request         | Claim                     |
| Date/time of copy's last activity     |             |                                   | Holdings        | Copy history              |
| Date/time of creation                 |             |                                   | Resource        | Bibliographic information |
| Date/time of earliest recall          |             |                                   | Request         | Reply                     |
| Date/time of item's last activity     | Synonym     | Date/time of copy's last activity | Holdings        | Copy history              |
| Date/time of last return              |             |                                   | Holdings        | Copy history              |
| Date/time of last session             |             |                                   | Transaction     | Session                   |
| Date/time of last transfer            |             |                                   | Holdings        | Copy history              |
| Date/time of last update              |             |                                   | Database record | Attributes                |
| Date/time of loan                     |             |                                   | Request         | Reply                     |
| Date/time of original service         | Example     | Date/time of transaction          | Transaction     | Transaction               |
| Date/time of publication              |             |                                   | Resource        | Bibliographic information |
| Date/time of registration             |             |                                   | Party           | Attributes                |
| Date/time of renewal                  |             |                                   | Request         | Loan                      |
| Date/time of reservation collection   |             |                                   | Request         | Reservation and booking   |

Table 13 (continued)

| Data element name, synonym, example        | Equivalence | Data element name        | Class           | Sub-class                |
|--|-------------|--------------------------|-----------------|--------------------------|
| Date/time of return                        |             |                          | Request         | Loan                     |
| Date/time of status response               |             |                          | Request         | Status                   |
| Date/time of this service                  | Example     | Date/time of transaction | Transaction     | Transaction              |
| Date/time of transaction                   |             |                          | Transaction     | Transaction              |
| Date/time of user booking status           |             |                          | Party — Person  | Personal status          |
| Date/time of user loan status              |             |                          | Party — Person  | Personal status          |
| Date/time of user reservation status       |             |                          | Party — Person  | Personal status          |
| Date/time of user's last activity          |             |                          | Party — Person  | Personal status          |
| Date/time ordered                          |             |                          | Request         | Detail                   |
| Date/time overdue notice sent              | Synonym     | Date/time of claim       | Request         | Claim                    |
| Date/time party relation commences         |             |                          | Party           | Record relation          |
| Date/time party relation ends              |             |                          | Party           | Record relation          |
| Date/time project or certificate commences |             |                          | Party — Person  | Organization information |
| Date/time project or certificate completes |             |                          | Party — Person  | Organization information |
| Date/time record created                   |             |                          | Database record | Attributes               |
| Date/time record lock expires              |             |                          | Database record | Change data              |
| Date/time record modified                  |             |                          | Database record | Attributes               |
| Date/time registration expires             |             |                          | Party           | Attributes               |
| Date/time replacement sent                 |             |                          | Request         | Supply                   |
| Date/time reservation advice notice sent   |             |                          | Request         | Reservation and booking  |
| Date/time reservation expires              |             |                          | Request         | Reservation and booking  |
| Date/time reservation required             |             |                          | Request         | Reservation and booking  |
| Date/time resource available               |             |                          | Request         | Reply                    |
| Date/time results set created              |             |                          | Search          | Result set               |
| Date/time rights commence                  |             |                          | Resource        | Rights management        |

Table 13 (continued)

| Data element name, synonym, example      | Equivalence    | Data element name              | Class           | Sub-class                         |
|--|----------------|--------------------------------|-----------------|-----------------------------------|
| Date/time rights end                     |                |                                | Resource        | Rights management                 |
| Date/time selected                       |                |                                | Request         | Detail                            |
| Date/time session ended                  |                |                                | Transaction     | Session                           |
| Date/time session started                |                |                                | Transaction     | Session                           |
| Date/time subscription renewal effective |                |                                | Request         | Detail                            |
| Date/time task package created           |                |                                | Transaction     | Task                              |
| Date/time task package modified          |                |                                | Transaction     | Task                              |
| Date to send                             | Synonym        | Date/time resource available   | Request         | Reply                             |
| Date will send                           | Synonym        | Date/time resource available   | Request         | Reply                             |
| DDC (Dewey Decimal Classification)       | Example        | Classification                 | Resource        | Additional data retrieval element |
| Defective merchandise                    | Example        | Credit justification           | Finance         | Credit                            |
| Deferred billing date and time           |                |                                | Finance         | Invoice                           |
| Degree of bibliographic verification     |                |                                | Request         | Verification                      |
| Delay in publication                     | Example        | Response to claim              | Request         | Claim                             |
| Delayed billing date and time            | Synonym        | Deferred billing date and time | Finance         | Invoice                           |
| Delete function                          | Synonym        | Extent of deletion             | Search          | Result set                        |
| Delete list status                       | Example        | Result set status              | Search          | Result set                        |
| Delete message                           | Loose relation | Transaction completion flag    | Transaction     | Transaction                       |
| Delete operation status                  |                |                                | Search          | Result set                        |
| Deleted record                           | Example        | Record status                  | Database record | Attributes                        |
| Delivery address                         | Example        | Address role                   | Address         | Address                           |
| Delivery method type                     | Synonym        | Address type                   | Address         | Address                           |
| Delivery service                         |                |                                | Address         | Physical address                  |
| Delivery time                            | Synonym        | Electronic delivery time       | Address         | Electronic address                |
| Department/school                        | Synonym        | Organizational information     | Party — Person  | Organization information          |
| Deposit                                  | Example        | Acquisitions type              | Request         | Detail                            |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name               | Class       | Sub-class                         |
|-------------------------------------|-------------|---------------------------------|-------------|-----------------------------------|
| Deposit account                     | Example     | Mode of payment                 | Finance     | Payment                           |
| Descending                          | Example     | Sort option                     | Search      | Request                           |
| Description                         | Synonym     | Coverage                        | Search      | Database information              |
|                                     |             | Task package description        | Transaction | Task                              |
| Desired date for return             | Example     | Date/time due                   | Request     | Reply                             |
| Desired due date                    | Synonym     | Respond within                  | Request     | Detail                            |
| Desired due date                    | Example     | Date/time due                   | Request     | Reply                             |
| Destination                         | Synonym     | Routing destination             | Request     | Shipping and packing              |
| Dewey Decimal Classification (DDC)  | Example     | Classification                  | Resource    | Additional data retrieval element |
| Diagnostic code                     |             |                                 | Transaction | Transaction                       |
| Diagnostic information              | Synonym     | Error condition                 | Transaction | Transaction                       |
| Diagnostics                         | Synonym     | Error condition                 | Transaction | Transaction                       |
| Dictionary                          | Example     | Form of contents                | Resource    | Bibliographic description         |
| Different binding                   | Example     | Substitute option               | Request     | Detail                            |
| Different edition                   | Example     | Substitute option               | Request     | Detail                            |
| Digital copy                        | Example     | Available for                   | Holdings    | Availability                      |
| Digital Object Identifier (DOI)     | Example     | Resource identifier code        | Resource    | Identifier                        |
| Digitization fee                    | Example     | Fee type                        | Finance     | Cost                              |
| Directory                           | Example     | Form of contents                | Resource    | Bibliographic description         |
| Discount                            |             |                                 | Finance     | Cost                              |
| Diskette format                     | Example     | Form (technical specifications) | Resource    | Bibliographic description         |
| Display constraints                 |             |                                 | Search      | Request                           |
| Display format                      | Synonym     | Output format                   | Search      | Request                           |
| Display term                        |             |                                 | Search      | Scan                              |
| Disposal policy                     | Synonym     | Retention policy                | Resource    | Collection                        |
| Dissertation                        | Example     | Form of contents                | Resource    | Bibliographic description         |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name                  | Class           | Sub-class                         |
|-------------------------------------|-------------|------------------------------------|-----------------|-----------------------------------|
| Dissertation level                  |             |                                    | Resource        | Bibliographic description         |
| Dissertation thesis information     |             |                                    | Resource        | Bibliographic description         |
| District                            |             |                                    | Address         | Physical address                  |
| Do not back order                   | Example     | Back order code                    | Request         | Detail                            |
| Do not ship before date and time    |             |                                    | Request         | Detail                            |
| Document date/time                  | Synonym     | Date/time of transaction           | Transaction     | Transaction                       |
| Document type                       | Synonym     | Form of contents                   | Resource        | Bibliographic description         |
|                                     |             | Form (technical specifications)    | Resource        | Bibliographic description         |
| DOI (Digital Object Identifier)     | Example     | Resource identifier code           | Resource        | Identifier                        |
| Dublin core                         | Example     | Record schema                      | Database record | Attributes                        |
| Due date                            | Synonym     | Date/time due                      | Request         | Reply                             |
| Duplicate test flag                 |             |                                    | Database record | Change data                       |
| Earlier form                        | Example     | Link type                          | Database record | Attributes                        |
| Earliest date needed                | Synonym     | Do not ship before date and time   | Request         | Detail                            |
| Earliest date stamp                 |             |                                    | Search          | Database information              |
| Earliest despatch date              | Synonym     | Date/time resource available       | Request         | Reply                             |
| Echoed search retrieve request      | Example     | Additional transaction information | Transaction     | Transaction                       |
| e-delivery description              |             |                                    | Address         | Electronic address                |
| e-delivery details                  |             |                                    | Address         | Electronic address                |
| e-delivery service                  |             |                                    | Address         | Electronic address                |
| Edit/replace qualifier              | Example     | Update action qualifier            | Database record | Change data                       |
| Edit/replace schema                 | Example     | Record schema                      | Database record | Attributes                        |
| Edit/replace type                   |             |                                    | Database record | Change data                       |
| Edition                             |             |                                    | Resource        | Bibliographic description         |
| Edition of classification scheme    |             |                                    | Resource        | Additional data retrieval element |
| Edition statement                   | Synonym     | Edition                            | Resource        | Bibliographic description         |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name               | Class           | Sub-class                 |
|-------------------------------------|-------------|---------------------------------|-----------------|---------------------------|
| Editor                              | Example     | Other contributor               | Resource        | Bibliographic description |
| Educational institution price       | Example     | Price qualifier                 | Finance         | Cost                      |
| Electronic access restrictions      |             |                                 | Holdings        | Availability              |
| Electronic address                  | Synonym     | Electronic mail identifier      | Address         | Electronic address        |
| Electronic address data             | Synonym     | Electronic address              | Address         | Electronic address        |
| Electronic address type             |             |                                 | Address         | Electronic address        |
| Electronic data format type         | Synonym     | Form (technical specifications) | Resource        | Bibliographic description |
| Electronic delivery service         |             |                                 | Address         | Electronic address        |
| Electronic delivery time            |             |                                 | Address         | Electronic address        |
| Electronic locator                  |             |                                 | Holdings        | Copy identification       |
| Electronic mail identifier          |             |                                 | Address         | Electronic address        |
| Electronic resource                 | Synonym     | Form (technical specifications) | Resource        | Bibliographic description |
| Electronic resource metadata record | Example     | Record type                     | Database record | Attributes                |
| Electronic resource provided flag   |             |                                 | Request         | Supply                    |
| Element set name                    | Example     | Record composition              | Search          | Request                   |
| Element update                      | Example     | Update action                   | Database record | Change data               |
| Email address                       | Example     | Electronic address              | Address         | Electronic address        |
| Enclosed                            | Example     | Invoice location                | Request         | Supply                    |
| Encyclopaedia                       | Example     | Form of contents                | Resource        | Bibliographic description |
| Entries                             | Synonym     | Index entry                     | Search          | Database information      |
| Enumeration                         |             |                                 | Resource        | Component                 |
| Enumeration and chronology          |             |                                 | Resource        | Component                 |
| Enumeration caption                 |             |                                 | Resource        | Component                 |
| Enumeration level                   |             |                                 | Resource        | Component                 |
| Enumeration value                   | Synonym     | Enumeration                     | Resource        | Component                 |



Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name                  | Class           | Sub-class               |
|-------------------------------------|-------------|------------------------------------|-----------------|-------------------------|
| Equal                               | Example     | Link hierarchical relationship     | Database record | Attributes              |
| Error condition                     |             |                                    | Transaction     | Transaction             |
| Error on invoice                    | Example     | Credit justification               | Finance         | Credit                  |
| Error report                        | Synonym     | Error condition                    | Transaction     | Transaction             |
| Established heading                 |             |                                    | Database record | Authority record        |
| Estimate                            | Example     | Transaction results                | Request         | Reply                   |
| Estimated date available            | Synonym     | Date/time resource available       | Request         | Reply                   |
| Exceptional record size             | Example     | Preferred message size             | Search          | Request                 |
| Exchange                            | Example     | Acquisitions type                  | Request         | Detail                  |
| Expected ship date                  | Synonym     | Date/time resource available       | Request         | Reply                   |
| Expected terms                      | Synonym     | Discount                           | Finance         | Cost                    |
| Expiry date                         | Synonym     | Date/time reservation expires      | Request         | Reservation and booking |
| Expiry date and time                |             |                                    | Transaction     | Transaction             |
| Expiry flag                         |             |                                    | Request         | Detail                  |
| Export                              | Example     | Task package type                  | Transaction     | Task                    |
| Export invocation                   | Example     | Task package type                  | Transaction     | Task                    |
| Express                             | Example     | Transportation mode                | Request         | Supply                  |
| Extended price                      |             |                                    | Finance         | Cost                    |
| Extensible Markup Language (XML)    | Example     | Record syntax                      | Database record | Attributes              |
| Extent of deletion                  |             |                                    | Search          | Result set              |
| Extra request data                  | Example     | Additional transaction information | Transaction     | Transaction             |
| Extra response data                 | Example     | Additional transaction information | Transaction     | Transaction             |
| Extra term information              | Example     | Free text note                     | Database record | Description             |
| Family member                       | Example     | Party relation type                | Party           | Record relation         |
| Family name                         | Example     | Heading type                       | Database record | Authority record        |
| Fee amount                          | Synonym     | Amount                             | Finance         | Cost                    |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name                 | Class           | Sub-class                 |
|-------------------------------------|-------------|-----------------------------------|-----------------|---------------------------|
| Fee paid                            | Example     | Date/time of user's last activity | Party — Person  | Personal status           |
| Fee reason                          | Synonym     | Fee type                          | Finance         | Cost                      |
| Fee type                            |             |                                   | Finance         | Cost                      |
| Fee unit                            |             |                                   | Finance         | Cost                      |
| Fees outstanding                    |             |                                   | Party — Person  | Personal status           |
| Field                               |             |                                   | Database record | Record field              |
| Field attributes                    |             |                                   | Database record | Record field              |
| Field delete                        | Example     | Edit/replace type                 | Database record | Change data               |
| Field description                   |             |                                   | Database record | Record field              |
| Field identifier                    | Synonym     | Field tag                         | Database record | Record field              |
| Field indicator                     |             |                                   | Database record | Record field              |
| Field insert                        | Example     | Edit/replace type                 | Database record | Change data               |
| Field label                         | Synonym     | Field tag                         | Database record | Record field              |
| Field replace                       | Example     | Edit/replace type                 | Database record | Change data               |
| Field sequence number               |             |                                   | Database record | Record field              |
| Field tag                           |             |                                   | Database record | Record field              |
| Film gauge                          | Example     | Form (technical specifications)   | Resource        | Bibliographic description |
| Financial account balance           |             |                                   | Finance         | Account                   |
| Financial action type               |             |                                   | Finance         | Account                   |
| Financial transaction identifier    |             |                                   | Finance         | Account                   |
| Firm price                          | Example     | Price qualifier                   | Finance         | Cost                      |
| First in field                      | Example     | Positional attribute              | Search          | Query                     |
| Fiscal action type                  | Synonym     | Financial action type             | Finance         | Account                   |
| Fiscal transaction description      | Synonym     | Monetary information              | Finance         |                           |
| Fiscal transaction information      | Synonym     | Monetary information              | Finance         |                           |

Table 13 (continued)

| Data element name, synonym, example             | Equivalence  | Data element name                                  | Class           | Sub-class                         |
|---|--------------|--|-----------------|-----------------------------------|
| Fiscal transaction information: valid from date | Synonym      | Date/time financial transaction validity commences | Finance         | Account                           |
| Fiscal transaction information: valid to date   | Synonym      | Date/time financial transaction validity ends      | Finance         | Account                           |
| Fiscal transaction reference id                 | Synonym      | Financial transaction identifier                   | Finance         | Account                           |
| Fiscal transaction type                         | Synonym      | Fee type   | Finance         | Cost                              |
| Form of contents                                |              |  | Resource        | Bibliographic description         |
| Form of item                                    | Synonym      | Form (technical specifications)                    | Resource        | Bibliographic description         |
| Form (technical specifications)                 |              |  | Resource        | Bibliographic description         |
| Format of item (technical specifications)       | Synonym      | Form (technical specifications)                    | Resource        | Bibliographic description         |
| Free on board (FOB)                             |              |  | Request         | Supply                            |
| Free text instruction                           | Synonym      | Additional transaction information                 | Transaction     | Transaction                       |
| Free text note                                  |              |  | Database record | Description                       |
| Free text note code                             |              |  | Database record | Description                       |
| Free text note content                          | Synonym      | Free text note code                                | Database record | Description                       |
| Frequency                                       |              |  | Resource        | Bibliographic description         |
| From  | Synonym      | Last search execution date and time                | Search          | SDI                               |
| From agency authentication                      | Example      | Authentication data                                | Transaction     | Authentication                    |
| From agency id                                  | Example      | Transaction participant                            | Party           |                                   |
| From system authentication                      | Example      | Authentication data                                | Transaction     | Authentication                    |
| From system id                                  | Example      | Transaction participant                            | Party           |                                   |
| Function  | Synonym      | Command specification                              | Search          | Request                           |
| Fund detail                                     | Broader than | Account identifier                                 | Finance         | Account                           |
| Fund identifier                                 | Synonym      | Account identifier                                 | Finance         | Account                           |
| General Record Syntax (GRS-1)                   | Example      | Record syntax                                      | Database record | Attributes                        |
| Geographic area code                            | Example      | Subject retrieval code                             | Resource        | Additional data retrieval element |

Table 13 (continued)

| Data element name, synonym, example       | Equivalence | Data element name                   | Class           | Sub-class                         |
|---|-------------|-------------------------------------|-----------------|-----------------------------------|
| GILS (Global Information Locator Service) | Example     | Record schema                       | Database record | Attributes                        |
| Given name                                |             |                                     | Party — Person  | Personal name                     |
| Global diagnostics                        | Synonym     | Error condition                     | Transaction     | Transaction                       |
| Global Information Locator Service (GILS) | Example     | Record schema                       | Database record | Attributes                        |
| Goods and Services Tax (GST)              | Example     | Tax identifier                      | Finance         | Cost                              |
| Granularity                               | Synonym     | Time stamp granularity              | Search          | Database information              |
| GRS-1 (General Record Syntax)             | Example     | Record syntax                       | Database record | Attributes                        |
| GST (Goods and Services Tax)              | Example     | Tax identifier                      | Finance         | Cost                              |
| Hardware profile                          |             |                                     | Search          | Request                           |
| Heading type                              |             |                                     | Database record | Authority record                  |
| Held medium type                          | Synonym     | Form (technical specifications)     | Resource        | Bibliographic description         |
| Higher to lower                           | Example     | Link hierarchical relationship      | Database record | Attributes                        |
| Historical period code                    | Example     | Subject retrieval code              | Resource        | Additional data retrieval element |
| Hit constraint                            |             |                                     | Search          | Response                          |
| Hold for pickup                           | Example     | Transportation mode                 | Request         | Supply                            |
| Hold pickup date                          | Synonym     | Date/time of reservation collection | Request         | Reservation and booking           |
| Hold placed                               | Example     | Transaction results                 | Request         | Reply                             |
| Hold placed results                       | Synonym     | Reservation made                    | Request         | Reply                             |
| Hold queue length                         | Synonym     | Reservation queue length            | Request         | Reservation and booking           |
| Hold queue position                       | Synonym     | Reservation queue position          | Request         | Reservation and booking           |
| Holding simple                            |             |                                     | Holdings        | Holding                           |
| Holding structured                        |             |                                     | Holdings        | Holding                           |
| Holdings                                  |             |                                     | Holdings        |                                   |
| Holdings (copies) record                  | Example     | Record type                         | Database record | Attributes                        |
| Holdings encoding level                   |             |                                     | Database record | Copy information                  |
| Home address                              | Example     | Address label                       | Address         | Address                           |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name               | Class           | Sub-class                 |
|-------------------------------------|-------------|---------------------------------|-----------------|---------------------------|
| House bound service                 | Example     | User group                      | Party           | Privileges                |
| House name                          | Synonym     | Building                        | Address         | Physical address          |
| HTML (Hypertext Markup Language)    | Example     | Record syntax                   | Database record | Attributes                |
| Hypertext Markup Language (HTML)    | Example     | Record syntax                   | Database record | Attributes                |
| Id/authentication                   | Synonym     | System identifier               | Transaction     | System                    |
| Identifier                          | Synonym     | Record identifier               | Database record | Identifier                |
| Identifier type                     | Synonym     | Type of identity document       | Party — Person  | Identity document         |
| Identity document                   |             |                                 | Party — Person  | Identity document         |
| Identity document number            |             |                                 | Party — Person  | Identity document         |
| ILL (Inter-library loan)            | Example     | Acquisitions type               | Request         | Detail                    |
| ILL request type                    |             |                                 | Request         | Detail                    |
| ILL service type                    | Synonym     | Acquisitions type               | Request         | Detail                    |
| Illustrator                         | Example     | Other contributor               | Resource        | Bibliographic description |
| Image                               | Example     | Authentication data format type | Transaction     | Authentication            |
| Implementation id                   | Example     | System identifier               | Transaction     | System                    |
| Implementation name                 | Example     | System identifier               | Transaction     | System                    |
| Implementation version              | Part of     | System identifier               | Transaction     | System                    |
| In library use only                 | Example     | Availability policy             | Holdings        | Availability              |
| In print status                     | Example     | Resource supply factors         | Resource        | Bibliographic information |
| In process                          | Example     | Reason unfilled                 | Request         | Reply                     |
|                                     |             | Retry results                   | Request         | Reply                     |
| In use                              | Example     | Reason unfilled                 | Request         | Reply                     |
|                                     |             | Retry results                   | Request         | Reply                     |
| Inappropriate authentication        | Example     | Security violation              | Transaction     | Authentication            |
| Incomplete                          | Example     | Completeness                    | Resource        | Collection                |
| Increment                           | Synonym     | Fee unit                        | Finance         | Cost                      |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name                    | Class           | Sub-class                 |
|-------------------------------------|-------------|--------------------------------------|-----------------|---------------------------|
| Indeterminate loan period flag      | Example     | Availability policy                  | Holdings        | Availability              |
| Index                               | Example     | Form of contents                     | Resource        | Bibliographic description |
|                                     |             | Unit type                            | Resource        | Component                 |
| Index display code                  |             |                                      | Search          | Response                  |
| Index entry                         |             |                                      | Search          | Database information      |
| Index identifier                    |             |                                      | Search          | Database information      |
| Index name                          | Synonym     | Index identifier                     | Search          | Database information      |
| Information service provider (ISP)  |             |                                      | Search          | Database information      |
| Initial requester id                | Example     | Party identifier                     | Party           | Identification            |
| Initialization status               |             |                                      | Transaction     | Session                   |
| Initials                            |             |                                      | Party — Person  | Personal name             |
| Initiator of most recent service    | Example     | Transaction participant              | Party           |                           |
| Input result set                    | Example     | Result set identifier                | Search          | Result set                |
| Institution                         | Example     | Party identifier                     | Party           | Identification            |
| Institution identification          | Example     | Party identifier                     | Party           | Identification            |
| Institution identifier              | Example     | Party identifier                     | Party           | Identification            |
| Institution identifier code         | Example     | Party identifier                     | Party           | Identification            |
| Institution name                    | Synonym     | Name of institution                  | Party — Group   | Name                      |
| Institution role                    | Synonym     | Participant's function               | Party           | Attributes                |
| Institution section                 | Synonym     | Subordinate unit of institution name | Party — Group   | Name                      |
| Instruction code                    | Synonym     | Additional transaction information   | Transaction     | Transaction               |
| Instruction override                |             |                                      | Transaction     | Transaction               |
| Instructions                        | Synonym     | Free text note code                  | Database record | Description               |
| Insufficient access rights          | Example     | Security violation                   | Transaction     | Authentication            |
| Insurance charge                    | Example     | Fee type                             | Finance         | Cost                      |
| Insurance charges                   | Example     | Fee type                             | Finance         | Cost                      |

Table 13 (continued)

| Data element name, synonym, example  | Equivalence | Data element name         | Class       | Sub-class                 |
|--|-------------|---------------------------|-------------|---------------------------|
| Insured for  | Example     | Fee type                  | Finance     | Cost                      |
| Integrating resource   | Example     | Bibliographic level       | Resource    | Bibliographic information |
| Inter-library loan (ILL)   | Example     | Acquisitions type         | Request     | Detail                    |
| Interim  | Example     | Result set status         | Search      | Result set                |
| Interloan function   | Synonym     | Participant's function    | Party       | Attributes                |
| Interloan officer  | Example     | Participant's function    | Party       | Attributes                |
| Intermediary   | Example     | Participant's function    | Party       | Attributes                |
| Intermediary id  | Example     | Transaction participant   | Party       |                           |
| Internal courier   | Example     | Delivery service          | Address     | Physical address          |
| Internal item identification   | Synonym     | Piece identifier          | Holdings    | Copy identification       |
| International Standard Book Number (ISBN) (ISO 2108)   | Example     | Resource identifier code  | Resource    | Identifier                |
| International Standard Identifier for Libraries and Related Organizations (ISIL) (ISO 15511) | Example     | Party identifier          | Party       | Identification            |
| International Standard Music Number (ISMN) (ISO 10957)                                       | Example     | Resource identifier code  | Resource    | Identifier                |
| International standard number  | Example     | Resource identifier       | Resource    | Identifier                |
| International standard numbering code  | Example     | Resource identifier code  | Resource    | Identifier                |
| International standard numbering code name   | Example     | Resource identifier code  | Resource    | Identifier                |
| International Standard Recording Code (ISRC) (ISO 3901)                                      | Example     | Resource identifier code  | Resource    | Identifier                |
| International Standard Serial Number (ISSN) (ISO 3297)                                       | Example     | Resource identifier code  | Resource    | Identifier                |
| International Standard Text Code (ISTC) (ISO 21047)  | Example     | Resource identifier code  | Resource    | Identifier                |
| Internet Protocol (IP) address   | Example     | Electronic address        | Address     | Electronic address        |
| Internet Protocol (IP) address range   | Example     | Authentication input type | Transaction | Authentication            |

Table 13 (continued)

| Data element name, synonym, example  | Equivalence | Data element name         | Class       | Sub-class                 |
|--|-------------|---------------------------|-------------|---------------------------|
| Invalid credentials  | Example     | Security violation        | Transaction | Authentication            |
| Invalid signature  | Example     | Security violation        | Transaction | Authentication            |
| Invoice address  | Example     | Address role              | Address     | Address                   |
| Invoice charges  | Example     | Fee type                  | Finance     | Cost                      |
| Invoice cleared  | Example     | Invoice status            | Finance     | Invoice                   |
| Invoice copies   |             |                           | Finance     | Invoice                   |
| Invoice date and time  |             |                           | Finance     | Invoice                   |
| Invoice enquiries  | Example     | Contact person            | Address     | Address                   |
| Invoice identifier   |             |                           | Finance     | Invoice                   |
| Invoice location   |             |                           | Request     | Supply                    |
| Invoice not received   | Example     | Reason for claim          | Request     | Claim                     |
| Invoice number on cheque stub  | Example     | Payment enclosures        | Finance     | Payment                   |
| Invoice paid   | Example     | Invoice status            | Finance     | Invoice                   |
| Invoice status   |             |                           | Finance     | Invoice                   |
| Invoice total  |             |                           | Finance     | Invoice                   |
| Invoicing instructions   |             |                           | Request     | Detail                    |
| IP address (Internet Protocol)   | Example     | Electronic address        | Address     | Electronic address        |
| IP address range (Internet Protocol)   | Example     | Authentication input type | Transaction | Authentication            |
| Irregularly  | Example     | Frequency                 | Resource    | Bibliographic description |
| ISBN (ISO 2108) (International Standard Book Number)   | Example     | Resource identifier code  | Resource    | Identifier                |
| ISIL (ISO 15511) (International Standard Identifier for Libraries and Related Organizations) | Example     | Party identifier          | Party       | Identification            |
| ISMN (ISO 10957) (International Standard Music Number)                                       | Example     | Resource identifier code  | Resource    | Identifier                |



Table 13 (continued)

| Data element name, synonym, example  | Equivalence | Data element name             | Class           | Sub-class            |
|--|-------------|-------------------------------|-----------------|----------------------|
| ISO 9 (Transliteration of Cyrillic characters into Latin characters)                         | Example     | Record transliteration scheme | Database record | Attributes           |
| ISO 233 (Transliteration of Arabic characters into Latin characters)                         | Example     | Record transliteration scheme | Database record | Attributes           |
| ISO 259 (Transliteration of Hebrew characters into Latin characters)                         | Example     | Record transliteration scheme | Database record | Attributes           |
| ISO 843 (Conversion of Greek characters into Latin characters)                               | Example     | Record transliteration scheme | Database record | Attributes           |
| ISO 2108 (ISBN) (International Standard Book Number)   | Example     | Resource identifier code      | Resource        | Identifier           |
| ISO 2709 (MARC) (Machine Readable Cataloguing)   | Example     | Record syntax                 | Database record | Attributes           |
| ISO 3297 (ISSN) (International Standard Serial Number)                                       | Example     | Resource identifier code      | Resource        | Identifier           |
| ISO 3602 [Romanization of Japanese (kana script)]  | Example     | Record transliteration scheme | Database record | Attributes           |
| ISO 3901 (ISRC) (International Standard Recording Code)                                      | Example     | Resource identifier code      | Resource        | Identifier           |
| ISO 7098 (Romanization of Chinese)   | Example     | Record transliteration scheme | Database record | Attributes           |
| ISO 8777 (Common Command)  | Example     | Query type                    | Search          | Query                |
| ISO 10957 (ISMN) (International Standard Music Number)                                       | Example     | Resource identifier code      | Resource        | Identifier           |
| ISO 15511 (ISIL) (International Standard Identifier for Libraries and Related Organizations) | Example     | Party identifier              | Party           | Identification       |
| ISO 21047 (ISTC) (International Standard Text Code)  | Example     | Resource identifier code      | Resource        | Identifier           |
| ISP (Information service provider)   |             |                               | Search          | Database information |
| ISRC (ISO 3901) (International Standard Recording Code)                                      | Example     | Resource identifier code      | Resource        | Identifier           |

Table 13 (continued)

| Data element name, synonym, example                    | Equivalence | Data element name                   | Class           | Sub-class                 |
|--|-------------|-------------------------------------|-----------------|---------------------------|
| ISSN (ISO 3297) (International Standard Serial Number) | Example     | Resource identifier code            | Resource        | Identifier                |
| Issue  | Example     | Enumeration                         | Resource        | Component                 |
| Issue date time  | Synonym     | Date/time of transaction            | Transaction     | Transaction               |
| Issue identification                                   |             |                                     | Resource        | Bibliographic description |
| Issue identifier                                       |             |                                     | Resource        | Identifier                |
| ISTC (ISO 21047) (International Standard Text Code)    | Example     | Resource identifier code            | Resource        | Identifier                |
| Item available in system                               | Synonym     | Resource available in system        | Request         | Detail                    |
| Item charge  | Example     | Fee type                            | Finance         | Cost                      |
| Item description                                       | Synonym     | Bibliographic description           | Resource        | Bibliographic information |
| Item description                                       | Synonym     | Piece identifier                    | Holding         | Identification            |
| Item description level                                 | Synonym     | Copy information                    | Holdings        | Copy information          |
| Item element type                                      | Synonym     | Copy description level              | Holdings        | Copy information          |
| Item history information                               | Synonym     | Record retrieval elements           | Database record | Attributes                |
| Item id  | Synonym     | Copy history information            | Holdings        | Copy history              |
| Item identification                                    | Synonym     | Piece identifier                    | Holdings        | Copy identification       |
| Item identification instruction                        | Synonym     | Piece identifier                    | Holdings        | Copy identification       |
| Item identification number                             | Synonym     | Resource identification instruction | Request         | Detail                    |
| Item identifier value                                  | Synonym     | Piece identifier                    | Holdings        | Copy identification       |
| Item information                                       | Synonym     | Piece identifier                    | Holdings        | Copy identification       |
| Item number  | Synonym     | Bibliographic description           | Resource        | Bibliographic information |
| Item number check digit algorithm                      | Synonym     | Order line number                   | Request         | Detail                    |
| Item order   | Example     | Check digit algorithm               | Database record | Identifier                |
| Item reported lost                                     | Example     | Task package type                   | Transaction     | Task                      |
|  | Example     | Circulation status                  | Holdings        | Availability              |

Table 13 (continued)

| Data element name, synonym, example                                     | Equivalence | Data element name                   | Class           | Sub-class                         |
|---|-------------|-------------------------------------|-----------------|-----------------------------------|
| Item reported missing   | Example     | Circulation status                  | Holdings        | Availability                      |
| Item reported never borrowed  | Example     | Circulation status                  | Holdings        | Availability                      |
| Item reported returned  | Example     | Circulation status                  | Holdings        | Availability                      |
| Item use restriction type   | Synonym     | Availability policy                 | Holdings        | Availability                      |
| Item use restriction type   | Synonym     | Conditions of use                   | Request         | Reply                             |
| Joint Experts Photographic Group (JPEG)                                 | Example     | Form (technical specifications)     | Resource        | Bibliographic description         |
| JPEG (Joint Experts Photographic Group)                                 | Example     | Form (technical specifications)     | Resource        | Bibliographic description         |
| Key title   | Example     | Title                               | Resource        | Bibliographic description         |
| Keyword   |             |                                     | Resource        | Additional data retrieval element |
| Label   | Synonym     | Set label                           | Holdings        | Copy identification               |
| Lacks copyright compliance  | Example     | Retry results                       | Request         | Reply                             |
| Language  | Synonym     | Language of resource                | Resource        | Bibliographic description         |
| Language of cataloguing   |             |                                     | Party — Person  | Personal information              |
| Language of dialogue  |             |                                     | Database record | Attributes                        |
| Language of resource  |             |                                     | Transaction     | Session                           |
| Large set lower bound   |             |                                     | Resource        | Bibliographic description         |
| Last activity type  |             |                                     | Search          | Request                           |
| Last borrower   |             |                                     | Holdings        | Copy history                      |
| Last loan   | Example     | Borrower relationship to copy       | Holdings        | Copy history                      |
| Last SDI (Selective Dissemination of Information) search execution date | Example     | Date/time of user's last activity   | Party — Person  | Personal status                   |
| Last search execution date and time                                     | Synonym     | Last search execution date and time | Search          | SDI                               |
| Later form  |             |                                     | Search          | SDI                               |
| Latest update of database   | Example     | Link type                           | Database record | Attributes                        |
|   |             |                                     | Search          | Database information              |

Table 13 (continued)

| Data element name, synonym, example       | Equivalence | Data element name            | Class           | Sub-class                         |
|---|-------------|------------------------------|-----------------|-----------------------------------|
| LCCN (Library of Congress control number) | Example     | Record identifier code       | Database record | Identifier                        |
| Lending policy                            | Synonym     | Availability policy          | Holdings        | Availability                      |
| Level                                     | Synonym     | Dissertation level           | Resource        | Bibliographic description         |
| Level 1 (item not examined)               | Example     | Bibliographic encoding level | Resource        | Bibliographic information         |
| Level 2 [pre-publication (CIP)]           | Example     | Bibliographic encoding level | Resource        | Bibliographic information         |
| Level 3 (less than complete)              | Example     | Bibliographic encoding level | Resource        | Bibliographic information         |
| Level 4                                   | Example     | Location within building     | Address         | Physical address                  |
| Level of normalization for collation      |             |                              | Search          | Query                             |
| Level of service                          | Example     | Service profile              | Transaction     | Session                           |
| Library binding                           | Example     | Binding type                 | Holdings        | Copy information                  |
| Library code or symbol                    | Example     | Party identifier             | Party           | Identification                    |
| Library name                              | Synonym     | Name of institution          | Party — Group   | Name                              |
| Library of Congress classification        | Example     | Classification               | Resource        | Additional data retrieval element |
| Library of Congress control number (LCCN) | Example     | Record identifier code       | Database record | Identifier                        |
| Library price                             | Example     | Price qualifier              | Finance         | Cost                              |
| Line 1                                    | Example     | Address line                 | Address         | Physical address                  |
| Line 2                                    | Example     | Address line                 | Address         | Physical address                  |
| Link hierarchical relationship            |             |                              | Database record | Attributes                        |
| Link type                                 |             |                              | Database record | Attributes                        |
| List price                                |             |                              | Finance         | Cost                              |
| Loan                                      | Example     | Acquisitions type            | Request         | Detail                            |
|   |             | Available for                | Holdings        | Availability                      |
| Loan authorization                        |             |                              | Request         | Authorization                     |
| Loan availability                         | Synonym     | Availability policy          | Holdings        | Availability                      |

Table 13 (continued)

| Data element name, synonym, example       | Equivalence  | Data element name             | Class           | Sub-class           |
|---|--------------|-------------------------------|-----------------|---------------------|
| Loan charge                               | Example      | Fee type                      | Finance         | Cost                |
| Loan or rental fee                        | Example      | Fee type                      | Finance         | Cost                |
| Loan period                               |              |                               | Request         | Supply              |
| Loaned item count value                   | Synonym      | Borrowed copies count         | Party           | Attributes          |
| Local call number                         | Synonym      | Copy shelf locator            | Holdings        | Copy identification |
| Local disk                                | Example      | Output medium                 | Search          | Request             |
| Local request number                      | Example      | Request identifier            | Request         | Identifier          |
| Locality                                  | Synonym      | District                      | Address         | Physical address    |
| Location                                  | Broader than | Current location              | Holdings        | Copy information    |
|   |              | Permanent location            | Holdings        | Copy identification |
| Location type                             | Broader than | Current location              | Holdings        | Copy information    |
|   |              | Permanent location            | Holdings        | Copy identification |
|   |              | Temporary location            | Holdings        | Copy identification |
| Location within building                  |              |                               | Address         | Physical address    |
| Location: valid from date                 | Synonym      | Date/time of last transfer    | Holdings        | Copy history        |
| Location: valid to date                   | Example      | Date/time due                 | Request         | Reply               |
| Locations count                           |              |                               | Resource        | Collection          |
| Locations only                            | Example      | Holdings encoding level       | Database record | Copy information    |
| Locations plus general extent information | Example      | Holdings encoding level       | Database record | Copy information    |
| Locations plus summary extent of holdings | Example      | Holdings encoding level       | Database record | Copy information    |
| Locations provided                        | Example      | Transaction results           | Request         | Reply               |
| Locations results                         | Synonym      | Possible locations            | Request         | Locations           |
| Lock description                          | Synonym      | Record lock description       | Database record | Change data         |
| Lock expiry                               | Synonym      | Date/time record lock expires | Database record | Change data         |
| Lock record                               | Example      | Set lock flag                 | Database record | Change data         |
| Lock set                                  | Synonym      | Record lock set               | Database record | Change data         |

Table 13 (continued)

| Data element name, synonym, example                | Equivalence | Data element name                    | Class           | Sub-class                 |
|--|-------------|--------------------------------------|-----------------|---------------------------|
| Lost   | Example     | Reason unfilled                      | Request         | Reply                     |
| Lower to higher                                    | Example     | Link hierarchical relationship       | Database record | Attributes                |
| MAB (Maschinelle Austauschformat für Bibliotheken) | Example     | Record syntax                        | Database record | Attributes                |
| Machine Readable Cataloguing (MARC) (ISO 2709)     | Example     | Record syntax                        | Database record | Attributes                |
| Magnetic tape                                      | Example     | Output medium                        | Search          | Request                   |
| Maiden name  | Example     | Type of alternative information      | Party — Person  | Personal information      |
| Mailed under separate cover                        | Example     | Invoice location                     | Request         | Supply                    |
| Main unit of institution name                      |             |                                      | Party — Group   | Name                      |
| Managing director                                  | Example     | Title in organization                | Party — Person  | Organization information  |
| Mandated action                                    |             |                                      | Request         | Detail                    |
| MARC (ISO 2709) (Machine Readable Cataloguing)     | Example     | Record syntax                        | Database record | Attributes                |
| Maschinelle Austauschformat für Bibliotheken (MAB) | Example     | Record syntax                        | Database record | Attributes                |
| Masking symbol                                     |             |                                      | Search          | Query                     |
| Maximum cost                                       |             |                                      | Finance         | Cost                      |
| Maximum record size                                |             |                                      | Search          | Request                   |
| Maximum records                                    | Synonym     | Number of records or terms requested | Search          | Request                   |
| Maximum segment count                              |             |                                      | Search          | Request                   |
| Maximum segment size                               |             |                                      | Search          | Request                   |
| Maximum terms                                      | Synonym     | Number of records or terms requested | Search          | Request                   |
| May not be photocopied                             | Example     | Conditions of use                    | Request         | Reply                     |
| Medium set element set names                       | Example     | Record composition                   | Search          | Request                   |
| Medium set present number                          |             |                                      | Search          | Request                   |
| Medium type  | Synonym     | Form (technical specifications)      | Resource        | Bibliographic description |

**Table 13 (continued)**

| Data element name, synonym, example | Equivalence    | Data element name                                 | Class           | Sub-class                 |
|-------------------------------------|----------------|---|-----------------|---------------------------|
| Membership                          | Example        | Acquisitions type                                 | Request         | Detail                    |
| Memory                              | Example        | Resource usage type                               | Transaction     | Session                   |
| Merge qualifier                     | Example        | Update action qualifier                           | Database record | Change data               |
| Message                             | Example        | Additional transaction information                | Transaction     | Transaction               |
| Message identification              |                |   | Transaction     | Transaction               |
| Message name                        |                |   | Transaction     | Transaction               |
| Messaging error                     | Synonym        | Error condition                                   | Transaction     | Transaction               |
| Metadata format                     | Synonym        | Record schema                                     | Database record | Attributes                |
| Metadata prefix                     | Loose relation | Record schema                                     | Database record | Attributes                |
| Metadata record                     | Example        | Record  | Database record |                           |
| Microcomputer software version      | Example        | Form (technical specifications)                   | Resource        | Bibliographic description |
| Microform negative                  | Example        | Type of reproduction                              | Request         | Detail                    |
| Microform positive                  | Example        | Type of reproduction                              | Request         | Detail                    |
| Military service and rank           | Example        | Other information related to an identity document | Party — Person  | Identity document         |
| Minor flag                          |                | User group  | Party           | Privileges                |
| Miscellaneous user note             | Synonym        | Additional descriptive personal information       | Party — Person  | Personal information      |
| Missing value                       | Example        | Sort option                                       | Party — Person  | Personal information      |
| Mode of payment                     |                |   | Search          | Request                   |
| Monetary amount                     | Synonym        | Amount  | Finance         | Payment                   |
| Monetary information                |                |   | Finance         | Cost                      |
| Monetary value                      | Synonym        | Amount  | Finance         | Cost                      |
| Monograph                           | Example        | Bibliographic level                               | Resource        | Bibliographic information |
| Monthly                             | Example        | Frequency   | Resource        | Bibliographic description |
| Motion Picture Experts Group (MPEG) | Example        | Form (technical specifications)                   | Resource        | Bibliographic description |

Table 13 (continued)

| Data element name, synonym, example                              | Equivalence  | Data element name                   | Class           | Sub-class                 |
|--|--------------|-------------------------------------|-----------------|---------------------------|
| MPEG (Motion Picture Experts Group)                              | Example      | Form (technical specifications)     | Resource        | Bibliographic description |
| Multi-item indicator   |              |                                     | Request         | Detail                    |
| Multimedia   | Example      | Record content type                 | Resource        | Bibliographic description |
| Music score  | Example      | Record content type                 | Resource        | Bibliographic description |
| Name/collective uniform title                                    | Example      | Heading type                        | Database record | Authority record          |
| Name/title   | Example      | Heading type                        | Database record | Authority record          |
| Name information   | Synonym      | Personal name                       | Party — Person  | Personal name             |
| Name of institution  |              |                                     | Party — Group   | Name                      |
| Name of person or institution                                    | Broader than | Name of institution                 | Party — Group   | Name                      |
| Name or code   | Synonym      | Electronic delivery service         | Address         | Electronic address        |
| Narrower form  | Example      | Link type                           | Database record | Attributes                |
| National bibliographic authority                                 | Example      | Resource identifier code            | Resource        | Identifier                |
| National bibliographic number                                    | Example      | Resource identifier                 | Resource        | Identifier                |
| National mail service  | Example      | Delivery service                    | Address         | Physical address          |
| Need before date   | Synonym      | Date/time reservation expires       | Request         | Reservation and booking   |
| Net cataloguing service price                                    | Example      | Respond within                      | Request         | Detail                    |
| Net price  |              | Fee type                            | Finance         | Cost                      |
| Never published  | Example      | Response to claim                   | Finance         | Cost                      |
| New value  | Synonym      | Change data new value               | Request         | Claim                     |
| Next record position   | Synonym      | Next result set position            | Database record | Change data               |
| Next result set position   |              |                                     | Search          | Response                  |
| Next SDI (Selective Dissemination of Information) execution date | Synonym      | Next search execution date and time | Search          | Response                  |
| Next search execution date and time                              |              |                                     | Search          | SDI                       |
| No action  | Example      | Not to exceed action                | Search          | SDI                       |
|  |              |                                     | Finance         | Cost                      |



Table 13 (continued)

| Data element name, synonym, example   | Equivalence    | Data element name                  | Class           | Sub-class                 |
|---------------------------------------|----------------|------------------------------------|-----------------|---------------------------|
| No enclosure                          | Example        | Payment enclosures                 | Finance         | Payment                   |
| No online access                      | Example        | Electronic access restrictions     | Holdings        | Availability              |
| No restriction                        | Example        | Conditions of use                  | Request         | Reply                     |
| Non-circulating                       | Example        | Reason unfilled                    | Request         | Reply                     |
| Non-descriptive bibliographic element |                |                                    | Resource        | Bibliographic information |
| Non-duplicate record id               | Loose relation | Duplicate test flag                | Database record | Change data               |
| Non returnable flag                   | Example        | Availability policy                | Holdings        | Availability              |
| Non sort begin                        |                |                                    | Database record | Record field              |
| Non sort end                          |                |                                    | Database record | Record field              |
| Not a duplicate                       | Example        | Duplicate test flag                | Database record | Change data               |
| Not available                         | Example        | Circulation status                 | Holdings        | Availability              |
| Not CIP (cataloguing in publication)  | Example        | Bibliographic encoding level       | Resource        | Bibliographic information |
| Not currently received (serial)       | Example        | Request status                     | Request         | Supply                    |
| Not for loan                          | Example        | Availability policy                | Holdings        | Availability              |
| Not found as cited                    | Example        | Retry results                      | Request         | Reply                     |
| Not identified as cited               | Example        | Response to claim                  | Request         | Claim                     |
| Not on shelf                          | Example        | Reason unfilled                    | Request         | Reply                     |
| Not owned                             | Example        | Reason unfilled                    | Request         | Reply                     |
| Not retained                          | Example        | Retention policy                   | Resource        | Collection                |
| Not to exceed action                  |                |                                    | Finance         | Cost                      |
| Not to exceed amount                  | Synonym        | Maximum cost                       | Finance         | Cost                      |
| Not yet published                     | Example        | Reason unfilled                    | Request         | Reply                     |
| Note                                  | Example        | Additional transaction information | Transaction     | Transaction               |
| Notes                                 | Synonym        | Free text note                     | Database record | Description               |
| Notes/remarks                         | Synonym        | Additional transaction information | Transaction     | Transaction               |
|                                       | Synonym        | Additional transaction information | Transaction     | Transaction               |

Table 13 (continued)

| Data element name, synonym, example  | Equivalence | Data element name                    | Class       | Sub-class    |
|--------------------------------------|-------------|--------------------------------------|-------------|--------------|
| Notice                               | Synonym     | Notice type                          | Request     | Claim        |
| Notice content                       |             |                                      | Request     | Claim        |
| Notice of non receipt                | Synonym     | Notice of non-receipt responsibility | Request     | Detail       |
| Notice of non-receipt responsibility |             |                                      | Request     | Detail       |
| Notice type                          |             |                                      | Request     | Claim        |
| Notification note                    | Example     | Additional transaction information   | Transaction | Transaction  |
| Number not deleted                   |             |                                      | Search      | Result set   |
| Number of cartons                    |             |                                      | Request     | Supply       |
| Number of copies requested           |             |                                      | Request     | Detail       |
| Number of disk accesses              | Example     | Resource usage type                  | Transaction | Session      |
| Number of items cancelled            |             |                                      | Request     | Cancellation |
| Number of items delivered to date    |             |                                      | Request     | Supply       |
| Number of items outstanding          |             |                                      | Request     | Status       |
| Number of lines                      | Synonym     | Total titles                         | Request     | Supply       |
| Number of packages                   | Synonym     | Number of cartons                    | Request     | Supply       |
| Number of records                    | Synonym     | Posting                              | Search      | Response     |
|                                      |             | Records returned or sent             | Search      | Response     |
|                                      |             | Result set size                      | Search      | Result set   |
| Number of records or terms requested |             |                                      | Search      | Request      |
| Number of records requested          | Synonym     | Number of records or terms requested | Search      | Request      |
| Number of records returned           | Synonym     | Records returned or sent             | Search      | Response     |
| Number of sessions                   | Example     | Resource usage type                  | Transaction | Session      |
| Number of system malfunctions        | Example     | System performance                   | Transaction | Session      |
| Number of tapes                      | Example     | Resource usage type                  | Transaction | Session      |

Table 13 (continued)

| Data element name, synonym, example       | Equivalence | Data element name         | Class           | Sub-class                 |
|---|-------------|---------------------------|-----------------|---------------------------|
| Number of telecommunication interruptions | Example     | System performance        | Transaction     | Session                   |
| Number of units                           | Synonym     | Total copies count        | Resource        | Collection                |
| Number of volumes                         |             |                           | Resource        | Bibliographic description |
| Numeric qualifier                         |             |                           | Party — Person  | Personal name             |
| Official seal of institution              |             |                           | Party — Group   | Name                      |
| Old value                                 | Synonym     | Change data old value     | Database record | Change data               |
| Old value truncation attribute            | Example     | Data truncation attribute | Search          | Query                     |
| On behalf of agency                       | Example     | Transaction participant   | Party           |                           |
| On hold                                   | Example     | Retry results             | Request         | Reply                     |
| On loan                                   | Example     | Retry results             | Request         | Reply                     |
| On order                                  | Example     | Request status            | Request         | Supply                    |
|   |             | Retry results             | Request         | Reply                     |
| On order count                            |             |                           | Resource        | Collection                |
| Online access                             | Example     | Available for             | Holdings        | Availability              |
| Op id                                     | Synonym     | Message identification    | Transaction     | Transaction               |
| Op id                                     | Synonym     | Transaction identifier    | Transaction     | Transaction               |
| OpenURL                                   | Example     | Reference to resource     | Resource        | Identifier                |
| OpenURL referent                          | Example     | Participant's function    | Party           | Attributes                |
| OpenURL referrer                          | Example     | Participant's function    | Party           | Attributes                |
| OpenURL requester                         | Example     | Participant's function    | Party           | Attributes                |
| Operand                                   | Synonym     | Boolean operator          | Search          | Query                     |
| Operation                                 | Synonym     | Message name              | Transaction     | Transaction               |
| Operation confirmation                    |             |                           | Transaction     | Transaction               |
| Operation diagnostics                     | Example     | Error condition           | Transaction     | Transaction               |
| Operation status                          | Synonym     | Task status               | Transaction     | Task                      |

Table 13 (continued)

| Data element name, synonym, example               | Equivalence    | Data element name                  | Class          | Sub-class                 |
|---|----------------|------------------------------------|----------------|---------------------------|
| Options   | Synonym        | Protocol options                   | Transaction    | Session                   |
| Order cancelled                                   | Example        | Reason for return                  | Request        | Cancellation              |
| Order currency                                    | Synonym        | Currency code                      | Finance        | Cost                      |
| Order duplicated                                  | Example        | Reason for return                  | Request        | Cancellation              |
| Order fill terms                                  | Synonym        | Back order code                    | Request        | Detail                    |
| Order line number                                 |                |                                    | Request        | Detail                    |
| Order line status                                 | Synonym        | Request status                     | Request        | Supply                    |
| Order notes                                       | Example        | Additional transaction information | Transaction    | Transaction               |
| Order number                                      | Synonym        | Request identifier                 | Request        | Identifier                |
| Order priority code                               | Synonym        | Acquisitions priority              | Request        | Detail                    |
| Order status                                      | Synonym        | Request status                     | Request        | Supply                    |
| Order time  | Loose relation | Date/time resource available       | Request        | Reply                     |
| Order type code                                   | Synonym        | Acquisitions type                  | Request        | Detail                    |
| Organizational information                        |                |                                    | Party — Person | Organization information  |
| Organization name information                     | Synonym        | Name of institution                | Party — Group  | Name                      |
| Originator  | Example        | Participant's function             | Party          | Attributes                |
| Originator's signature                            | Example        | Signature                          | Party — Person | Identification            |
| Other contributor                                 |                |                                    | Resource       | Bibliographic description |
| Other information                                 | Example        | Additional transaction information | Transaction    | Transaction               |
| Other information related to an identity document |                |                                    | Party — Person | Identity document         |
| Out of print                                      | Example        | Reason unfilled                    | Request        | Reply                     |
| Output format                                     |                | Response to claim                  | Request        | Claim                     |
| Output medium                                     |                |                                    | Search         | Request                   |
| Outside of package                                | Example        | Invoice location                   | Request        | Supply                    |

Table 13 (continued)

| Data element name, synonym, example       | Equivalence | Data element name       | Class       | Sub-class                 |
|---|-------------|-------------------------|-------------|---------------------------|
| Overdue                                   | Example     | Notice type             | Request     | Claim                     |
| Overdue fine                              | Example     | Fee type                | Finance     | Cost                      |
| Overdue loan                              | Example     | Reason for claim        | Request     | Claim                     |
| Overdue notice number                     | Synonym     | Claim number            | Request     | Claim                     |
| Overdue supply                            | Example     | Reason for claim        | Request     | Claim                     |
| Overdue charges are waived temporarily    | Example     | Privilege note          | Party       | Privileges                |
| Overnight only                            | Example     | Availability policy     | Holdings    | Availability              |
| Override not possible                     | Example     | Instruction override    | Transaction | Transaction               |
| Override possible                         | Example     | Instruction override    | Transaction | Transaction               |
| Override possible with password           | Example     | Instruction override    | Transaction | Transaction               |
| Override possible with security clearance | Example     | Instruction override    | Transaction | Transaction               |
| Overstock                                 | Example     | Reason for return       | Request     | Cancellation              |
| Owner of rights                           |             |                         | Resource    | Rights management         |
| Package name                              | Synonym     | Task package identifier | Transaction | Task                      |
| Package type                              | Synonym     | Task package type       | Transaction | Task                      |
| Packets transmitted                       | Example     | Resource usage type     | Transaction | Session                   |
| Pagination                                |             |                         | Resource    | Bibliographic description |
| Paper                                     | Example     | Output medium           | Search      | Request                   |
| Paperback                                 | Example     | Binding type            | Holdings    | Copy information          |
| Parallel title                            | Example     | Title                   | Resource    | Bibliographic description |
| Parcel post                               | Example     | Transportation mode     | Request     | Supply                    |
| Parent                                    | Example     | Party relation type     | Party       | Record relation           |
| Parent institution                        | Example     | Party relation type     | Party       | Record relation           |
| Parents' address                          | Example     | Address label           | Address     | Address                   |
| Part detail                               |             |                         | Resource    | Identifier                |
| Partial results available                 | Example     | Search status           | Search      | Response                  |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name               | Class          | Sub-class                 |
|-------------------------------------|-------------|---------------------------------|----------------|---------------------------|
| Participant type                    |             |                                 | Party          | Attributes                |
| Participant's function              |             |                                 | Party          | Attributes                |
| Partitioned                         | Example     | ILL request type                | Request        | Detail                    |
| Partner                             | Example     | Party relation type             | Party          | Record relation           |
| Party                               | Synonym     | Transaction participant         | Party          |                           |
| Party id                            | Synonym     | Party identifier                | Party          | Identification            |
| Party identifier                    |             |                                 | Party          | Identification            |
| Party name                          | Synonym     | Name of institution             | Party — Group  | Name                      |
| Party relation                      |             |                                 | Party          | Record relation           |
| Party relation type                 |             |                                 | Party          | Record relation           |
| Party status note                   |             |                                 | Party — Person | Personal status           |
| Party type                          | Synonym     | Participant type                | Party          | Attributes                |
| Password                            | Synonym     | Authentication data             | Transaction    | Authentication            |
| Password edition                    |             |                                 | Transaction    | Authentication            |
| Password type                       | Synonym     | Authentication input type       | Transaction    | Authentication            |
| Patent                              | Example     | Form of contents                | Resource       | Bibliographic description |
| Path                                | Synonym     | Record composition              | Search         | Request                   |
| Payment authorization               |             |                                 | Finance        | Payment                   |
| Payment date and time               |             |                                 | Finance        | Payment                   |
| Payment enclosures                  |             |                                 | Finance        | Payment                   |
| Payment method                      | Synonym     | Mode of payment                 | Finance        | Payment                   |
| Payment method type                 | Synonym     | Mode of payment                 | Finance        | Payment                   |
| Payment provided                    | Synonym     | Payment enclosures              | Finance        | Payment                   |
| Payment terms                       | Synonym     | Terms of payment                | Finance        | Payment                   |
| PDF (Portable Document Format)      | Example     | Form (technical specifications) | Resource       | Bibliographic description |

Table 13 (continued)

| Data element name, synonym, example         | Equivalence | Data element name         | Class           | Sub-class                |
|---|-------------|---------------------------|-----------------|--------------------------|
| Pending                                     | Example     | Circulation status        | Holdings        | Availability             |
| Percentage of downtime                      | Example     | Task status               | Transaction     | Task                     |
| Periodic query schedule                     | Example     | System performance        | Transaction     | Session                  |
| Permanent location                          |             | Task package type         | Transaction     | Task                     |
| Permanent Universal Resource Locator (PURL) | Example     | Resource identifier code  | Holdings        | Copy identification      |
| Permanently retained                        | Example     | Retention policy          | Resource        | Identifier               |
| Permission to chain                         | Example     |                           | Resource        | Collection               |
| Permission to change send to list           |             |                           | Request         | Third party information  |
| Permission to forward                       |             |                           | Request         | Third party information  |
| Permission to partition                     |             |                           | Request         | Third party information  |
| Permission to use this record               |             |                           | Request         | Third party information  |
| Permissions                                 | Synonym     | Task package permission   | Database record | Attributes               |
| Persistent query                            | Example     | Task package type         | Transaction     | Task                     |
| Persistent result set                       | Example     | Task package type         | Transaction     | Task                     |
| Persistent result set package name          | Synonym     | Result set identifier     | Search          | Result set               |
| Person or institution symbol                | Example     | Party identifier          | Party           | Identification           |
| Personal/corporate responsibility flag      | Synonym     | Party relation            | Party           | Record relation          |
| Personal Identification Number (PIN)        | Example     | Authentication input type | Transaction     | Authentication           |
| Personal name                               | Example     | Heading type              | Database record | Authority record         |
| Personal name information                   | Synonym     | Personal name             | Party — Person  | Personal name            |
| Personal name unstructured                  |             |                           | Party — Person  | Personal name            |
| Personal relationship to user               | Synonym     | Party relation type       | Party — Person  | Personal name            |
| Person's activity                           |             |                           | Party           | Record relation          |
|   |             |                           | Party — Person  | Organization information |

Table 13 (continued)

| Data element name, synonym, example     | Equivalence | Data element name                   | Class          | Sub-class                 |
|---|-------------|-------------------------------------|----------------|---------------------------|
| Person's affiliation                    |             |                                     | Party — Person | Identification            |
| Ph.D. in physics                        | Example     | Person's activity                   | Party — Person | Organization information  |
| Photocopy negative                      | Example     | Type of reproduction                | Request        | Detail                    |
| Photocopy positive                      | Example     | Type of reproduction                | Request        | Detail                    |
| Phrase                                  | Example     | Term structure attribute            | Search         | Query                     |
| Physical address                        |             |                                     | Address        | Physical address          |
| Physical address type                   |             |                                     | Address        | Physical address          |
| Physical condition                      |             |                                     | Holdings       | Copy information          |
| Physical condition details              | Example     | Physical condition                  | Holdings       | Copy information          |
| Physical condition type                 | Example     | Physical condition                  | Holdings       | Copy information          |
| Physical copy                           | Example     | Available for                       | Holdings       | Availability              |
| Physical delivery                       | Synonym     | Transportation mode                 | Request        | Supply                    |
| Pickup date                             | Synonym     | Date/time of reservation collection | Request        | Reservation and booking   |
| Pickup expiry date                      | Synonym     | Date/time reservation expires       | Request        | Reservation and booking   |
| Piece identifier                        |             |                                     | Holdings       | Copy identification       |
| PIN (Personal Identification Number)    | Example     | Authentication input type           | Transaction    | Authentication            |
| Place of publication                    |             |                                     | Resource       | Bibliographic description |
| Place on hold                           | Synonym     | Place reservation                   | Request        | Detail                    |
| Place reservation                       |             |                                     | Request        | Detail                    |
| Policy                                  | Synonym     | Availability policy                 | Holdings       | Availability              |
| Portable Document Format (PDF)          | Example     | Form (technical specifications)     | Resource       | Bibliographic description |
| Position attribute                      | Synonym     | Positional attribute                | Search         | Query                     |
| Position in response                    |             |                                     | Search         | Scan                      |
| Positional attribute                    |             |                                     | Search         | Query                     |
| Possible locations                      |             |                                     | Request        | Locations                 |
| Possible locations — Already-tried list |             |                                     | Request        | Locations                 |



Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name                          | Class           | Sub-class                |
|-------------------------------------|-------------|--|-----------------|--------------------------|
| Possible suppliers                  | Synonym     | Possible locations                         | Request         | Locations                |
| Possibly available                  | Example     | Circulation status                         | Holdings        | Availability             |
| Post office box                     |             |  | Address         | Physical address         |
| Post office box address             | Example     | Physical address type                      | Address         | Physical address         |
| Postal address                      | Example     | Physical address type                      | Address         | Physical address         |
| Postal code                         |             |  | Address         | Physical address         |
| Posting                             |             |  | Search          | Response                 |
| Predefined message                  | Example     | Additional transaction information         | Transaction     | Transaction              |
| Preference                          | Synonym     | Preferred supplier                         | Request         | Locations                |
| Preferred contact mode              |             |  | Party — Person  | Personal information     |
| Preferred message size              |             |  | Search          | Request                  |
| Preferred record syntax             | Synonym     | Record syntax                              | Database record | Attributes               |
| Preferred resource report format    | Example     | Output format                              | Search          | Request                  |
| Preferred supplier                  |             |  | Request         | Locations                |
| Prefix                              |             |  | Party — Person  | Personal name            |
| Prepaid by vendor                   | Example     | Transportation payment terms (terms added) | Finance         | Payment                  |
| Prepaid price                       | Example     | Price qualifier                            | Finance         | Cost                     |
| Prepayment                          | Example     | Conditions of use                          | Request         | Reply                    |
| Prepayment required                 | Example     | Retry results                              | Request         | Reply                    |
| Present status                      |             |  | Search          | Response                 |
| Presentation of identification      | Example     | Access or use privilege requirement        | Party           | Privileges               |
| President                           | Example     | Title in organization                      | Party — Person  | Organization information |
| Preview only                        | Example     | Electronic access restrictions             | Holdings        | Availability             |
| Price qualifier                     |             |  | Finance         | Cost                     |
| Price qualifier code                | Synonym     | Price qualifier                            | Finance         | Cost                     |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name               | Class           | Sub-class                 |
|-------------------------------------|-------------|---------------------------------|-----------------|---------------------------|
| Principal title                     | Example     | Title                           | Resource        | Bibliographic description |
| Privacy information                 |             |                                 | Party — Person  | Personal information      |
| Privilege note                      |             |                                 | Party           | Privileges                |
| Problem                             | Synonym     | Error condition                 | Transaction     | Transaction               |
| Processing fee                      | Example     | Fee type                        | Finance         | Cost                      |
| Product form                        | Synonym     | Record content type             | Resource        | Bibliographic description |
| Product identifier                  | Synonym     | Resource identifier             | Resource        | Identifier                |
| Professor                           | Example     | Title in organization           | Party — Person  | Organization information  |
| Profile starting date and time      |             |                                 | Party — Person  | Profile                   |
| Profile termination date and time   |             |                                 | Party — Person  | Profile                   |
| Projected and video material        | Example     | Record content type             | Resource        | Bibliographic description |
| Protocol control information        |             |                                 | Transaction     | Session                   |
| Protocol options                    |             |                                 | Transaction     | Session                   |
| Protocol version                    | Synonym     | Protocol version indicator      | Transaction     | Session                   |
| Protocol version indicator          |             |                                 | Transaction     | Session                   |
| Protocol version number             | Synonym     | Protocol version indicator      | Transaction     | Session                   |
| Provider error report               | Example     | Error condition                 | Transaction     | Transaction               |
| Proximity operator                  |             |                                 | Search          | Query                     |
| Proxy for                           | Example     | Party relation type             | Party           | Record relation           |
| Pseudonym                           | Example     | Link type                       | Database record | Attributes                |
| Pseudonym or alias                  | Example     | Type of alternative information | Party — Person  | Personal information      |
| Publication date                    | Synonym     | Date/time of publication        | Resource        | Bibliographic information |
| Publication date of component       | Example     | Date/time of publication        | Resource        | Bibliographic information |
| Publisher                           | Example     | Rights accorded by              | Resource        | Bibliographic description |
| Publisher name                      | Synonym     | Publisher                       | Resource        | Rights management         |
|                                     |             |                                 |                 | Bibliographic description |

Table 13 (continued)

| Data element name, synonym, example         | Equivalence  | Data element name                  | Class           | Sub-class                 |
|---|--------------|------------------------------------|-----------------|---------------------------|
| Purchase                                    | Example      | Acquisitions type                  | Request         | Detail                    |
| Purchase authorization                      |              |                                    | Request         | Detail                    |
| PURL (Permanent Universal Resource Locator) | Example      | Resource identifier code           | Resource        | Identifier                |
| Quantity ordered                            | Synonym      | Number of copies requested         | Request         | Detail                    |
| Quantity qualifier code                     | Broader than | Number of items cancelled          | Request         | Cancellation              |
|   |              | Number of items delivered to date  | Request         | Supply                    |
|   |              | Number of items outstanding        | Request         | Status                    |
| Quarterly                                   | Example      | Frequency                          | Resource        | Bibliographic description |
| Query                                       | Part of      | Command specification              | Search          | Request                   |
| Query note                                  |              |                                    | Search          | Query                     |
| Query type                                  |              |                                    | Search          | Query                     |
| Ranging operator                            |              |                                    | Search          | Query                     |
| Rareness                                    | Example      | Resource supply factors            | Resource        | Bibliographic information |
| Real name                                   | Example      | Link type                          | Database record | Attributes                |
| Re-application date and time                |              |                                    | Request         | Reply                     |
| Reason for cancel                           |              |                                    | Request         | Cancellation              |
| Reason for claim                            |              |                                    | Request         | Claim                     |
| Reason for close                            |              |                                    | Transaction     | Session                   |
| Reason for request                          | Example      | Additional transaction information | Transaction     | Transaction               |
| Reason for return                           |              |                                    | Request         | Cancellation              |
| Reason for supply                           |              |                                    | Request         | Supply                    |
| Reason unfiled                              |              |                                    | Request         | Reply                     |
| Reason will supply                          | Example      | Reason unfiled                     | Request         | Reply                     |
| Recall                                      | Example      | Notice type                        | Request         | Claim                     |
| Receiver of rights                          |              |                                    | Resource        | Rights management         |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name        | Class           | Sub-class                 |
|-------------------------------------|-------------|--------------------------|-----------------|---------------------------|
| Reciprocal agreement                |             |                          | Finance         | Cost                      |
| Record                              |             |                          | Database record |                           |
| Record availability flag            |             |                          | Database record | Attributes                |
| Record available                    | Example     | Record availability flag | Database record | Attributes                |
| Record changed                      | Example     | Reason for supply        | Request         | Supply                    |
| Record character set                |             |                          | Database record | Attributes                |
| Record composition                  |             |                          | Search          | Request                   |
| Record content type                 |             |                          | Resource        | Bibliographic description |
| Record data                         | Synonym     | Response record          | Search          | Response                  |
| Record delete                       | Example     | Update action            | Database record | Change data               |
| Record id                           | Synonym     | Record identifier        | Database record | Identifier                |
| Record identifier                   |             |                          | Database record | Identifier                |
| Record identifier code              |             |                          | Database record | Identifier                |
| Record insert                       | Example     | Update action            | Database record | Change data               |
| Record lock description             |             |                          | Database record | Change data               |
| Record lock set                     |             |                          | Database record | Change data               |
| Record locked as per request        | Example     | Record availability flag | Database record | Attributes                |
| Record packing                      | Synonym     | Record syntax            | Database record | Attributes                |
| Record replace                      | Example     | Update action            | Database record | Change data               |
| Record retrieval elements           |             |                          | Database record | Attributes                |
| Record schema                       |             |                          | Database record | Attributes                |
| Record status                       |             |                          | Database record | Attributes                |
| Record syntax                       |             |                          | Database record | Attributes                |
| Record transliteration scheme       |             |                          | Database record | Attributes                |
| Record type                         | Synonym     | Reason for supply        | Request         | Supply                    |

Table 13 (continued)

| Data element name, synonym, example     | Equivalence | Data element name                | Class           | Sub-class                 |
|---|-------------|----------------------------------|-----------------|---------------------------|
| Record unavailable                      | Example     | Record availability flag         | Database record | Attributes                |
| Record wrapper                          |             |                                  | Database record |                           |
| Record XPath                            | Example     | Record composition               | Search          | Request                   |
| Records                                 | Synonym     | Response record                  | Search          | Response                  |
| Records returned                        | Synonym     | Records returned or sent         | Search          | Response                  |
| Records returned or sent                |             |                                  | Search          | Response                  |
| Reduction ratio of microfilm            | Example     | Form (technical specifications)  | Resource        | Bibliographic description |
| Reference date                          | Synonym     | Date/time ordered                | Request         | Detail                    |
| Reference enquiries                     | Example     | Contact person                   | Address         | Address                   |
| Reference id                            | Synonym     | Transaction identifier           | Transaction     | Transaction               |
| Reference identifier                    | Synonym     | Transaction identifier           | Transaction     | Transaction               |
| Reference look-up                       | Example     | Available for                    | Holdings        | Availability              |
| Reference look-up fee                   | Example     | Fee type                         | Finance         | Cost                      |
| Reference number                        | Example     | Request identifier               | Request         | Identifier                |
| Reference source                        | Synonym     | Verification source              | Request         | Verification              |
| Reference to resource                   |             |                                  | Resource        | Identifier                |
| Referent                                | Example     | Participant's function           | Party           | Attributes                |
| Referral forwarded date and time        |             |                                  | Request         | Reply                     |
| Referrer                                | Example     | Participant's function           | Party           | Attributes                |
| Region                                  |             |                                  | Address         | Physical address          |
| Related form                            | Example     | Link type                        | Database record | Attributes                |
| Related fiscal transaction reference id | Example     | Financial transaction identifier | Finance         | Account                   |
| Related personal user information       |             |                                  | Party — Person  | Personal information      |
| Related terms                           |             |                                  | Search          | Query                     |
| Relation                                | Synonym     | Link type                        | Database record | Attributes                |
|   |             | Relational attribute             | Search          | Query                     |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name                  | Class       | Sub-class                 |
|-------------------------------------|-------------|------------------------------------|-------------|---------------------------|
| Relation attribute                  | Synonym     | Relational attribute               | Search      | Query                     |
| Relation modifiers                  | Example     | Relational attribute               | Search      | Query                     |
| Relational attribute                |             |                                    | Search      | Query                     |
| Remainder price                     | Example     | Price qualifier                    | Finance     | Cost                      |
| Remarks                             | Synonym     | Additional transaction information | Transaction | Transaction               |
| Reminder level                      | Synonym     | Claim number                       | Request     | Claim                     |
| Renewable                           | Example     | Conditions of use                  | Request     | Reply                     |
| Renewal count                       | Synonym     | Renewal number                     | Request     | Loan                      |
| Renewal not permitted               | Example     | Conditions of use                  | Request     | Reply                     |
| Renewal number                      |             |                                    | Request     | Loan                      |
| Replace indicator                   |             |                                    | Search      | Request                   |
| Replacement fee                     | Example     | Fee type                           | Finance     | Cost                      |
| Report document number              | Example     | Resource identifier code           | Resource    | Identifier                |
| Reported lost                       | Example     | Circulation status                 | Holdings    | Availability              |
| Reported missing                    | Example     | Circulation status                 | Holdings    | Availability              |
| Reported never borrowed             | Example     | Circulation status                 | Holdings    | Availability              |
| Reported returned                   | Example     | Circulation status                 | Holdings    | Availability              |
| Repository name                     | Synonym     | Database identifier                | Search      | Database information      |
| Reproduction cost                   | Example     | Fee type                           | Finance     | Cost                      |
| Reproduction note                   | Example     | Bibliographic note                 | Resource    | Bibliographic description |
| Reproduction policy                 |             |                                    | Request     | Supply                    |
| Reproduction restrictions           | Example     | Conditions of use                  | Request     | Reply                     |
| Request conditions                  |             |                                    | Request     | Detail                    |
| Request for early return of loan    | Example     | Reason for claim                   | Request     | Claim                     |
| Request identifier                  |             |                                    | Request     | Identifier                |
| Request identifier value            | Synonym     | Request identifier                 | Request     | Identifier                |

Table 13 (continued)

| Data element name, synonym, example  | Equivalence | Data element name                  | Class          | Sub-class                 |
|--------------------------------------|-------------|------------------------------------|----------------|---------------------------|
| Request number                       | Synonym     | Request identifier                 | Request        | Identifier                |
| Request scope type                   | Synonym     | Reservation type                   | Request        | Reservation and booking   |
| Request status                       |             |                                    | Request        | Supply                    |
| Request status type                  | Synonym     | Request status                     | Request        | Supply                    |
| Request transfer message referent    | Example     | Participant's function             | Party          | Attributes                |
| Request transfer message referrer    | Example     | Participant's function             | Party          | Attributes                |
| Request transfer message requester   | Example     | Participant's function             | Party          | Attributes                |
| Request type                         | Synonym     | Acquisitions type                  | Request        | Detail                    |
| Requested copies count               | Synonym     | Requested resources count          | Request        | Reservation and booking   |
| Requested items count                | Synonym     | Requested resources count          | Request        | Reservation and booking   |
| Requested items count value          | Synonym     | Requested resources count          | Request        | Reservation and booking   |
| Requested material format            | Synonym     | Form (technical specifications)    | Resource       | Bibliographic description |
| Requested material language          | Synonym     | Language of resource               | Resource       | Bibliographic description |
| Requested resources count            |             |                                    | Request        | Reservation and booking   |
| Requester                            | Example     | Participant's function             | Party          | Attributes                |
|                                      |             | Rights accorded by                 | Resource       | Rights management         |
| Requester id                         | Example     | Transaction participant            | Party          |                           |
| Requester note                       | Example     | Additional transaction information | Transaction    | Transaction               |
| Requesting system                    | Example     | System identifier                  | Transaction    | System                    |
| Required fee amount                  | Synonym     | Amount                             | Finance        | Cost                      |
| Required item use restriction type   | Synonym     | Conditions of use                  | Request        | Reply                     |
| Research associate                   | Example     | Title in organization              | Party — Person | Organization information  |
| Reservation advice notice required   |             |                                    | Request        | Reservation and booking   |
| Reservation and booking information  |             |                                    | Request        | Reservation and booking   |
| Reservation available for collection | Example     | Notice type                        | Request        | Claim                     |
| Reservation collection location      | Synonym     | Service point                      | Party — Person | Identification            |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name                 | Class          | Sub-class                 |
|-------------------------------------|-------------|-----------------------------------|----------------|---------------------------|
| Reservation fee                     | Example     | Fee type                          | Finance        | Cost                      |
| Reservation made                    |             |                                   | Request        | Reply                     |
| Reservation placed                  | Example     | Date/time of user's last activity | Party — Person | Personal status           |
| Reservation policy                  |             |                                   | Holdings       | Availability              |
| Reservation queue length            |             |                                   | Request        | Reservation and booking   |
| Reservation queue position          |             |                                   | Request        | Reservation and booking   |
| Reservation status                  |             |                                   | Request        | Reservation and booking   |
| Reservation target location         |             |                                   | Request        | Reservation and booking   |
| Reservation type                    |             |                                   | Request        | Reservation and booking   |
| Reserve book room                   | Example     | Booking location                  | Request        | Reservation and booking   |
| Reserve reading room                | Example     | Location within building          | Address        | Physical address          |
| Resource accessed                   | Example     | Date/time of user's last activity | Party — Person | Personal status           |
| Resource available in system        |             |                                   | Request        | Detail                    |
| Resource coverage                   |             |                                   | Resource       | Bibliographic description |
| Resource description                | Synonym     | Bibliographic description         | Resource       | Bibliographic information |
| Resource desired                    | Synonym     | Resource desired in response      | Request        | Detail                    |
| Resource desired in response        |             |                                   | Request        | Detail                    |
| Resource identification instruction |             |                                   | Request        | Detail                    |
| Resource identifier                 |             |                                   | Resource       | Identifier                |
| Resource identifier code            |             |                                   | Resource       | Identifier                |
| Resource limitation                 |             |                                   | Transaction    | Session                   |
| Resource report                     | Synonym     | Amount of usage                   | Transaction    | Session                   |
| Resource source                     |             |                                   | Resource       | Bibliographic description |
| Resource supply factors             |             |                                   | Resource       | Bibliographic information |
| Resource type                       | Synonym     | Form of contents                  | Resource       | Bibliographic description |
| Resource usage type                 |             |                                   | Transaction    | Session                   |



**Table 13 (continued)**

| <b>Data element name, synonym, example</b> | <b>Equivalence</b> | <b>Data element name</b>           | <b>Class</b> | <b>Sub-class</b> |
|--|--------------------|------------------------------------|--------------|------------------|
| Respond within                             |                    |                                    | Request      | Detail           |
| Responder id                               | Example            | Party identifier                   | Party        | Identification   |
| Responder note                             | Example            | Additional transaction information | Transaction  | Transaction      |
| Responder optional messages                | Example            | Additional transaction information | Transaction  | Transaction      |
| Response position                          | Synonym            | Position in response               | Search       | Scan             |
| Response record                            |                    |                                    | Search       | Response         |
| Response records                           | Synonym            | Response record                    | Search       | Response         |
| Response time                              | Synonym            | Respond within                     | Request      | Detail           |
| Response to claim                          |                    |                                    | Request      | Claim            |
| Response to online request                 | Example            | Reason for supply                  | Request      | Supply           |
| Response to persistent query               | Example            | Reason for supply                  | Request      | Supply           |
| Restoration symbol                         |                    |                                    | Search       | Query            |
| Restrictions unspecified                   | Example            | Electronic access restrictions     | Holdings     | Availability     |
| Result count                               | Synonym            | Result set size                    | Search       | Result set       |
| Result set id                              | Synonym            | Result set identifier              | Search       | Result set       |
| Result set identifier                      |                    |                                    | Search       | Result set       |
| Result set idle time                       | Example            | Result set status                  | Search       | Result set       |
| Result set list                            | Example            | Result set identifier              | Search       | Result set       |
| Result set name                            | Synonym            | Result set identifier              | Search       | Result set       |
| Result set qualifier                       |                    |                                    | Search       | Result set       |
| Result set size                            |                    |                                    | Search       | Result set       |
| Result set start point                     | Synonym            | Start point                        | Search       | Result set       |
| Result set start position                  | Synonym            | Start point                        | Search       | Result set       |
| Result set status                          |                    |                                    | Search       | Result set       |
| Result set time to live                    |                    |                                    | Search       | Result set       |
| Result set TTL (time to live)              | Synonym            | Result set time to live            | Search       | Result set       |

Table 13 (continued)

| Data element name, synonym, example                                   | Equivalence | Data element name                  | Class           | Sub-class         |
|---|-------------|------------------------------------|-----------------|-------------------|
| Resumption token  | Synonym     | Next result set position           | Search          | Response          |
| Retained except where updated   | Example     | Retention policy                   | Resource        | Collection        |
| Retained for a limited period   | Example     | Retention policy                   | Resource        | Collection        |
| Retained until replaced by cumulation, revision or replacement volume | Example     | Retention policy                   | Resource        | Collection        |
| Retained until replaced by microform                                  | Example     | Retention policy                   | Resource        | Collection        |
| Retention policy  |             |                                    | Resource        | Collection        |
| Retention time  | Synonym     | Task package retention period      | Transaction     | Task              |
| Retry   | Example     | Transaction results                | Request         | Reply             |
| Retry results   |             |                                    | Request         | Reply             |
| Return  | Example     | Last activity type                 | Holdings        | Copy history      |
| Return instructions   |             |                                    | Request         | Supply            |
| Return to address   | Example     | Address role                       | Address         | Address           |
| Returned via  | Synonym     | Transportation mode                | Request         | Supply            |
| Re-use package  |             |                                    | Request         | Supply            |
| Reverse Polish Notation (RPN)   | Example     | Query type                         | Search          | Query             |
| Review code   |             |                                    | Database record | Change data       |
| Review instruction  | Example     | Additional transaction information | Transaction     | Transaction       |
| Review note   | Example     | Free text note                     | Database record | Description       |
| Rights  |             |                                    | Resource        | Rights management |
| Rights accorded by  |             |                                    | Resource        | Rights management |
| Rights information  | Synonym     | Rights management                  | Resource        | Rights management |
| Rights information detail   |             |                                    | Resource        | Rights management |
| Rights information type   | Synonym     | Rights                             | Resource        | Rights management |
| Rights management   |             |                                    | Resource        | Rights management |
| Romanization of Chinese (ISO 7098)                                    | Example     | Record transliteration scheme      | Database record | Attributes        |

Table 13 (continued)

| Data element name, synonym, example               | Equivalence | Data element name                  | Class           | Sub-class            |
|---|-------------|------------------------------------|-----------------|----------------------|
| Romanization of Japanese (kana script) (ISO 3602) | Example     | Record transliteration scheme      | Database record | Attributes           |
| Routine   | Example     | Acquisitions priority              | Request         | Detail               |
| Routing destination                               |             |                                    | Request         | Shipping and packing |
| Routing information                               |             |                                    | Request         | Shipping and packing |
| Routing instructions                              |             |                                    | Request         | Shipping and packing |
| RPN (Reverse Polish Notation)                     | Example     | Query type                         | Search          | Query                |
| Rush  | Example     | Acquisitions priority              | Request         | Detail               |
| Sample issue retained                             | Example     | Retention policy                   | Resource        | Collection           |
| Scan clause                                       | Example     | Command expression                 | Search          | Request              |
| Schema  | Synonym     | Record schema                      | Database record | Attributes           |
| Schema id   | Synonym     | Record schema                      | Database record | Attributes           |
| Screen  | Example     | Output medium                      | Search          | Request              |
| Search effort                                     |             |                                    | Request         | Detail               |
| Search frequency                                  |             |                                    | Search          | SDI                  |
| Search profile                                    |             |                                    | Search          | SDI                  |
| Search status                                     |             |                                    | Search          | Response             |
| Search term                                       |             |                                    | Search          | Query                |
| Search type                                       | Synonym     | Query type                         | Search          | Query                |
| Second last borrower                              | Example     | Search effort                      | Request         | Detail               |
| Security challenge                                | Synonym     | Borrower relationship to copy      | Holdings        | Copy history         |
| Security challenge response                       | Synonym     | System prompt                      | Transaction     | Authentication       |
| Security level                                    |             | Authentication data                | Transaction     | Authentication       |
| Security marker                                   |             |                                    | Party           | Privileges           |
| Security restriction instruction                  | Example     | Additional transaction information | Holdings        | Copy information     |
|   |             |                                    | Transaction     | Transaction          |

Table 13 (continued)

| Data element name, synonym, example            | Equivalence    | Data element name        | Class           | Sub-class                 |
|--|----------------|--------------------------|-----------------|---------------------------|
| Security violation                             |                |                          | Transaction     | Authentication            |
| See reference                                  | Synonym        | Alternative heading form | Database record | Authority record          |
| Self payment                                   |                |                          | Finance         | Payment                   |
| Semester loan                                  | Example        | Availability policy      | Holdings        | Availability              |
| Semi-annually                                  | Example        | Frequency                | Resource        | Bibliographic description |
| Semi-monthly                                   | Example        | Frequency                | Resource        | Bibliographic description |
| Semi-weekly                                    | Example        | Frequency                | Resource        | Bibliographic description |
| Send-to list                                   | Synonym        | Possible locations       | Request         | Locations                 |
| Sensitive data flag                            | Synonym        | Security level           | Party           | Privileges                |
| Sensitization flag                             |                |                          | Holdings        | Copy information          |
| Separator                                      |                |                          | Search          | Query                     |
| Serial   | Example        | Bibliographic level      | Resource        | Bibliographic information |
| Serial Item and Contribution Identifier (SICI) | Example        | Issue identifier         | Resource        | Identifier                |
| Series   |                |                          | Resource        | Bibliographic description |
| Series title                                   | Synonym        | Series                   | Resource        | Bibliographic description |
| Series title number                            | Synonym        | Series                   | Resource        | Bibliographic description |
| Service charge                                 | Example        | Fee type                 | Finance         | Cost                      |
| Service date/time                              | Synonym        | Date/time of transaction | Transaction     | Transaction               |
| Service level                                  | Loose relation | Respond within           | Request         | Detail                    |
| Service point                                  |                |                          | Party — Person  | Identification            |
| Service profile                                |                |                          | Transaction     | Session                   |
| Service request type                           | Synonym        | ILL request type         | Request         | Detail                    |
| Service required                               | Synonym        | Acquisitions type        | Request         | Detail                    |
| Session details                                |                |                          | Transaction     | Session                   |
| Session identifier                             |                |                          | Transaction     | Session                   |

**Table 13 (continued)**

| <b>Data element name, synonym, example</b>     | <b>Equivalence</b> | <b>Data element name</b>       | <b>Class</b>    | <b>Sub-class</b>     |
|--|--------------------|--------------------------------|-----------------|----------------------|
| Session length constraint                      |                    |                                | Transaction     | Session              |
| Session parameters                             |                    |                                | Transaction     | Session              |
| Set  |                    |                                | Holdings        | Copy identification  |
| Set label                                      | Synonym            | Result set identifier          | Search          | Result set           |
| Set lock                                       |                    |                                | Holdings        | Copy identification  |
| Set lock flag                                  | Synonym            | Set lock flag                  | Database record | Change data          |
| Sex  |                    |                                | Database record | Change data          |
| SGML (Standard Generalized Markup Language)    | Example            | Record syntax                  | Party — Person  | Personal information |
| Shelf locator                                  | Synonym            | Copy shelf locator             | Database record | Attributes           |
| Ship best method                               | Example            | Transportation mode            | Holdings        | Copy identification  |
| Ship from party                                | Example            | Participant's function         | Request         | Supply               |
| Ship notice date                               | Synonym            | Date/time item sent or shipped | Party           | Attributes           |
| Ship to  | Example            | Address role                   | Request         | Supply               |
| Ship to party                                  | Example            | Participant's function         | Address         | Address              |
| Shipped conditions                             | Synonym            | Conditions of use              | Party           | Attributes           |
| Shipped service type                           | Example            | Acquisitions type              | Request         | Reply                |
| Shipping address                               | Example            | Address role                   | Request         | Detail               |
| Shipping date                                  | Synonym            | Date/time item sent or shipped | Address         | Address              |
| Shipping instructions                          |                    |                                | Request         | Supply               |
| Shipping note                                  |                    |                                | Request         | Shipping and packing |
| Shipping reference                             |                    |                                | Request         | Supply               |
| Short assignment                               | Example            | Credit justification           | Request         | Supply               |
| SICI (Serial Item and Contribution Identifier) | Example            | Issue identifier               | Finance         | Credit               |
|  |                    |                                | Resource        | Identifier           |

Table 13 (continued)

| Data element name, synonym, example         | Equivalence | Data element name                   | Class           | Sub-class                 |
|---|-------------|-------------------------------------|-----------------|---------------------------|
| Signature                                   |             |                                     | Party — Person  | Identification            |
| Signing a copyright statement               | Example     | Access or use privilege requirement | Party           | Privileges                |
| Simple                                      | Example     | ILL request type                    | Request         | Detail                    |
| Simple Unstructured Record Syntax (SUTRS)   | Example     | Record syntax                       | Database record | Attributes                |
| Size code                                   | Synonym     | Size of resource                    | Resource        | Bibliographic description |
| Size of computer disk or cassette           | Example     | Form (technical specifications)     | Resource        | Bibliographic description |
| Size of item                                | Synonym     | Size of resource                    | Resource        | Bibliographic description |
| Size of resource                            |             |                                     | Resource        | Bibliographic description |
| Small invoice charge                        | Example     | Fee type                            | Finance         | Cost                      |
| Small invoice fee                           | Example     | Fee type                            | Finance         | Cost                      |
| Small set element set names                 | Example     | Record composition                  | Search          | Request                   |
| Small set upper bound                       |             |                                     | Search          | Request                   |
| Sort keys                                   | Synonym     | Sort option                         | Search          | Request                   |
| Sort option                                 |             |                                     | Search          | Request                   |
| Sort sequence                               | Synonym     | Sort option                         | Search          | Request                   |
| Sort status                                 | Example     | Result set status                   | Search          | Result set                |
| Sorted result set                           | Example     | Result set identifier               | Search          | Result set                |
| Sound recording, musical                    | Example     | Record content type                 | Resource        | Bibliographic description |
| Sound recording, non-musical                | Example     | Record content type                 | Resource        | Bibliographic description |
| Sources checked                             |             |                                     | Request         | Locations                 |
| Special charges and taxes                   | Example     | Fee type                            | Finance         | Cost                      |
| Sponsoring body                             |             |                                     | Resource        | Bibliographic description |
| Spouse                                      | Example     | Party relation type                 | Party           | Record relation           |
| Standard Generalized Markup Language (SGML) | Example     | Record syntax                       | Database record | Attributes                |

Table 13 (continued)

| Data element name, synonym, example | Equivalence  | Data element name          | Class           | Sub-class                |
|-------------------------------------|--------------|----------------------------|-----------------|--------------------------|
| Standard request number             | Example      | Request identifier         | Request         | Identifier               |
| Start point                         |              |                            | Search          | Result set               |
| Start record                        | Synonym      | Start point                | Search          | Result set               |
| Start-up delay                      | Example      | System performance         | Transaction     | Session                  |
| Status                              | Synonym      | Request status             | Request         | Supply                   |
| Status report                       | Synonym      | Error condition            | Transaction     | Transaction              |
| Step size                           |              |                            | Search          | Scan                     |
| Stocktake                           | Example      | Last activity type         | Holdings        | Copy history             |
| Stop word                           |              |                            | Search          | Query                    |
| Street                              | Synonym      | Street name                | Address         | Physical address         |
| Street and number                   | Broader than | Street name                | Address         | Physical address         |
| Street name                         |              |                            | Address         | Physical address         |
| Street number                       |              |                            | Address         | Physical address         |
| Structure attribute                 | Synonym      | Term structure attribute   | Search          | Query                    |
| Structured address                  | Example      | Physical address           | Address         | Physical address         |
| Structured holdings                 | Broader than | Enumeration and chronology | Resource        | Component                |
| Structured personal user name       | Synonym      | Personal name              | Party — Person  | Personal name            |
| Student                             | Example      | Title in organization      | Party — Person  | Organization information |
| Stylesheet                          |              |                            | Search          | Response                 |
| Sub-line number                     | Synonym      | Order line number          | Request         | Detail                   |
| Sub-transaction qualifier           | Example      | Supplemental identifier    | Resource        | Identifier               |
| Subfield                            |              |                            | Database record | Record field             |
| Subfield attributes                 |              |                            | Database record | Record field             |
| Subfield delete                     | Example      | Edit/replace type          | Database record | Change data              |
| Subfield identifier                 |              |                            | Database record | Record field             |
| Subfield insert                     | Example      | Edit/replace type          | Database record | Change data              |

Table 13 (continued)

| Data element name, synonym, example  | Equivalence | Data element name               | Class           | Sub-class                         |
|--------------------------------------|-------------|---------------------------------|-----------------|-----------------------------------|
| Subfield replace                     | Example     | Edit/replace type               | Database record | Change data                       |
| Subfield sequence number             |             |                                 | Database record | Record field                      |
| Subject                              |             |                                 | Resource        | Additional data retrieval element |
| Subject retrieval code               |             |                                 | Resource        | Additional data retrieval element |
| Subordinate unit of institution name |             |                                 | Party — Group   | Name                              |
| Subsession identifier                |             |                                 | Transaction     | Session                           |
| Subset                               | Example     | Result set status               | Search          | Result set                        |
| Substitute item                      |             |                                 | Request         | Supply                            |
| Substitute option                    |             |                                 | Request         | Detail                            |
| Subtitle                             | Part of     | Title                           | Resource        | Bibliographic description         |
| Suffix                               |             |                                 | Party — Person  | Personal name                     |
| Suite 42                             | Example     | Location within building        | Address         | Physical address                  |
| Summary holdings statement           |             |                                 | Holdings        | Holding                           |
| Summary policy                       |             |                                 | Holdings        | Availability                      |
| Supplement                           | Example     | Unit type                       | Resource        | Component                         |
| Supplemental diagnostics             | Example     | Error condition                 | Transaction     | Transaction                       |
| Supplemental id                      | Synonym     | Supplemental identifier         | Resource        | Identifier                        |
| Supplemental identifier              |             |                                 | Resource        | Identifier                        |
| Supplemental item description        | Synonym     | Bibliographic note              | Resource        | Bibliographic description         |
| Supplier                             | Example     | Participant's function          | Party           | Attributes                        |
| Supplier id                          | Example     | Party identifier                | Party           | Identification                    |
| Supply medium type                   | Synonym     | Form (technical specifications) | Resource        | Bibliographic description         |
| Supply or reproduction fee           | Example     | Fee type                        | Finance         | Cost                              |
| Supported character set              | Synonym     | Character set of dialogue       | Transaction     | Session                           |
|                                      |             | Record character set            | Database record | Attributes                        |
| Surname                              |             |                                 | Party — Person  | Personal name                     |



Table 13 (continued)

| Data element name, synonym, example       | Equivalence | Data element name             | Class           | Sub-class      |
|---|-------------|-------------------------------|-----------------|----------------|
| Suspected duplicate                       | Example     | Duplicate test flag           | Database record | Change data    |
| Suspend flag                              |             |                               | Transaction     | Session        |
| Suspended flag                            | Synonym     | Suspend flag                  | Transaction     | Session        |
| SUTRS (Simple Unstructured Record Syntax) | Example     | Record syntax                 | Database record | Attributes     |
| Symbol for institution                    | Synonym     | Abbreviated name              | Party — Group   | Name           |
| System authority                          | Synonym     | System name                   | Transaction     | System         |
| System id                                 | Synonym     | System identifier             | Transaction     | System         |
| System identifier                         |             |                               | Transaction     | System         |
| System name                               |             |                               | Transaction     | System         |
| System performance                        |             |                               | Transaction     | Session        |
| System prompt                             |             |                               | Transaction     | Authentication |
| Target reference                          | Synonym     | Task package target reference | Transaction     | Task           |
| Task package                              |             |                               | Transaction     | Task           |
| Task package description                  |             |                               | Transaction     | Task           |
| Task package element set                  |             |                               | Transaction     | Task           |
| Task package identifier                   |             |                               | Transaction     | Task           |
| Task package permission                   |             |                               | Transaction     | Task           |
| Task package retention period             |             |                               | Transaction     | Task           |
| Task package target reference             |             |                               | Transaction     | Task           |
| Task package type                         |             |                               | Transaction     | Task           |
| Task status                               |             |                               | Transaction     | Task           |
| Task update status                        |             |                               | Transaction     | Task           |
| Tax                                       |             |                               | Finance         | Cost           |
| Tax amount                                |             |                               | Finance         | Cost           |
| Tax credit                                | Example     | Credit justification          | Finance         | Credit         |

Table 13 (continued)

| Data element name, synonym, example    | Equivalence | Data element name               | Class           | Sub-class                 |
|--|-------------|---------------------------------|-----------------|---------------------------|
| Tax identifier                         |             |                                 | Finance         | Cost                      |
| Tax payee                              |             |                                 | Finance         | Cost                      |
| Technical defects                      | Synonym     | Physical condition              | Holdings        | Copy information          |
| Technical report                       | Example     | Form of contents                | Resource        | Bibliographic description |
| Telecom service address                | Synonym     | Electronic address              | Address         | Electronic address        |
| Telecom service identifier             | Synonym     | Telecommunication carrier       | Address         | Electronic address        |
| Telecommunication carrier              |             |                                 | Address         | Electronic address        |
| Telefacsimile number                   |             |                                 | Address         | Electronic address        |
| Telenetwork address                    | Synonym     | Electronic address              | Address         | Electronic address        |
| Telephone                              | Example     | Electronic mail identifier      | Address         | Electronic address        |
| Telephone number                       |             | Electronic address              | Address         | Electronic address        |
| Temporary location                     |             |                                 | Holdings        | Copy identification       |
| Term list and start point              | Synonym     | Index identifier                | Search          | Database information      |
| Term loan                              | Example     | Availability policy             | Holdings        | Availability              |
| Term structure attribute               |             |                                 | Search          | Query                     |
| Terminal transactions                  | Example     | Resource usage type             | Transaction     | Session                   |
| Terms                                  | Synonym     | Index entry                     | Search          | Database information      |
| Terms of payment                       |             |                                 | Finance         | Payment                   |
| Territorial or geographic name         | Example     | Heading type                    | Database record | Authority record          |
| Text                                   | Example     | Authentication data format type | Transaction     | Authentication            |
| Thesaurus identifier                   |             | Record content type             | Resource        | Bibliographic description |
| Third party info type                  |             |                                 | Search          | Request                   |
| This edition only                      | Synonym     | Substitute option               | Request         | Third party information   |
| Three-dimensional artefacts and realia | Example     | Record content type             | Resource        | Detail                    |
|  |             |                                 | Resource        | Bibliographic description |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name                   | Class           | Sub-class                 |
|-------------------------------------|-------------|-------------------------------------|-----------------|---------------------------|
| Three times a year                  | Example     | Frequency                           | Resource        | Bibliographic description |
| Time stamp                          | Synonym     | Date/time record modified           | Database record | Attributes                |
| Time stamp granularity              |             |                                     | Transaction     | Transaction               |
| Title                               |             |                                     | Search          | Database information      |
| Title in organization               |             |                                     | Resource        | Bibliographic description |
| Title of article                    | Example     | Title                               | Party — Person  | Organization information  |
| Title of component                  | Synonym     | Title                               | Resource        | Bibliographic description |
| To                                  | Synonym     | Next search execution date and time | Search          | SDI                       |
| To agency id                        | Example     | Transaction participant             | Party           |                           |
| To system id                        | Example     | Transaction participant             | Party           |                           |
| Topical subject                     | Example     | Heading type                        | Database record | Authority record          |
| Total access count                  |             |                                     | Holdings        | Copy history              |
| Total acquired                      |             |                                     | Resource        | Collection                |
| Total circulation count             |             |                                     | Holdings        | Copy history              |
| Total collection count              |             |                                     | Resource        | Collection                |
| Total copies count                  |             |                                     | Resource        | Collection                |
| Total copies held                   | Synonym     | Total copies count                  | Resource        | Collection                |
| Total DCB count                     |             |                                     | Holdings        | Copy history              |
| Total discarded                     |             |                                     | Resource        | Collection                |
| Total ILL borrowed                  | Synonym     | Total inter-library loans borrowed  | Holdings        | Copy history              |
| Total ILL count                     | Synonym     | Total inter-library loans count     | Holdings        | Copy history              |
| Total ILL lent                      | Synonym     | Total inter-library loans lent      | Holdings        | Copy history              |
| Total inter-library loans borrowed  |             |                                     | Holdings        | Copy history              |
| Total inter-library loans count     |             |                                     | Holdings        | Copy history              |

Table 13 (continued)

| Data element name, synonym, example                                  | Equivalence | Data element name                  | Class           | Sub-class                 |
|--|-------------|------------------------------------|-----------------|---------------------------|
| Total inter-library loans lent                                       |             |                                    | Holdings        | Copy history              |
| Total loans count  |             |                                    | Holdings        | Copy history              |
| Total loans count period   | Example     | Count period                       | Holdings        | Copy history              |
| Total ordered  |             |                                    | Resource        | Collection                |
| Total reservations count   |             |                                    | Holdings        | Copy history              |
| Total titles   |             |                                    | Request         | Supply                    |
| Total units  |             |                                    | Request         | Supply                    |
| Total weight   |             |                                    | Request         | Supply                    |
| Transaction completion flag  |             |                                    | Transaction     | Transaction               |
| Transaction error condition  | Synonym     | Error condition                    | Transaction     | Transaction               |
| Transaction group qualifier  | Example     | Additional transaction information | Transaction     | Transaction               |
| Transaction id   | Synonym     | Transaction identifier             | Transaction     | Transaction               |
| Transaction identifier   |             |                                    | Transaction     | Transaction               |
| Transaction number   | Synonym     | Transaction identifier             | Transaction     | Transaction               |
| Transaction participant  |             |                                    | Party           |                           |
| Transaction qualifier  | Synonym     | Additional transaction information | Transaction     | Transaction               |
| Transaction results  |             |                                    | Request         | Reply                     |
| Transaction type   | Synonym     | ILL request type                   | Request         | Detail                    |
| Transcriber  | Example     | Other contributor                  | Resource        | Bibliographic description |
| Transfer   | Example     | Last activity type                 | Holdings        | Copy history              |
| Transliteration of Arabic characters into Latin characters (ISO 233) | Example     | Record transliteration scheme      | Database record | Attributes                |
| Transliteration of Cyrillic characters into Latin characters (ISO 9) | Example     | Record transliteration scheme      | Database record | Attributes                |
| Transliteration of Hebrew characters into Latin characters (ISO 259) | Example     | Record transliteration scheme      | Database record | Attributes                |
| Translator   | Example     | Other contributor                  | Resource        | Bibliographic description |

Table 13 (continued)

| Data element name, synonym, example                  | Equivalence | Data element name                    | Class           | Sub-class                         |
|--|-------------|--------------------------------------|-----------------|-----------------------------------|
| Transport  | Synonym     | Delivery service                     | Address         | Physical address                  |
| Transportation charge                                | Example     | Fee type                             | Finance         | Cost                              |
| Transportation charges                               | Example     | Fee type                             | Finance         | Cost                              |
| Transportation mode                                  |             |                                      | Request         | Supply                            |
| Transportation payment terms (terms added)           |             |                                      | Finance         | Payment                           |
| Triennial  | Example     | Frequency                            | Resource        | Bibliographic description         |
| Truncation attribute                                 | Synonym     | Data truncation attribute            | Search          | Query                             |
| Two-dimensional graphic                              | Example     | Record content type                  | Resource        | Bibliographic description         |
| Type of alternative information                      |             |                                      | Party — Person  | Personal information              |
| Type of identity document                            |             |                                      | Party — Person  | Identity document                 |
| Type of number                                       | Synonym     | Resource identifier code             | Resource        | Identifier                        |
| Type of reproduction                                 |             |                                      | Request         | Detail                            |
| UDC (Universal Decimal Classification)               | Example     | Classification                       | Resource        | Additional data retrieval element |
| Unauthorized or undetermined                         | Example     | Authority status                     | Database record | Authority record                  |
| Undergraduate  | Example     | User group                           | Party           | Privileges                        |
| Unfilled   | Example     | Transaction results                  | Request         | Reply                             |
| UNICODE level  | Synonym     | Level of normalization for collation | Search          | Query                             |
| Uniform Resource Identifier (URI; either URL or URN) | Example     | Piece identifier                     | Holdings        | Copy identification               |
|  |             | Resource identifier code             | Resource        | Identifier                        |
| Uniform Resource Locator (URL)                       | Example     | Resource identifier code             | Resource        | Identifier                        |
| Uniform Resource Name (URN)                          | Example     | Resource identifier code             | Resource        | Identifier                        |
| Uniform title  | Example     | Heading type                         | Database record | Authority record                  |
|  |             | Title                                | Resource        | Bibliographic description         |
| Unique agency id                                     | Synonym     | Party identifier                     | Party           | Identification                    |
| Unique bibliographic id                              | Example     | Resource identifier code             | Resource        | Identifier                        |

Table 13 (continued)

| Data element name, synonym, example    | Equivalence | Data element name              | Class           | Sub-class                         |
|--|-------------|--------------------------------|-----------------|-----------------------------------|
| Unique item id                         | Synonym     | Piece identifier               | Holdings        | Copy identification               |
| Unique request id                      | Synonym     | Request identifier             | Request         | Identifier                        |
| Unique user id                         | Example     | Party identifier               | Party           | Identification                    |
| Unit cataloguing charge                | Example     | Fee type                       | Finance         | Cost                              |
| Unit cataloguing service price         | Example     | Fee type                       | Finance         | Cost                              |
| Unit cost                              |             |                                | Finance         | Cost                              |
| Unit price                             |             |                                | Finance         | Cost                              |
| Unit type                              |             |                                | Resource        | Component                         |
| Units shipped                          | Synonym     | Total units                    | Request         | Supply                            |
| Universal Decimal Classification (UDC) | Example     | Classification                 | Resource        | Additional data retrieval element |
| Unlock record                          | Example     | Set lock flag                  | Database record | Change data                       |
| Unrecognised security level            | Example     | Security violation             | Transaction     | Authentication                    |
| Unrestricted access                    | Example     | Electronic access restrictions | Holdings        | Availability                      |
| Unstructured address                   |             |                                | Address         | Address                           |
| Unstructured address data              | Part of     | Unstructured address           | Address         | Address                           |
| Unstructured address type              | Part of     | Unstructured address           | Address         | Address                           |
| Unstructured holdings                  | Synonym     | Summary holdings statement     | Holdings        |                                   |
| Unstructured holdings data             | Synonym     | Summary holdings statement     | Holdings        |                                   |
| Unstructured personal name             | Synonym     | Personal name unstructured     | Party — Person  | Personal name                     |
| Unstructured personal user name        | Synonym     | Personal name unstructured     | Party — Person  | Personal name                     |
| Update                                 | Example     | Task package type              | Transaction     | Task                              |
| Update action                          |             |                                | Database record | Change data                       |
| Update action qualifier                |             |                                | Database record | Change data                       |
| Update information                     |             |                                | Database record | Change data                       |
| Update schema                          | Example     | Record schema                  | Database record | Attributes                        |

Table 13 (continued)

| Data element name, synonym, example                  | Equivalence | Data element name                  | Class           | Sub-class            |
|--|-------------|------------------------------------|-----------------|----------------------|
| URI (Uniform Resource Identifier, either URL or URN) | Example     | Resource identifier code           | Resource        | Identifier           |
|  |             | Piece identifier                   | Holdings        | Copy identification  |
| URL (Uniform Resource Locator)                       | Example     | Resource identifier code           | Resource        | Identifier           |
| URN (Uniform Resource Name)                          | Example     | Resource identifier code           | Resource        | Identifier           |
| Use attribute  | Synonym     | Index identifier                   | Search          | Database information |
| Use in air conditioned room only                     | Example     | Conditions of use                  | Request         | Reply                |
| Use in library only                                  | Example     | Access or use privilege constraint | Party           | Privileges           |
| Use in rare book room only                           | Example     | Conditions of use                  | Request         | Reply                |
| Use outside library building not permitted           | Example     | Conditions of use                  | Request         | Reply                |
| User   | Example     | Participant's function             | Party           | Attributes           |
| User address information                             | Example     | Address role                       | Address         | Address              |
| User address: valid from date                        | Example     | Date/time address valid            | Address         | Address              |
| User address: valid to date                          | Example     | Date/time address invalid          | Address         | Address              |
| User affiliation                                     | Synonym     | Person's affiliation               | Party — Person  | Identification       |
| User booking status                                  |             |                                    | Party — Person  | Personal status      |
| User category  | Synonym     | User group                         | Party           | Privileges           |
| User element type                                    | Synonym     | Record retrieval elements          | Database record | Attributes           |
| User error report                                    | Synonym     | Error condition                    | Transaction     | Transaction          |
| User fiscal account                                  | Synonym     | Account identifier                 | Finance         | Account              |
| User given name                                      | Synonym     | Given name                         | Party — Person  | Personal name        |
| User group   |             |                                    | Party           | Privileges           |
| User id  | Synonym     | Party identifier                   | Party           | Identification       |
| User identification                                  | Synonym     | Party identifier                   | Party           | Identification       |
| User identification number                           | Synonym     | Party identifier                   | Party           | Identification       |
| User identifier                                      | Synonym     | Party identifier                   | Party           | Identification       |
| User identifier value                                | Synonym     | Party identifier                   | Party           | Identification       |

**Table 13 (continued)**

| <b>Data element name, synonym, example</b> | <b>Equivalence</b> | <b>Data element name</b>                    | <b>Class</b>   | <b>Sub-class</b>         |
|--|--------------------|---|----------------|--------------------------|
| User language                              | Synonym            | Language                                    | Party — Person | Personal information     |
| User loan status                           |                    |   | Party — Person | Personal status          |
| User name and password                     | Example            | Authentication input type                   | Transaction    | Authentication           |
| User note                                  | Synonym            | Additional descriptive personal information | Party — Person | Personal information     |
| User password                              | Synonym            | Authentication data                         | Transaction    | Authentication           |
| User privacy information                   | Synonym            | Privacy information                         | Party — Person | Personal information     |
| User privilege                             | Synonym            | Access and use privileges                   | Party          | Privileges               |
| User privilege description                 | Synonym            | Access and use privileges                   | Party          | Privileges               |
| User privilege fee                         | Example            | Fee type                                    | Finance        | Cost                     |
| User privilege status: valid from date     | Synonym            | Date/time access privilege commences        | Party          | Privileges               |
| User privilege status: valid to date       | Synonym            | Date/time access privilege ends             | Party          | Privileges               |
| User profile                               |                    |   | Party — Person | Profile                  |
| User reservation status                    |                    |   | Party — Person | Personal status          |
| User service point                         | Synonym            | Service point                               | Party — Person | Identification           |
| User status                                | Synonym            | User loan status                            | Party — Person | Personal status          |
| User surname                               | Synonym            | Surname                                     | Party — Person | Personal name            |
| User type                                  | Synonym            | User group                                  | Party          | Privileges               |
| User types                                 | Synonym            | User group                                  | Party          | Privileges               |
| User: block or trap                        | Example            | User loan status                            | Party — Person | Personal status          |
| User's activity                            | Synonym            | Person's activity                           | Party — Person | Organization information |
| User's affiliation                         | Synonym            | Person's affiliation                        | Party — Person | Identification           |
| User's equipment                           | Example            | User profile                                | Party — Person | Profile                  |
| User's home library                        |                    |   | Party — Person | Identification           |
| User's home location or branch             |                    |   | Party — Person | Identification           |
| User's identifier                          | Synonym            | Party identifier                            | Party          | Identification           |
| User's internal identification             | Example            | Party identifier                            | Party          | Identification           |



**Table 13 (continued)**

| <b>Data element name, synonym, example</b> | <b>Equivalence</b> | <b>Data element name</b>                          | <b>Class</b>    | <b>Sub-class</b>         |
|--|--------------------|---|-----------------|--------------------------|
| User's name                                | Synonym            | Personal name                                     | Party — Person  | Personal name            |
| User's role                                | Synonym            | Participant's function                            | Party           | Attributes               |
| User's title in organization               | Synonym            | Title in organization                             | Party — Person  | Organization information |
| Validation indicator                       |                    |   | Database record | Record field             |
| Value                                      |                    |   | Holdings        | Copy information         |
| Value Added Tax (VAT)                      | Example            | Tax identifier                                    | Finance         | Cost                     |
| Value of item                              | Synonym            | Value   | Holdings        | Copy information         |
| VAT (Value Added Tax)                      | Example            | Tax identifier                                    | Finance         | Cost                     |
| Vendor/supplier                            | Example            | Participant's function                            | Party           | Attributes               |
| Verification reference source              | Synonym            | Verification source                               | Request         | Verification             |
| Verification source                        |                    |   | Request         | Verification             |
| Verifier                                   |                    | Participant's function                            | Party           | Attributes               |
| Version                                    | Synonym            | Protocol version indicator                        | Transaction     | Session                  |
| Version indicator                          | Synonym            | Protocol version indicator                        | Transaction     | Session                  |
| Version indicator (protocol)               | Synonym            | Protocol options                                  | Transaction     | Session                  |
| Version number                             | Synonym            | Protocol version indicator                        | Transaction     | Session                  |
| Version supported                          | Synonym            | Protocol version indicator                        | Transaction     | Session                  |
| Very incomplete or scattered               | Example            | Completeness                                      | Resource        | Collection               |
| Video branch library                       | Example            | Booking location                                  | Request         | Reservation and booking  |
| Visa information                           | Example            | Other information related to an identity document | Party — Person  | Identity document        |
| Visible item identifier                    | Synonym            | Piece identifier                                  | Holdings        | Copy identification      |
| Visible item identifier type               | Broader than       | Accession number                                  | Holdings        | Copy identification      |
|  |                    | Copy shelf locator                                | Holdings        | Copy identification      |
| Visible user id                            | Synonym            | Party identifier                                  | Party           | Identification           |
| Visible user identifier                    | Synonym            | Party identifier                                  | Party           | Identification           |

Table 13 (continued)

| Data element name, synonym, example | Equivalence | Data element name          | Class           | Sub-class                 |
|-------------------------------------|-------------|----------------------------|-----------------|---------------------------|
| Visible user identifier type        | Example     | Party identifier           | Party           | Identification            |
| Visiting professor                  | Example     | Title in organization      | Party — Person  | Organization information  |
| Volume                              | Example     | Enumeration                | Resource        | Component                 |
| Volume issue                        | Synonym     | Enumeration and chronology | Resource        | Component                 |
| Volume issue not yet available      | Example     | Retry results              | Request         | Reply                     |
| Volume or part                      | Synonym     | Enumeration                | Resource        | Component                 |
| Voucher                             | Example     | Mode of payment            | Finance         | Payment                   |
| WAIS (Wide Area Information Server) | Example     | Record schema              | Database record | Attributes                |
| Wait action                         |             |                            | Transaction     | Transaction               |
| Weekly                              | Example     | Frequency                  | Resource        | Bibliographic description |
| Weighting factor                    |             |                            | Search          | Query                     |
| Where in list                       | Synonym     | Start point                | Search          | Result set                |
| Wide Area Information Server (WAIS) | Example     | Record schema              | Database record | Attributes                |
| Will accept                         | Example     | Reservation policy         | Holdings        | Availability              |
| Will not accept                     | Example     | Reservation policy         | Holdings        | Availability              |
| Will not reproduce                  | Example     | Reproduction policy        | Request         | Supply                    |
| Will pay fee                        | Synonym     | Maximum cost               | Finance         | Cost                      |
| Will possibly accept                | Example     | Reservation policy         | Holdings        | Availability              |
| Will reproduce                      | Example     | Reproduction policy        | Request         | Supply                    |
| Will supply                         | Example     | Transaction results        | Request         | Reply                     |
| Word                                | Example     | Term structure attribute   | Search          | Query                     |
| Wrong binding                       | Example     | Reason for return          | Request         | Cancellation              |
| Wrong title ordered                 | Example     | Reason for return          | Request         | Cancellation              |
| Wrong title sent                    | Example     | Reason for return          | Request         | Cancellation              |
| XML (Extensible Markup Language)    | Example     | Record syntax              | Database record | Attributes                |
| Year                                | Synonym     | Date/time of publication   | Resource        | Bibliographic information |

**Table 13 (continued)**

| <b>Data element name, synonym, example</b> | <b>Equivalence</b> | <b>Data element name</b> | <b>Class</b> | <b>Sub-class</b>          |
|--|--------------------|--------------------------|--------------|---------------------------|
| Year of publication                        | Synonym            | Date/time of publication | Resource     | Bibliographic information |
| YYYYMMDD                                   | Example            | Time stamp granularity   | Search       | Database information      |
| YYYYMMDDHHSS                               | Example            | Time stamp granularity   | Search       | Database information      |
| Z39.58                                     | Example            | Query type               | Search       | Query                     |
| Z39.50 type 101 (ERP)                      | Example            | Query type               | Search       | Query                     |

## Bibliography

- [1] ISO 9, *Information and documentation — Transliteration of Cyrillic characters into Latin characters — Slavic and non-Slavic languages*
- [2] ISO 233, *Documentation — Transliteration of Arabic characters into Latin characters*
- [3] ISO 259, *Documentation — Transliteration of Hebrew characters into Latin characters*
- [4] ISO 639-2, *Codes for the representation of names and languages — Part 2: Alpha-3 code*
- [5] ISO/IEC 646, *Information technology — ISO 7-bit coded character set for information interchange*
- [6] ISO 843, *Information and documentation — Conversion of Greek characters into Latin characters*
- [7] ISO 2108, *Information and documentation — International standard book number (ISBN)*
- [8] ISO 2146, *Information and documentation — Registry services for libraries and related organizations*
- [9] ISO 2709, *Information and documentation — Format for information exchange*
- [10] ISO 3166-1, *Codes for the representation of names of countries and their subdivisions — Part 1: Country codes*
- [11] ISO 3297, *Information and documentation — International standard serial number (ISSN)*
- [12] ISO 3602, *Documentation — Romanization of Japanese (kana script)*
- [13] ISO 3901, *Information and documentation — International Standard Recording Code (ISRC)*
- [14] ISO 5426, *Extension of the Latin alphabet coded character set for bibliographic information interchange*
- [15] ISO 5427, *Extension of the Cyrillic alphabet coded character set for bibliographic information interchange*
- [16] ISO 5428, *Greek alphabet coded character set for bibliographic information interchange*
- [17] ISO 7098, *Information and documentation — Romanization of Chinese*
- [18] ISO/IEC 7498-3, *Information technology — Open Systems Interconnection — Basic Reference Model: Naming and addressing*
- [19] ISO 8601, *Data elements and interchange formats — Information interchange — Representation of dates and times*
- [20] ISO 8777, *Information and documentation — Commands for interactive text searching*
- [21] ISO/IEC 10027, *Information technology — Information Resource Dictionary System (IRDS) framework*
- [22] ISO 10161-1, *Information and documentation — Open Systems Interconnection — Interlibrary Loan Application Protocol Specification — Part 1: Protocol specification*
- [23] ISO 10161-2, *Information and documentation — Open Systems Interconnection — Interlibrary Loan Application Protocol Specification — Part 2: Protocol implementation conformance statement (PICS) proforma*

- [24] ISO 10324, *Information and documentation — Holdings statements — Summary level*
- [25] ISO/IEC 10646, *Information technology — Universal Multiple-Octet Coded Character Set (UCS)*
- [26] ISO 10957, *Information and documentation — International standard music number (ISMN)*
- [27] ISO 12083, *Information and documentation — Electronic manuscript preparation and markup*
- [28] ISO 15511, *Information and documentation — International Standard Identifier for Libraries and Related Organizations (ISIL)*
- [29] ISO 21047, *Information and documentation — International Standard Text Code (ISTC)*
- [30] ISO 23950, *Information and documentation — Information retrieval (Z39.50) — Application service definition and protocol specification*
- [31] Open Archives Initiative Protocol for Metadata Harvesting (OAIPMH) v 2.0: 1994  
<http://www.openarchives.org/OAI/openarchivesprotocol.html>
- [32] OpenURL Request Transfer Message, <http://www.openurl.info/registry/docs/pro/info:ofi/pro:rtm-2007>
- [33] SRU record update version 1.0 June 2007, <http://www.loc.gov/standards/sru/record-update/>
- [34] SRU Search retrieve via URL v 1.1: 2004, <http://www.loc.gov/standards/sru/>
- [35] Z39.50 Union Catalogue Profile (UCP): 1999, <http://www.nla.gov.au/ucp/>
- [36] Z39.83: 2002 Circulation interchange: Part 1 Protocol (NCIP), <http://www.niso.org/standards/index.html>
- [37] EDItEUR, EDItX Document formats, <http://www.editeur.org>





---

## BSI - British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

### Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

### Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001 Email: [orders@bsigroup.com](mailto:orders@bsigroup.com) You may also buy directly using a debit/credit card from the BSI Shop on the Website <http://www.bsigroup.com/shop>

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

### Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact Information Centre. Tel: +44 (0)20 8996 7111 Fax: +44 (0)20 8996 7048 Email: [info@bsigroup.com](mailto:info@bsigroup.com)

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: +44 (0)20 8996 7002 Fax: +44 (0)20 8996 7001 Email: [membership@bsigroup.com](mailto:membership@bsigroup.com)

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsigroup.com/BSOL>

Further information about BSI is available on the BSI website at <http://www.bsigroup.com>

### Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright and Licensing Manager. Tel: +44 (0)20 8996 7070 Email: [copyright@bsigroup.com](mailto:copyright@bsigroup.com)