

BS ISO 9345-1:2012



BSI Standards Publication

# Microscopes — Imaging distances related to mechanical reference planes

Part 1: Tube length 160 mm

**bsi.**

...making excellence a habit.™

**National foreword**

This British Standard is the UK implementation of ISO 9345-1:2012. It supersedes BS 7012-3:1997 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CPW/172/5, Optics and Photonics - Microscopes.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012. Published by BSI Standards Limited 2012

ISBN 978 0 580 77421 8

ICS 37.020

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2012.

**Amendments issued since publication**

Date	Text affected
------	---------------

---

---

---

**Microscopes — Imaging distances related  
to mechanical reference planes —**

**Part 1:  
Tube length 160 mm**

*Microscopes — Tirages mécaniques en fonction des plans mécaniques  
de référence —*

*Partie 1: Longueur de tubes de 160 mm*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9345-1 was prepared by Technical Committee ISO/TC 172, *Optics and photonics*, Subcommittee SC 5, *Microscopes and endoscopes*.

This second edition cancels and replaces the first edition (ISO 9345-1:1996) which has undergone a minor revision to align definitions with ISO 10934-1 and to adjust presentation to ISO 9345-2.

ISO 9345 consists of the following parts, under the general title *Microscopes — Imaging distances related to mechanical reference planes*:

- *Part 1: Tube length 160 mm*
- *Part 2: Infinity-corrected optical systems*



# Microscopes — Imaging distances related to mechanical reference planes —

## Part 1: Tube length 160 mm

### 1 Scope

This part of ISO 9345 specifies the imaging distances of objectives and eyepieces of microscopes with 160 mm mechanical tube length or equivalent.

**NOTE** A specific combination of eyepiece and objective is frequently used to correct aberrations. Therefore, the combination of an objective from one manufacturer and an eyepiece from another manufacturer, although conforming to this International Standard, might cause loss of image quality.

### 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 2.1

##### **parfocalizing distance of the objective**

distance in air between the object plane (i.e. the uncovered surface of the object) and the locating flange of the objective, when the microscope is in its working position

Note 1 to entry: The parfocalizing distance of the objective is one of the optical interfacing dimensions.

[ISO 10934-1:2002, definition 2.80.2.4]

#### 2.2

##### **objective to primary image distance**

distance in air between the objective locating surface (of the nosepiece) and the primary image plane

Note 1 to entry: The objective to primary image distance is one of the optical interfacing dimensions and commonly has a value of either 150 mm or infinity. The latter is a hypothetical value applied to microscopes designed for infinity-corrected objectives.

[ISO 10934-1:2002, definition 2.80.2.1]

#### 2.3

##### **parfocalizing distance of the eyepiece**

distance between the locating flange of the eyepiece and the plane upon which the eyepiece is focused

Note 1 to entry: The plane upon which the eyepiece is focused is coincident with the plane of the final real image of the microscope when the eyepiece is mounted in the viewing tube. The parfocalizing distance of the eyepiece is one of the optical interfacing dimensions, and is commonly 10 mm.

[ISO 10934-1:2002, definition 2.80.2.3]

#### 2.4

##### **mechanical tube length**

for objectives corrected for a finite primary image distance it is the length of the tube in its simplest form (i.e. without any intermediate lenses) and is the distance in air between the objective-locating surface of the nosepiece and the eyepiece-locating surface of the viewing tube

Note 1 to entry: The mechanical tube length is one of the optical interfacing dimensions of the microscope.

Note 2 to entry: It commonly has a value of 160 mm (ISO 9345-1).

Note 3 to entry: For infinity-corrected objectives, the mechanical tube length is hypothetically considered to be infinite.

[ISO 10934-1:2002, definition 2.143.1]

### 3 Requirements

#### 3.1 Nominal dimensions and tolerances

The nominal dimensions shall be as given in Table 1 and illustrated in Figure 1.

**Table 1 — Nominal dimensions and tolerances**

Feature	Symbol	Nominal value mm	Numerical aperture	Tolerance mm
Parfocalizing distance of the objective	$l_1$	45,00	$\leq 0,1$	$\pm 0,2$
			$> 0,1$ to $\leq 0,25$	$\pm 0,06$
			$> 0,25$ to $\leq 0,45$	$\pm 0,03$
			$> 0,45$	$\pm 0,01$
Objective to primary image distance	$l_2$	150,00		$\pm 0,5$
Parfocalizing distance of the eyepiece	$l_3$	10,00		$\pm 0,3$
Mechanical tube length	$l_4$	160,00		$\pm 0,5$

NOTE 1 The tolerance  $\pm 0,2$  for the parfocalizing distance of objectives with numerical aperture  $\leq 0,1$  does not necessarily apply to an objective with magnification lower than  $4\times$ .

NOTE 2 The parfocalizing distance of 45 mm given in Table 1 and shown in Figure 1 is intended to apply to objectives when used with uncovered objects (specimens). Objectives for use with objects covered by a coverglass shall have a parfocalizing distance as follows, to allow for the virtual displacement of the object by the coverglass:


$$l_1 + t \frac{n-1}{n} \text{ mm}$$

where

$t$  is the thickness of the coverglass;

$n$  is the refractive index of the glass.





**Key**


- 1 eyepiece-locating surface of the viewing tube
- 2 primary image plane
- 3 locating flange of the eyepiece
- 4 locating flange of the objective
- 5 objective-locating surface (of the nosepiece)
- 6 object plane

NOTE Many microscopes have built-in prisms and lenses to change the position and/or the magnification of the image. In this case, the microscope shall have a construction such that, in combination with objectives conforming to this part of ISO 9345, the primary image is produced 10 mm below the eyepiece-locating surface of the viewing tube.

**Figure 1 — Locating surfaces, reference planes and imaging distances**

### 3.2 Examples

Figure 2 illustrates the influence of different cover glass thicknesses on the parfocalizing distance.



<sup>a</sup>  $l_{CG}$  is the resulting parfocalizing distance due to different cover glass thickness.

**Figure 2 — Examples of parfocalizing distances as function of cover glass thickness**

## 4 Marking

If the magnification of the primary image is changed by built-in optical systems, the tube factor shall be marked on the magnification changing component (stand, tube etc.).

EXAMPLE      1,25×

## Bibliography

- [1] ISO 8039, *Microscopes — Values, tolerances and symbols for magnification*
- [2] ISO 9345-2, *Optics and optical instruments — Microscopes: Imaging distances related to mechanical reference planes — Part 2: Infinity-corrected optical systems*
- [3] ISO 10934-1, *Optics and optical instruments — Vocabulary for microscopy — Part 1: Light microscopy*

---

---

**ICS 37.020**

Price based on 5 pages



# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [bsmusales@bsigroup.com](mailto:bsmusales@bsigroup.com).

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

## Useful Contacts:

### Customer Services

**Tel:** +44 845 086 9001

**Email (orders):** [orders@bsigroup.com](mailto:orders@bsigroup.com)

**Email (enquiries):** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 845 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)



...making excellence a habit.™